


# Formal Languages and Automata

Stephan Schulz & Jan Hladik

[stephan.schulz@dhbw-stuttgart.de](mailto:stephan.schulz@dhbw-stuttgart.de)

[jan.hladik@dhbw-stuttgart.de](mailto:jan.hladik@dhbw-stuttgart.de)

with contributions from David Suendermann



# Table of Contents

## Introduction

- Basics of formal languages

## Regular Languages and Finite Automata

- Regular Expressions

- Finite Automata

  - Non-Determinism

  - Regular expressions and Finite Automata

  - Minimisation

  - Equivalence

- The Pumping Lemma

- Properties of regular languages

## Scanners and Flex

## Formal Grammars and Context-Free Languages

- Formal Grammars

- The Chomsky Hierarchy

- Right-linear Grammars

- Context-free Grammars

- Push-Down Automata

- Properties of Context-free Languages

## Turing Machines and Languages of Type 1 and 0

- Turing Machines

- Unrestricted Grammars

- Linear Bounded Automata

- Properties of Type-0-languages

# Outline

## Introduction

Basics of formal languages

Regular Languages and Finite Automata

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

- ▶ Stephan Schulz
  - ▶ Dipl.-Inform., U. Kaiserslautern, 1995
  - ▶ Dr. rer. nat., TU München, 2000
  - ▶ Visiting professor, U. Miami, 2002
  - ▶ Visiting professor, U. West Indies, 2005
  - ▶ Lecturer (Hildesheim, Offenburg, ...) since 2009
  - ▶ Industry experience: Building Air Traffic Control systems
    - ▶ System engineer, 2005
    - ▶ Project manager, 2007
    - ▶ Product Manager, 2013
  - ▶ Professor, DHBW Stuttgart, 2014

- ▶ Stephan Schulz
  - ▶ Dipl.-Inform., U. Kaiserslautern, 1995
  - ▶ Dr. rer. nat., TU München, 2000
  - ▶ Visiting professor, U. Miami, 2002
  - ▶ Visiting professor, U. West Indies, 2005
  - ▶ Lecturer (Hildesheim, Offenburg, ...) since 2009
  - ▶ Industry experience: Building Air Traffic Control systems
    - ▶ System engineer, 2005
    - ▶ Project manager, 2007
    - ▶ Product Manager, 2013
  - ▶ Professor, DHBW Stuttgart, 2014

**Research: Logic & Automated Reasoning**

- ▶ Jan Hladik
  - ▶ Dipl.-Inform.: RWTH Aachen, 2001
  - ▶ Dr. rer. nat.: TU Dresden, 2007
  - ▶ Industry experience: SAP Research
    - ▶ Work in publicly funded research projects
    - ▶ Collaboration with SAP product groups
    - ▶ Supervision of Bachelor, Master, and PhD students
  - ▶ Professor: DHBW Stuttgart, 2014

## ▶ Jan Hladik

- ▶ Dipl.-Inform.: RWTH Aachen, 2001
- ▶ Dr. rer. nat.: TU Dresden, 2007
- ▶ Industry experience: SAP Research
  - ▶ Work in publicly funded research projects
  - ▶ Collaboration with SAP product groups
  - ▶ Supervision of Bachelor, Master, and PhD students
- ▶ Professor: DHBW Stuttgart, 2014

**Research: Semantic Web, Semantic Technologies,  
Automated Reasoning**

## ▶ Scripts

- ▶ The most up-to-date version of this document as well as auxiliary material will be made available online at

<http://wwwlehre.dhbw-stuttgart.de/~sschulz/fla2015.html>

and

<http://wwwlehre.dhbw-stuttgart.de/~hladik/FLA>

## ▶ Books

- ▶ John E. Hopcroft, Rajeev Motwani, Jeffrey D. Ullman: [Introduction to Automata Theory, Languages, and Computation](#)
- ▶ Michael Sipser: [Introduction to the Theory of Computation](#)
- ▶ Dirk W. Hoffmann: [Theoretische Informatik](#)
- ▶ Ulrich Hedtstück: [Einführung in die theoretische Informatik](#)



# Computing Environment

- ▶ For practical exercises, you will need a complete Linux/UNIX environment. If you do not run one natively, there are several options:
  - ▶ You can install VirtualBox (<https://www.virtualbox.org>) and then install e.g. Ubuntu (<http://www.ubuntu.com/>) on a virtual machine
  - ▶ For Windows, you can install the **complete** UNIX emulation package Cygwin from <http://cygwin.com>
  - ▶ For MacOS, you can install `fink` (<http://fink.sourceforge.net/>) or MacPorts (<https://www.macports.org/>) and the necessary tools
- ▶ You will need at least `flex`, `bison`, `gcc`, `grep`, `sed`, `AWK`, `make`, and a good text editor

# Outline

## Introduction

Basics of formal languages

# Outline

## Introduction

- Basics of formal languages

## Regular Languages and Finite Automata

- Regular Expressions

- Finite Automata

- The Pumping Lemma

- Properties of regular languages

# Outline

## Introduction

- Basics of formal languages

## Regular Languages and Finite Automata

- Regular Expressions

- Finite Automata

- The Pumping Lemma

- Properties of regular languages

## Scanners and Flex

# Outline

## Introduction

- Basics of formal languages

## Regular Languages and Finite Automata

- Regular Expressions

- Finite Automata

- The Pumping Lemma

- Properties of regular languages

## Scanners and Flex

## Formal Grammars and Context-Free Languages

- Formal Grammars

- The Chomsky Hierarchy

- Right-linear Grammars

- Context-free Grammars

- Push-Down Automata

- Properties of Context-free Languages

# Outline

## Introduction

- Basics of formal languages

## Regular Languages and Finite Automata

- Regular Expressions

- Finite Automata

- The Pumping Lemma

- Properties of regular languages

## Scanners and Flex

## Formal Grammars and Context-Free Languages

- Formal Grammars

- The Chomsky Hierarchy

- Right-linear Grammars

- Context-free Grammars

- Push-Down Automata

- Properties of Context-free Languages

## Turing Machines and Languages of Type 1 and 0

- Turing Machines

- Unrestricted Grammars

- Linear Bounded Automata

- Properties of Type-0-languages

# Formal language concepts

**Alphabet:** finite set  $\Sigma$  of symbols (characters)

▶  $\{a, b, c\}$

**Word:** finite sequence  $w$  of characters (string)

▶  $ab \neq ba$

**Language:** (possibly infinite) set  $L$  of words

▶  $\{ab, ba\} = \{ba, ab\}$

**Formal:**  $L$  defined precisely

▶ opposed to **natural** languages, where there are borderline cases

# Some formal languages

## Example

- ▶ names in a phone directory
- ▶ phone numbers in a phone directory
- ▶ legal C identifiers
- ▶ legal C programs
- ▶ legal [HTML 4.01 Transitional](#) documents
- ▶ empty set
- ▶ ASCII strings
- ▶ Unicode strings



# Some formal languages

## Example

- ▶ names in a phone directory
- ▶ phone numbers in a phone directory
- ▶ legal C identifiers
- ▶ legal C programs
- ▶ legal [HTML 4.01 Transitional](#) documents
- ▶ empty set
- ▶ ASCII strings
- ▶ Unicode strings

**More?**

# Language classes

This course: four classes of different complexity and expressivity

- 1 regular** languages: limited power, but easy to handle
  - ▶ “strings that start with a letter, followed by up to 7 letters or digits”
  - ▶ legal C identifiers
  - ▶ phone numbers
- 2 context-free** languages: more expressive, but still feasible
  - ▶ “every `<token>` is matched by `</token>`”
  - ▶ **nested** dependencies
  - ▶ (most aspects of) legal C programs
  - ▶ many natural languages (English, German)

Jan says that we  
let  
the children  
help  
Hans  
paint  
the house

Jan sagt, dass wir  
die Kinder  
dem Hans  
das Haus  
anstreichen  
helfen  
ließen

## Language classes (cont')

- 3 **context-sensitive** languages: even more expressive, difficult to handle computationally
  - ▶ “every variable has to be declared before it is used”  
(arbitrary sequence, arbitrary amounts of code in between)
  - ▶ **cross-serial** dependencies
  - ▶ (remaining aspects of) legal C programs
  - ▶ most remaining natural languages

# Language classes (cont')

- 3 **context-sensitive** languages: even more expressive, difficult to handle computationally
  - ▶ “every variable has to be declared before it is used” (arbitrary sequence, arbitrary amounts of code in between)
  - ▶ **cross-serial** dependencies
  - ▶ (remaining aspects of) legal C programs
  - ▶ most remaining natural languages (Swiss German)

```
Jan säit das mer  
d' chind  
  em Hans  
    es huus  
lönd  
  helfe  
    aastriche
```

## Language classes (cont')

- 3 **context-sensitive** languages: even more expressive, difficult to handle computationally
  - ▶ “every variable has to be declared before it is used” (arbitrary sequence, arbitrary amounts of code in between)
  - ▶ **cross-serial** dependencies
  - ▶ (remaining aspects of) legal C programs
  - ▶ most remaining natural languages (Swiss German)

Jan säit das mer  
d' chind  
em Hans  
es huus  
lönd  
helfe  
aastriche

Jan says that we  
the children  
Hans  
the house  
let  
help  
paint

- 4 **recursively enumerable** languages: most general (Chomsky) class; undecidable
  - ▶ all (valid) mathematical theorems
  - ▶ programs terminating on a particular input

# Automata

- ▶ abstract formal machine model, characterised by **states, letters, transitions, and external memory**
- ▶ **accept** words

# Automata

- ▶ abstract formal machine model, characterised by **states, letters, transitions, and external memory**
- ▶ **accept** words

For every language class discussed in this course, a machine model exists such that for every **language**  $L$  there is an **automaton**  $\mathcal{A}(L)$  that accepts exactly the words in  $L$ .

# Automata


- ▶ abstract formal machine model, characterised by **states, letters, transitions, and external memory**
- ▶ **accept** words

For every language class discussed in this course, a machine model exists such that for every **language**  $L$  there is an **automaton**  $\mathcal{A}(L)$  that accepts exactly the words in  $L$ .


regular	$\rightsquigarrow$	finite automaton
context-free	$\rightsquigarrow$	pushdown automaton
context-sensitive	$\rightsquigarrow$	linearly bounded Turing machine
recursively enumerable	$\rightsquigarrow$	(unbounded) Turing machine




## Example: Finite Automaton




## Example: Finite Automaton



# Example: Finite Automaton



# Example: Finite Automaton




# Example: Finite Automaton

Formally:



- ▶  $Q = \{\text{Off}, \text{On}\}$  is the set of **states**
- ▶  $\Sigma = \{\text{click}\}$  is the **alphabet**
- ▶ The **transition function**  $\delta$  is given by

$\delta$	click
Off	On
On	Off

- ▶ The **initial state** is Off
- ▶ There are no **accepting states**




# ATC scenario



# ATC redundancy

## Active server:

- Accepts sensor data
- Provides ASP
- Sends "alive" messages




## Passive server

- Ignores sensor data
- Monitors "alive" messages
- Takes over in case of failure

Sensors

ATC


# DFA to the rescue



- ▶ Two events (“letters”)
  - ▶ **timeout**: 0.1 seconds have passed
  - ▶ **alive**: message from active server
- ▶ States  $q_0, q_1, q_2$ : Server is passive
  - ▶ No processing of input
  - ▶ No sending of alive messages
- ▶ State  $q_3$ : Server becomes active
  - ▶ Process input, provide output to ATC
  - ▶ Send alive messages every 0.1 seconds



## Exercise: Automaton



Does this automaton accept the words *begin*, *end*, *bind*, *bend*?

# Turing Machine

## “Universal computer”

- ▶ Very simple model of a computer
  - ▶ Infinite tape, one read/write head
  - ▶ Tape can store letters from a alphabet
  - ▶ FSM controls read/write and movement operations
- ▶ Very powerful model of a computer
  - ▶ Can compute anything any real computer can compute
  - ▶ Can compute anything an “ideal” real computer can compute
  - ▶ Can compute everything a human can compute (?)



# Formal grammars

Formalism to **generate** (rather than accept) words over alphabet

**terminal symbols:** may appear in the produced word (alphabet)

**non-terminal symbols:** may not appear in the produced word  
(temporary symbols)

**production rules:**  $l \rightarrow r$  means:  $l$  can be replaced by  $r$  anywhere  
in the word

# Formal grammars

Formalism to **generate** (rather than accept) words over alphabet

**terminal symbols:** may appear in the produced word (alphabet)

**non-terminal symbols:** may not appear in the produced word  
(temporary symbols)

**production rules:**  $l \rightarrow r$  means:  $l$  can be replaced by  $r$  anywhere  
in the word

## Example

Grammar for arithmetic expressions over  $\{0, 1\}$

$$\begin{aligned}\Sigma &= \{0, 1, +, \cdot, (, )\} \\ N &= \{E\} \\ P &= \{E \rightarrow 0, E \rightarrow 1, \\ &\quad E \rightarrow (E) \\ &\quad E \rightarrow E + E \\ &\quad E \rightarrow E \cdot E\}\end{aligned}$$

# Exercise: Grammars

## Using

- ▶ the non-terminal symbol  $S$
- ▶ the terminal symbols  $b, d, e, g, i, n$
- ▶ the production rules

$S \rightarrow begin, beg \rightarrow e, in \rightarrow ind, in \rightarrow n, eg \rightarrow egg, ggg \rightarrow b$

can you generate the words *bend* and *end* starting from the symbol  $S$ ?

- ▶ If yes, how many steps do you need?
- ▶ If no, why not?

# Questions about formal languages

- ▶ For a given language  $L$ , how can we find
  - ▶ a corresponding automaton  $\mathcal{A}_L$ ?
  - ▶ a corresponding grammar  $G_L$ ?
- ▶ What is the simplest automaton for  $L$ ?
  - ▶ “simplest” meaning: weakest possible language class
  - ▶ “simplest” meaning: least number of elements
- ▶ How can we use formal descriptions of languages for compilers?
  - ▶ detecting legal words/reserved words
  - ▶ testing if the structure is legal
  - ▶ understanding the meaning by analysing the structure

## More questions about formal languages

Closure properties: if  $L_1$  and  $L_2$  are in a class, does this also hold for

- ▶ the **union** of  $L_1$  and  $L_2$ ,
- ▶ the **intersection** of  $L_1$  and  $L_2$ ,
- ▶ the **concatenation** of  $L_1$  and  $L_2$ ,
- ▶ the **complement** of  $L_1$ ?

# More questions about formal languages

Closure properties: if  $L_1$  and  $L_2$  are in a class, does this also hold for


- ▶ the **union** of  $L_1$  and  $L_2$ ,
- ▶ the **intersection** of  $L_1$  and  $L_2$ ,
- ▶ the **concatenation** of  $L_1$  and  $L_2$ ,
- ▶ the **complement** of  $L_1$ ?

Decision problems: for a word  $w$  and languages  $L_1$  and  $L_2$  (given by grammars or automata),

- ▶ does  $w \in L_1$  hold?
- ▶ is  $L_1$  finite?
- ▶ is  $L_1$  empty?
- ▶ does  $L_1 = L_2$  hold?



Abandon all hope. . .



# Example applications for formal languages and automata

- ▶ HTML and web browsers
- ▶ Speech recognition and understanding grammars
- ▶ Dialog systems and AI (Siri, Watson)
- ▶ Regular expression matching
- ▶ Compilers and interpreters of programming languages

# Outline

## Introduction

Basics of formal languages

Regular Languages and Finite Automata

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

## Definition (Alphabet)

An **alphabet**  $\Sigma$  is a finite, non-empty set of characters (symbols, letters).

$$\Sigma = \{c_1, \dots, c_n\}$$

## Definition (Alphabet)

An **alphabet**  $\Sigma$  is a finite, non-empty set of characters (symbols, letters).

$$\Sigma = \{c_1, \dots, c_n\}$$

## Example

- 1  $\Sigma_{\text{bin}} = \{0, 1\}$  can express integers in the binary system.
- 2 The English language is based on  $\Sigma_{\text{en}} = \{a, \dots, z, A, \dots, Z\}$ .
- 3  $\Sigma_{\text{ASCII}} = \{0, \dots, 127\}$  represents the set of ASCII characters [American Standard Code for Information Interchange] coding letters, digits, and special and control characters.

# Alphabets: ASCII code chart

ASCII Code Chart

	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
0	NUL	SOH	STX	ETX	EOT	ENQ	ACK	BEL	BS	HT	LF	VT	FF	CR	SO	SI
1	DLE	DC1	DC2	DC3	DC4	NAK	SYN	ETB	CAN	EM	SUB	ESC	FS	GS	RS	US
2		!	"	#	\$	%	&	'	(	)	*	+	,	-	.	/
3	0	1	2	3	4	5	6	7	8	9	:	;	<	=	>	?
4	@	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
5	P	Q	R	S	T	U	V	W	X	Y	Z	[	\	]	^	_
6	`	a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
7	p	q	r	s	t	u	v	w	x	y	z	{		}	~	DEL

## Definition (Word)

- ▶ A **word** over the alphabet  $\Sigma$  is a finite sequence (list) of characters of  $\Sigma$ :

$$w = c_1 \dots c_n \quad \text{with} \quad c_1, \dots, c_n \in \Sigma.$$

- ▶ The **empty word** with no characters is written as  $\varepsilon$ .
- ▶ The set of all words over an alphabet  $\Sigma$  is represented by  $\Sigma^*$ .

## Definition (Word)

- ▶ A **word** over the alphabet  $\Sigma$  is a finite sequence (list) of characters of  $\Sigma$ :

$$w = c_1 \dots c_n \quad \text{with} \quad c_1, \dots, c_n \in \Sigma.$$

- ▶ The **empty word** with no characters is written as  $\varepsilon$ .
- ▶ The set of all words over an alphabet  $\Sigma$  is represented by  $\Sigma^*$ .

In programming languages, words are often referred to as **strings**.



## Example

1 Using  $\Sigma_{\text{bin}}$ , we can define the words  $w_1, w_2 \in \Sigma_{\text{bin}}^*$ :

$$w_1 = 01100 \quad \text{and} \quad w_2 = 11001$$

2 Using  $\Sigma_{\text{en}}$ , we can define the word  $w \in \Sigma_{\text{en}}^*$ :

$$w = \text{example}$$

# Properties of words

## Definition (Length, character access)

- ▶ The **length**  $|w|$  of a word  $w$  is the number of characters in  $w$ .
- ▶ The **number of occurrences** of a character  $c$  in  $w$  is denoted as  $|w|_c$ .
- ▶ The **individual characters** within words are accessed using the terminology  $w[i]$  with  $i \in \{1, 2, \dots, |w|\}$ .

# Properties of words

## Definition (Length, character access)

- ▶ The **length**  $|w|$  of a word  $w$  is the number of characters in  $w$ .
- ▶ The **number of occurrences** of a character  $c$  in  $w$  is denoted as  $|w|_c$ .
- ▶ The **individual characters** within words are accessed using the terminology  $w[i]$  with  $i \in \{1, 2, \dots, |w|\}$ .

## Example

- ▶  $|\text{example}| = 7$     and     $|\varepsilon| = 0$
- ▶  $|\text{example}|_e = 2$     and     $|\text{example}|_k = 0$
- ▶  $\text{example}[4] = \text{m}$

# Appending words

## Definition (Concatenation of words)

For words  $w_1$  and  $w_2$ , the concatenation  $w_1 \cdot w_2$  is defined as  $w_1$  followed by  $w_2$ .

# Appending words

## Definition (Concatenation of words)

For words  $w_1$  and  $w_2$ , the concatenation  $w_1 \cdot w_2$  is defined as  $w_1$  followed by  $w_2$ .

$w_1 \cdot w_2$  is often simply written as  $w_1w_2$ .

# Appending words

## Definition (Concatenation of words)

For words  $w_1$  and  $w_2$ , the concatenation  $w_1 \cdot w_2$  is defined as  $w_1$  followed by  $w_2$ .

$w_1 \cdot w_2$  is often simply written as  $w_1w_2$ .

## Example

Let  $w_1 = 01$  and  $w_2 = 10$ .

Then the following holds:

$$w_1w_2 = 0110 \quad \text{and} \quad w_2w_1 = 1001$$

# Iterated concatenation

In the following, we denote the set of **natural numbers**  $\{0, 1, \dots\}$  by  $\mathbb{N}$ .

## Definition (Power of a word)

The  **$n$ -th power**  $w^n$  of a word  $w$  concatenates the same word  $n$  times:

$$\begin{aligned}w^0 &= \varepsilon \\w^n &= w^{n-1} \cdot w \quad \text{if } w > 0\end{aligned}$$

# Iterated concatenation

In the following, we denote the set of **natural numbers**  $\{0, 1, \dots\}$  by  $\mathbb{N}$ .

## Definition (Power of a word)

The  **$n$ -th power**  $w^n$  of a word  $w$  concatenates the same word  $n$  times:

$$\begin{aligned}w^0 &= \varepsilon \\w^n &= w^{n-1} \cdot w \quad \text{if } n > 0\end{aligned}$$

## Example

Let  $w = ab$ . Then:

$$\begin{aligned}w^0 &= \varepsilon \\w^1 &= ab \\w^3 &= ababab\end{aligned}$$



## Exercise: Operations on words

Given the alphabet  $\Sigma = \{a, b, c\}$  and the words

▶  $u = abc$

▶  $v = aa$

▶  $w = cb$

what is denoted by the following expressions?

1  $u^2 \cdot w$

2  $v \cdot \varepsilon \cdot w \cdot u^0$

3  $|u^3|_a$

4  $v \cdot a^2 \cdot (v[4])$

5  $(v \cdot a^2 \cdot v)[4]$

6  $|w^0|$

7  $|w^0 \cdot w|$

# Formal languages

## Definition (Formal language)

For an alphabet  $\Sigma$ , a **formal language over  $\Sigma$**  is a subset  $L \subseteq \Sigma^*$ .

## Definition (Formal language)

For an alphabet  $\Sigma$ , a **formal language over  $\Sigma$**  is a subset  $L \subseteq \Sigma^*$ .

## Example

Let  $L_{\mathbb{N}} = \{1w \mid w \in \Sigma_{\text{bin}}^*\} \cup \{0\}$ .

Then  $L_{\mathbb{N}}$  is the set of all words that represent integers using the binary system (all words starting with 1 and the word 0):

$$100 \in L_{\mathbb{N}} \quad \text{but} \quad 010 \notin L_{\mathbb{N}}.$$

## Definition (Numeric value)

We define the function

$$n : L_{\mathbb{N}} \rightarrow \mathbb{N}$$

as the function returning the numeric value of a word in the language  $L_{\mathbb{N}}$ . This means

- (a)  $n(0) = 0$ ,
- (b)  $n(1) = 1$ ,
- (c)  $n(w0) = 2 \cdot n(w)$  for  $|w| > 0$ ,
- (d)  $n(w1) = 2 \cdot n(w) + 1$  for  $|w| > 0$ .

## Definition (Prime numbers)

We define the language  $L_{\mathbb{P}}$  as the language representing prime numbers in the binary system:

$$L_{\mathbb{P}} = \{w \in L_{\mathbb{N}} \mid n(w) \in \mathbb{P}\}.$$

## Definition (Prime numbers)

We define the language  $L_{\mathbb{P}}$  as the language representing prime numbers in the binary system:

$$L_{\mathbb{P}} = \{w \in L_{\mathbb{N}} \mid n(w) \in \mathbb{P}\}.$$

One way to formally express the set of all prime numbers is

$$\mathbb{P} = \{p \in \mathbb{N} \mid \{t \in \mathbb{N} \mid \exists k \in \mathbb{N} : k \cdot t = p\} = \{1, p\}\}.$$

## Definition

We define the language  $L_C \subset \Sigma_{\text{ASCII}}^*$  as the set of all C function definitions with a declaration of the form:

$$\text{char* } f(\text{char* } x);$$

(where  $f$  and  $x$  are legal C identifiers).

Then  $L_C$  contains the ASCII code of all those definitions of C functions processing and returning a string.

# C function evaluations as a language

## Definition

Using the alphabet  $\Sigma_{\text{ASCII}+} = \Sigma_{\text{ASCII}} \cup \{\dagger\}$ , we define the **universal language**

$$L_u = \{f\dagger x\dagger y\} \quad \text{with}$$

- (a)  $f \in L_C$ ,
- (b)  $x, y \in \Sigma_{\text{ASCII}}^*$ ,
- (c) applying  $f$  to  $x$  terminates and returns  $y$ .



# C function evaluations as a language

## Definition

Using the alphabet  $\Sigma_{\text{ASCII}+} = \Sigma_{\text{ASCII}} \cup \{\dagger\}$ , we define the **universal language**

$$L_u = \{f\dagger x\dagger y\} \quad \text{with}$$

- (a)  $f \in L_C$ ,
- (b)  $x, y \in \Sigma_{\text{ASCII}}^*$ ,
- (c) applying  $f$  to  $x$  terminates and returns  $y$ .

Formal languages have a wide scope:

- ▶ Testing whether a word belongs to  $L_{\mathbb{N}}$  is straightforward.
- ▶ The same test for  $L_{\mathbb{P}}$  or  $L_C$  is more complex.
- ▶ Later, we will see that there is no algorithm to do this test for  $L_u$ .

# C function evaluations as a language

## Definition

Using the alphabet  $\Sigma_{\text{ASCII}+} = \Sigma_{\text{ASCII}} \cup \{\dagger\}$ , we define the **universal language**


$$L_u = \{f\dagger x\dagger y\} \quad \text{with}$$

- (a)  $f \in L_C$ ,
- (b)  $x, y \in \Sigma_{\text{ASCII}}^*$ ,
- (c) applying  $f$  to  $x$  terminates and returns  $y$ .

Formal languages have a wide scope:

- ▶ Testing whether a word belongs to  $L_{\mathbb{N}}$  is straightforward.
- ▶ The same test for  $L_{\mathbb{P}}$  or  $L_C$  is more complex.
- ▶ Later, we will see that there is no algorithm to do this test for  $L_u$ .

Abandon all hope. . .



## Definition (Product of formal languages)

Given an alphabet  $\Sigma$  and the formal languages  $L_1, L_2 \subseteq \Sigma^*$ , we define the **product**

$$L_1 \cdot L_2 = \{w_1 \cdot w_2 \mid w_1 \in L_1, w_2 \in L_2\}.$$

## Definition (Product of formal languages)

Given an alphabet  $\Sigma$  and the formal languages  $L_1, L_2 \subseteq \Sigma^*$ , we define the **product**

$$L_1 \cdot L_2 = \{w_1 \cdot w_2 \mid w_1 \in L_1, w_2 \in L_2\}.$$

## Example

Using the alphabet  $\Sigma_{\text{en}}$ , we define the languages

$$L_1 = \{ab, bc\} \quad \text{and} \quad L_2 = \{ac, cb\}.$$

The product is

$$L_1 \cdot L_2 = \{abac, abcb, bcac, bccb\}.$$

## Definition (Power of a language)

Given an alphabet  $\Sigma$ , a formal language  $L \subseteq \Sigma^*$ , and an integer  $n \in \mathbb{N}$ , we define the  $n$ -th power of  $L$  (recursively) as follows:

$$L^0 = \{\varepsilon\}$$

$$L^n = L^{n-1} \cdot L$$

## Definition (Power of a language)

Given an alphabet  $\Sigma$ , a formal language  $L \subseteq \Sigma^*$ , and an integer  $n \in \mathbb{N}$ , we define the  $n$ -th power of  $L$  (recursively) as follows:

$$\begin{aligned}L^0 &= \{\varepsilon\} \\L^n &= L^{n-1} \cdot L\end{aligned}$$

## Example

Using the alphabet  $\Sigma_{\text{en}}$ , we define the language  $L = \{ab, ba\}$ . Thus:

$$\begin{aligned}L^0 &= \{\varepsilon\} \\L^1 &= \{\varepsilon\} \cdot \{ab, ba\} = \{ab, ba\} \\L^2 &= \{ab, ba\} \cdot \{ab, ba\} = \{abab, abba, baab, baba\}\end{aligned}$$

# The Kleene Star operator

## Definition (Kleene Star)

Given an alphabet  $\Sigma$  and a formal language  $L \subseteq \Sigma^*$ , we define the **Kleene star** operator as

$$L^* = \bigcup_{n \in \mathbb{N}} L^n.$$



# The Kleene Star operator

## Definition (Kleene Star)

Given an alphabet  $\Sigma$  and a formal language  $L \subseteq \Sigma^*$ , we define the **Kleene star** operator as

$$L^* = \bigcup_{n \in \mathbb{N}} L^n.$$

## Example

Using the alphabet  $\Sigma_{\text{en}}$ , we define the language  $L = \{a\}$ . Thus:

$$L^* = \{a^n \mid n \in \mathbb{N}\}.$$

## Exercise: formal languages

Given the alphabet  $\Sigma_{\text{bin}}$  and the language  $L = \{1\}$ , formally describe the following:

- a) the language  $M = L^* \setminus \{\varepsilon\}$
- b) the set  $N = \{n(w) \mid w \in M\}$
- c) the language  $M^- = \{w \mid n(w) - 1 \in N\}$
- d) the language  $M^+ = \{w \mid n(w) + 1 \in N\}$

# Outline

Introduction

**Regular Languages and Finite Automata**

Regular Expressions

Finite Automata

The Pumping Lemma

Properties of regular languages

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

# Outline

Introduction

**Regular Languages and Finite Automata**

**Regular Expressions**

Finite Automata

The Pumping Lemma

Properties of regular languages

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

# Regular expressions

Compact and convenient way to represent a set of strings

# Regular expressions

Compact and convenient way to represent a set of strings

- ▶ Characterize tokens for compilers
- ▶ Describe search terms for a data base
- ▶ Filter through genomic data
- ▶ Extract URLs from web pages
- ▶ Extract email addresses from web pages

# Regular expressions

Compact and convenient way to represent a set of strings

- ▶ Characterize tokens for compilers
- ▶ Describe search terms for a data base
- ▶ Filter through genomic data
- ▶ Extract URLs from web pages
- ▶ Extract email addresses from web pages

**The set of all regular expressions (over an alphabet)  
is a formal language**

**Each single regular expression describes a formal language**

## Reminder: Power sets

### Definition (Power set of a set)

- ▶ Assume a set  $S$ . Then the power set of  $S$ , written as  $2^S$ , is the set of all subsets of  $S$ .
- ▶ In particular, if  $\Sigma$  is an alphabet,  $2^{\Sigma^*}$  is the set of all subsets of  $\Sigma^*$  and hence the set of all possible formal languages over  $\Sigma$ .



# Reminder: Power sets

## Definition (Power set of a set)

- ▶ Assume a set  $S$ . Then the power set of  $S$ , written as  $2^S$ , is the set of all subsets of  $S$ .
- ▶ In particular, if  $\Sigma$  is an alphabet,  $2^{\Sigma^*}$  is the set of all subsets of  $\Sigma^*$  and hence the set of all possible formal languages over  $\Sigma$ .

## Example

$$2^{\Sigma_{\text{bin}}} = 2^{\{0,1\}} = \{\emptyset, \{0\}, \{1\}, \{0,1\}\},$$

# Reminder: Power sets

## Definition (Power set of a set)

- ▶ Assume a set  $S$ . Then the power set of  $S$ , written as  $2^S$ , is the set of all subsets of  $S$ .
- ▶ In particular, if  $\Sigma$  is an alphabet,  $2^{\Sigma^*}$  is the set of all subsets of  $\Sigma^*$  and hence the set of all possible formal languages over  $\Sigma$ .

## Example

$$\begin{aligned}2^{\Sigma_{\text{bin}}} &= 2^{\{0,1\}} = \{\emptyset, \{0\}, \{1\}, \{0,1\}\}, \\2^{\Sigma_{\text{bin}}^*} &= 2^{\{\epsilon, 0, 1, 00, 01, \dots\}}\end{aligned}$$

# Reminder: Power sets

## Definition (Power set of a set)

- ▶ Assume a set  $S$ . Then the power set of  $S$ , written as  $2^S$ , is the set of all subsets of  $S$ .
- ▶ In particular, if  $\Sigma$  is an alphabet,  $2^{\Sigma^*}$  is the set of all subsets of  $\Sigma^*$  and hence the set of all possible formal languages over  $\Sigma$ .

## Example

$$\begin{aligned}2^{\Sigma_{\text{bin}}} &= 2^{\{0,1\}} = \{\emptyset, \{0\}, \{1\}, \{0,1\}\}, \\2^{\Sigma_{\text{bin}}^*} &= 2^{\{\epsilon, 0, 1, 00, 01, \dots\}} \\&= \{\emptyset, \{\epsilon\}, \{0\}, \{1\}, \{00\}, \{01\}, \dots \\&\quad \dots \{\epsilon, 0\}, \{\epsilon, 1\}, \{\epsilon, 00\}, \{\epsilon, 01\}, \dots \\&\quad \dots \{010, 1110, 10101\}, \dots\}.\end{aligned}$$

# Regular expressions and formal languages

A regular expression over  $\Sigma$ ...

- ▶ ... is a word over the extended alphabet  $\Sigma \cup \{\emptyset, \varepsilon, +, \cdot, *, (, )\}$
- ▶ ... describes a formal language over  $\Sigma$

# Regular expressions and formal languages

A regular expression over  $\Sigma$ ...

- ▶ ... is a word over the extended alphabet  $\Sigma \cup \{\emptyset, \varepsilon, +, \cdot, *, (, )\}$
- ▶ ... describes a formal language over  $\Sigma$

## Terminology

The following terms are defined on the next slides:

- ▶  $R_\Sigma$  is the set of all regular expressions over the alphabet  $\Sigma$ .
- ▶ The function  $L : R_\Sigma \rightarrow 2^{\Sigma^*}$  assigns a formal language  $L(r) \subseteq \Sigma^*$  to each regular expression  $r$ .

## Definition (Regular expressions)

The set of regular expressions  $R_\Sigma$  over the alphabet  $\Sigma$  is defined as follows:

- 1 The regular expression  $\emptyset$  denotes the **empty language**.  
 $\emptyset \in R_\Sigma$  and  $L(\emptyset) = \{\}$
- 2 The regular expression  $\varepsilon$  denotes the language containing only the empty word.  
 $\varepsilon \in R_\Sigma$  and  $L(\varepsilon) = \{\varepsilon\}$
- 3 Each symbol in the alphabet  $\Sigma$  is a regular expression.  
 $c \in \Sigma \Rightarrow c \in R_\Sigma$  and  $L(c) = \{c\}$

### Definition (Regular expressions (cont'))

- 4 The operator  $+$  denotes the **union** of the languages of  $r_1$  and  $r_2$ .  
 $r_1 \in R_\Sigma, r_2 \in R_\Sigma \Rightarrow r_1 + r_2 \in R_\Sigma$  and  $L(r_1 + r_2) = L(r_1) \cup L(r_2)$
- 5 The operator  $\cdot$  denotes the **product** of the languages of  $r_1$  and  $r_2$ .  
 $r_1 \in R_\Sigma, r_2 \in R_\Sigma \Rightarrow r_1 \cdot r_2 \in R_\Sigma$  and  $L(r_1 \cdot r_2) = L(r_1) \cdot L(r_2)$
- 6 The **Kleene star** of a regular expression  $r$  denotes the Kleene star of the language of  $r$ .  
 $r \in R_\Sigma \Rightarrow r^* \in R_\Sigma$  and  $L(r^*) = (L(r))^*$
- 7 **Brackets** can be used to group regular expressions without changing their language.  
 $r \in R_\Sigma \Rightarrow (r) \in R_\Sigma$  and  $L((r)) = L(r)$

# Equivalence of regular expressions

## Definition (Equivalence and precedence)

- ▶ Two regular expressions  $r_1$  and  $r_2$  are **equivalent** if they denote the same language:  $r_1 \doteq r_2$  if and only if  $L(r_1) = L(r_2)$
- ▶ The operators have the following **precedence**:  
 $(\dots) > * > \cdot > +$
- ▶ The product operator  $\cdot$  can be omitted.



# Equivalence of regular expressions

## Definition (Equivalence and precedence)

- ▶ Two regular expressions  $r_1$  and  $r_2$  are **equivalent** if they denote the same language:  $r_1 \doteq r_2$  if and only if  $L(r_1) = L(r_2)$
- ▶ The operators have the following **precedence**:  
 $(\dots) > * > \cdot > +$
- ▶ The product operator  $\cdot$  can be omitted.

## Example

$$\begin{aligned} a + b \cdot c^* &\doteq a + (b \cdot (c^*)) \\ ac + bc^* &\doteq a \cdot c + b \cdot c^* \end{aligned}$$

# Equivalence of regular expressions

## Definition (Equivalence and precedence)

- ▶ Two regular expressions  $r_1$  and  $r_2$  are **equivalent** if they denote the same language:  $r_1 \doteq r_2$  if and only if  $L(r_1) = L(r_2)$
- ▶ The operators have the following **precedence**:  
 $(\dots) > * > \cdot > +$
- ▶ The product operator  $\cdot$  can be omitted.

## Example

$$\begin{aligned}a + b \cdot c^* &\doteq a + (b \cdot (c^*)) \\ac + bc^* &\doteq a \cdot c + b \cdot c^*\end{aligned}$$

Note: Some authors (and tools) use  $|$  as the union operator.

# Examples for regular expressions

## Example

Let  $\Sigma_{abc} = \{a, b, c\}$ .

- ▶ The regular expression  $r_1 = (a + b + c)(a + b + c)$  describes all the words of exactly two symbols:

$$L(r_1) = \{w \in \Sigma_{abc}^* \mid |w| = 2\}$$

- ▶ The regular expression  $r_2 = (a + b + c)(a + b + c)^*$  describes all the words of one or more symbols:

$$L(r_2) = \{w \in \Sigma_{abc}^* \mid |w| \geq 1\}$$

## Exercise: regular expressions

- 1 Using the alphabet  $\Sigma_{abc} = \{a, b, c\}$ , give a regular expression  $r_1$  for all the words  $w \in \Sigma_{abc}^*$  containing exactly one  $a$  or exactly one  $b$ .
- 2 Formally describe  $L(r_1)$  as a set.
- 3 Using the alphabet  $\Sigma_{abc} = \{a, b, c\}$ , give a regular expression  $r_2$  for all the words containing at least one  $a$  and one  $b$ .
- 4 Using the alphabet  $\Sigma_{bin} = \{0, 1\}$ , give a regular expression for all the words whose third last symbol is  $1$ .
- 5 Using the alphabet  $\Sigma_{bin}$ , give a regular expression for all the words not containing the string  $110$ .
- 6 Which language is described by the regular expression

$$r_6 = (1 + \varepsilon)(00^*1)^*0^*?$$

## Exercise: regular expressions

- 1 Using the alphabet  $\Sigma_{abc} = \{a, b, c\}$ , give a regular expression  $r_1$  for all the words  $w \in \Sigma_{abc}^*$  containing exactly one  $a$  or exactly one  $b$ .
- 2 Formally describe  $L(r_1)$  as a set.
- 3 Using the alphabet  $\Sigma_{abc} = \{a, b, c\}$ , give a regular expression  $r_2$  for all the words containing at least one  $a$  and one  $b$ .
- 4 Using the alphabet  $\Sigma_{bin} = \{0, 1\}$ , give a regular expression for all the words whose third last symbol is 1.
- 5 Using the alphabet  $\Sigma_{bin}$ , give a regular expression for all the words not containing the string 110.
- 6 Which language is described by the regular expression

$$r_6 = (1 + \varepsilon)(00^*1)^*0^*?$$

## Theorem

- 1  $r_1 + r_2 \doteq r_2 + r_1$  (*commutative law*)
- 2  $(r_1 + r_2) + r_3 \doteq r_1 + (r_2 + r_3)$  (*associative law*)
- 3  $(r_1 r_2) r_3 \doteq r_1 (r_2 r_3)$  (*associative law*)
- 4  $\emptyset r \doteq \emptyset$
- 5  $\varepsilon r \doteq r$
- 6  $\emptyset + r \doteq r$
- 7  $(r_1 + r_2) r_3 \doteq r_1 r_3 + r_2 r_3$  (*distributive law*)
- 8  $r_1 (r_2 + r_3) \doteq r_1 r_2 + r_1 r_3$  (*distributive law*)

## Proof of some rules

Proof of Rule 1 ( $r_1 + r_2 \doteq r_2 + r_1$ ).

$$L(r_1 + r_2) = L(r_1) \cup L(r_2) = L(r_2) \cup L(r_1) = L(r_2 + r_1)$$



## Proof of some rules

Proof of Rule 1 ( $r_1 + r_2 \doteq r_2 + r_1$ ).

$$L(r_1 + r_2) = L(r_1) \cup L(r_2) = L(r_2) \cup L(r_1) = L(r_2 + r_1)$$



Proof of Rule 4 ( $\emptyset r \doteq \emptyset$ ).

$$L(\emptyset r) \stackrel{\text{Def. concat}}{=} L(\emptyset) \cdot L(r)$$



# Proof of some rules

Proof of Rule 1 ( $r_1 + r_2 \doteq r_2 + r_1$ ).

$$L(r_1 + r_2) = L(r_1) \cup L(r_2) = L(r_2) \cup L(r_1) = L(r_2 + r_1)$$



Proof of Rule 4 ( $\emptyset r \doteq \emptyset$ ).

$$\begin{aligned} L(\emptyset r) &\stackrel{\text{Def. concat}}{=} L(\emptyset) \cdot L(r) \\ &\stackrel{\text{Def. empty regexp}}{=} \emptyset \cdot L(r) \end{aligned}$$

# Proof of some rules

Proof of Rule 1 ( $r_1 + r_2 \doteq r_2 + r_1$ ).

$$L(r_1 + r_2) = L(r_1) \cup L(r_2) = L(r_2) \cup L(r_1) = L(r_2 + r_1)$$



Proof of Rule 4 ( $\emptyset r \doteq \emptyset$ ).

$$\begin{aligned} L(\emptyset r) &\stackrel{\text{Def. concat}}{=} L(\emptyset) \cdot L(r) \\ &\stackrel{\text{Def. empty regexp}}{=} \emptyset \cdot L(r) \\ &\stackrel{\text{Def. product}}{=} \{w_1 w_2 \mid w_1 \in \emptyset, w_2 \in L(r)\} \end{aligned}$$

# Proof of some rules

Proof of Rule 1 ( $r_1 + r_2 \doteq r_2 + r_1$ ).

$$L(r_1 + r_2) = L(r_1) \cup L(r_2) = L(r_2) \cup L(r_1) = L(r_2 + r_1)$$



Proof of Rule 4 ( $\emptyset r \doteq \emptyset$ ).

$$\begin{aligned} L(\emptyset r) &\stackrel{\text{Def. concat}}{=} L(\emptyset) \cdot L(r) \\ &\stackrel{\text{Def. empty regexp}}{=} \emptyset \cdot L(r) \\ &\stackrel{\text{Def. product}}{=} \{w_1 w_2 \mid w_1 \in \emptyset, w_2 \in L(r)\} \\ &= \emptyset \end{aligned}$$

# Proof of some rules

Proof of Rule 1 ( $r_1 + r_2 \doteq r_2 + r_1$ ).

$$L(r_1 + r_2) = L(r_1) \cup L(r_2) = L(r_2) \cup L(r_1) = L(r_2 + r_1)$$



Proof of Rule 4 ( $\emptyset r \doteq \emptyset$ ).

$$\begin{aligned} L(\emptyset r) &\stackrel{\text{Def. concat}}{=} L(\emptyset) \cdot L(r) \\ &\stackrel{\text{Def. empty regexp}}{=} \emptyset \cdot L(r) \\ &\stackrel{\text{Def. product}}{=} \{w_1 w_2 \mid w_1 \in \emptyset, w_2 \in L(r)\} \\ &= \emptyset \\ &\stackrel{\text{Def. empty regexp}}{=} L(\emptyset) \end{aligned}$$



## Theorem

9  $r + r \doteq r$

10  $(r^*)^* \doteq r^*$

11  $\emptyset^* \doteq \varepsilon$

12  $\varepsilon^* \doteq \varepsilon$

13  $r^* \doteq \varepsilon + r^*r$

14  $r^* \doteq (\varepsilon + r)^*$

15  $\varepsilon \notin L(s)$  and  $r \doteq rs + t \longrightarrow r \doteq ts^*$  (proof by Arto Salomaa)

16  $r^*r \doteq rr^*$  (see Lemma: Kleene Star below)

17  $\varepsilon \notin L(s)$  and  $r \doteq sr + t \longrightarrow r \doteq s^*t$  (Arden's Lemma)

# Lemma: Kleene Star (1)

## Lemma (Kleene Star)

$$r^*r \doteq rr^*$$

# Lemma: Kleene Star (1)

## Lemma (Kleene Star)

$$r^*r \doteq rr^*$$

## Proof of Case 1: $\varepsilon \notin L(r)$ .

$$r^*r \doteq (\varepsilon + r^*r)r \quad (\text{by 13. } (r')^* \doteq \varepsilon + (r')^*r')$$

# Lemma: Kleene Star (1)

## Lemma (Kleene Star)

$$r^*r \doteq rr^*$$

## Proof of Case 1: $\varepsilon \notin L(r)$ .

$$\begin{aligned} r^*r &\doteq (\varepsilon + r^*r)r && \text{(by 13. } (r')^* \doteq \varepsilon + (r')^*r') \\ &\doteq (r^*r + \varepsilon)r && \text{(by 1. } r_1 + r_2 \doteq r_2 + r_1) \end{aligned}$$



# Lemma: Kleene Star (1)

## Lemma (Kleene Star)

$$r^*r \doteq rr^*$$

### Proof of Case 1: $\varepsilon \notin L(r)$ .

$$\begin{aligned} r^*r &\doteq (\varepsilon + r^*r)r && \text{(by 13. } (r')^* \doteq \varepsilon + (r')^*r') \\ &\doteq (r^*r + \varepsilon)r && \text{(by 1. } r_1 + r_2 \doteq r_2 + r_1) \\ &\doteq r^*rr + r && \text{(by 7. } (r_1 + r_2)r_3 \doteq r_1r_3 + r_2r_3) \end{aligned}$$

# Lemma: Kleene Star (1)

## Lemma (Kleene Star)

$$r^*r \doteq rr^*$$

### Proof of Case 1: $\varepsilon \notin L(r)$ .

$$\begin{aligned} r^*r &\doteq (\varepsilon + r^*r)r && \text{(by 13. } (r')^* \doteq \varepsilon + (r')^*r') \\ &\doteq (r^*r + \varepsilon)r && \text{(by 1. } r_1 + r_2 \doteq r_2 + r_1) \\ &\doteq r^*rr + r && \text{(by 7. } (r_1 + r_2)r_3 \doteq r_1r_3 + r_2r_3) \\ &\doteq rr^* && \text{(by 15. } r' \doteq r's + t \text{ with } r' = r^*r, s = r, t = r) \end{aligned}$$

□

## Lemma: Kleene Star (2)

Proof of Case 2:  $\varepsilon \in L(r)$ .

We show  $L(r^*r) = L(r^*) = L(rr^*)$

## Lemma: Kleene Star (2)

### Proof of Case 2: $\varepsilon \in L(r)$ .

We show  $L(r^*r) = L(r^*) = L(rr^*)$

a) Proof of  $L(r^*r) \subseteq L(r^*)$

$$L(r^*r) = L(r^*) \cdot L(r)$$

$$= (L(r))^* \cdot L(r)$$

$$= \left(\bigcup_{i \geq 0} L(r)^i\right) \cdot L(r)$$

$$= \bigcup_{i \geq 0} (L(r)^i \cdot L(r))$$

$$= \bigcup_{i \geq 1} L(r)^i$$

$$\subseteq L(r^*)$$

## Lemma: Kleene Star (2)

### Proof of Case 2: $\varepsilon \in L(r)$ .

We show  $L(r^*r) = L(r^*) = L(rr^*)$

a) Proof of  $L(r^*r) \subseteq L(r^*)$

$$\begin{aligned}L(r^*r) &= L(r^*) \cdot L(r) \\&= (L(r))^* \cdot L(r) \\&= \left(\bigcup_{i \geq 0} L(r)^i\right) \cdot L(r) \\&= \bigcup_{i \geq 0} (L(r)^i \cdot L(r)) \\&= \bigcup_{i \geq 1} L(r)^i \\&\subseteq L(r^*)\end{aligned}$$

b) Proof of  $L(r^*r) \supseteq L(r^*)$

$$\begin{aligned}L(r^*r) &= \{uv \mid u \in L(r^*), v \in L(r)\} \\&\supseteq \{uv \mid u \in L(r^*), v = \varepsilon\} \\&= \{u \mid u \in L(r^*)\} \\&= L(r^*)\end{aligned}$$

## Lemma: Kleene Star (2)

### Proof of Case 2: $\varepsilon \in L(r)$ .

We show  $L(r^*r) = L(r^*) = L(rr^*)$

a) Proof of  $L(r^*r) \subseteq L(r^*)$

$$\begin{aligned}L(r^*r) &= L(r^*) \cdot L(r) \\&= (L(r))^* \cdot L(r) \\&= \left(\bigcup_{i \geq 0} L(r)^i\right) \cdot L(r) \\&= \bigcup_{i \geq 0} (L(r)^i \cdot L(r)) \\&= \bigcup_{i \geq 1} L(r)^i \\&\subseteq L(r^*)\end{aligned}$$

b) Proof of  $L(r^*r) \supseteq L(r^*)$

$$\begin{aligned}L(r^*r) &= \{uv \mid u \in L(r^*), v \in L(r)\} \\&\supseteq \{uv \mid u \in L(r^*), v = \varepsilon\} \\&= \{u \mid u \in L(r^*)\} \\&= L(r^*)\end{aligned}$$

- ▶ a. and b. imply  $L(r^*r) = L(r^*)$
- ▶  $L(rr^*) = L(r^*)$ : strictly analogous



# A note on Aarto/Arden

- ▶ Aarto:  $\varepsilon \notin L(s)$  and  $r \doteq rs + t \longrightarrow r \doteq ts^*$
- ▶ Why do we need  $\varepsilon \notin L(s)$ ?
  - ▶ This guarantees that **only** words of the form  $ts^*$  are in  $L(r)$
  - ▶ Example:  $r \doteq rs + t$  mit  $s = b^*$ ,  $t = a$ .
    - ▶ If we could apply Aarto, the result would be  $r \doteq a(b^*)^* \doteq ab^*$
    - ▶ But  $L = \{ab^*\} \cup \{b^*\}$  also fulfills the equation, i.e. there is no single unique solution in this case
  - ▶ Intuitively:  $\varepsilon \in L(s)$  is a second escape from the recursion that bypasses  $t$
- ▶ The case for Arden's lemma ( $\varepsilon \notin L(s)$  and  $r \doteq sr + t \longrightarrow r \doteq s^*t$ ) is analogous

## Exercise: Algebra on regular expressions

- 1 Prove the equivalence using only algebraic operations

$$r^* \doteq \varepsilon + r^*.$$

- 2 Simplify the following regular expression:

$$r = 0(\varepsilon + 0 + 1)^* + (\varepsilon + 1)(1 + 0)^* + \varepsilon.$$

- 3 Prove the equivalence using only algebraic operations

$$10(10)^* \doteq 1(01)^*0.$$



## Exercise: Algebra on regular expressions

- 1 Prove the equivalence using only algebraic operations

$$r^* \doteq \varepsilon + r^*.$$

- 2 Simplify the following regular expression:

$$r = 0(\varepsilon + 0 + 1)^* + (\varepsilon + 1)(1 + 0)^* + \varepsilon.$$

- 3 Prove the equivalence using only algebraic operations

$$10(10)^* \doteq 1(01)^*0.$$

End lecture 3

# Outline

Introduction

**Regular Languages and Finite Automata**

Regular Expressions

**Finite Automata**

The Pumping Lemma

Properties of regular languages

Scanners and Flex


Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0


# Finite Automata: Motivation

- ▶ Simple model of computation
- ▶ Can recognize **regular languages**
- ▶ Equivalent to regular expressions
  - ▶ We can automatically generate a FA from a RE
  - ▶ We can automatically generate an RE from an FA
- ▶ Two variants:
  - ▶ Deterministic (DFA, now)
  - ▶ Non-deterministic (NFA, later)
- ▶ Easy to implement in actual programs

# Deterministic Finite Automata: Idea



# Deterministic Finite Automata: Idea




Deterministic finite automaton (DFA)

- ▶ is in one of finitely many **states**
- ▶ starts in the **initial state**
- ▶ processes **input** from left to right
  - ▶ changes state depending on character read
  - ▶ determined by **transition function**
  - ▶ no rewinding!
  - ▶ no writing!
- ▶ accepts input if
  - ▶ after reading the entire input
  - ▶ a **final state** is reached

# DFA $\mathcal{A}$ for $a^*ba^*$

## Example (Automaton $\mathcal{A}$ )


$\mathcal{A}$  is a simple DFA recognizing the regular language  $a^*ba^*$ .



# DFA $\mathcal{A}$ for $a^*ba^*$

## Example (Automaton $\mathcal{A}$ )

$\mathcal{A}$  is a simple DFA recognizing the regular language  $a^*ba^*$ .



- ▶  $\mathcal{A}$  has two **states**, 0 and 1.
- ▶ It operates on the **alphabet**  $\{a, b\}$ .
- ▶ The **transition function** is indicated by the arrows.
- ▶ 0 is the **initial** state (with an arrow “pointing at it from anywhere”).
- ▶ 1 is an **accepting** state (represented as a double circle).

## Definition (Deterministic Finite Automaton)

A **deterministic finite automaton** (DFA) is a quintuple


$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  with the following components

- ▶  $Q$  is a finite set of **states**.
- ▶  $\Sigma$  is the (finite) input **alphabet**.
- ▶  $\delta : Q \times \Sigma \rightarrow Q \cup \{\Omega\}$  is the **transition function**.  
If  $\delta(q, c) = \Omega$ , the DFA announces an error, i.e. rejects the input.
- ▶  $q_0 \in Q$  is the **initial** state.
- ▶  $F \subseteq Q$  is the set of final (or **accepting**) states.




# Formal definition of $\mathcal{A}$

## Example



# Formal definition of $\mathcal{A}$

## Example



$\mathcal{A}$  is expressed as  $(Q, \Sigma, \delta, q_0, F)$  with

- ▶  $Q = \{0, 1\}$
- ▶  $\Sigma = \{a, b\}$
- ▶  $\delta(0, a) = 0; \delta(0, b) = 1, \delta(1, a) = 1; \delta(1, b) = \Omega$
- ▶  $q_0 = 0$
- ▶  $F = \{1\}$

# Language accepted by an DFA

## Definition (Language accepted by an automaton)

The state transition function  $\delta$  is generalised to a function  $\delta'$  whose second argument is a word as follows:

- ▶  $\delta' : Q \times \Sigma^* \rightarrow Q \cup \{\Omega\}$
- ▶  $\delta'(q, \varepsilon) = q$
- ▶  $\delta'(q, wc) = \begin{cases} \delta(\delta'(q, w), c) & \text{if } \delta(q, c) \neq \Omega \\ \Omega & \text{otherwise} \end{cases}$

with  $c \in \Sigma; w \in \Sigma^*$

# Language accepted by an DFA

## Definition (Language accepted by an automaton)

The state transition function  $\delta$  is generalised to a function  $\delta'$  whose second argument is a word as follows:


- ▶  $\delta' : Q \times \Sigma^* \rightarrow Q \cup \{\Omega\}$
- ▶  $\delta'(q, \varepsilon) = q$
- ▶  $\delta'(q, wc) = \begin{cases} \delta(\delta'(q, w), c) & \text{if } \delta(q, c) \neq \Omega \\ \Omega & \text{otherwise} \end{cases}$

with  $c \in \Sigma; w \in \Sigma^*$

The **language accepted by a DFA**  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  is defined as


$$L(\mathcal{A}) = \{w \in \Sigma^* \mid \delta'(q_0, w) \in F\}.$$

## Example



# Language accepted by $\mathcal{A}$

## Example



- ▶  $\delta'(0, aa) = \delta(\delta'(0, a), a) = \delta(\delta(\delta'(0, \varepsilon), a), a) = 0$
- ▶  $\delta'(1, aaa) = 1$
- ▶  $\delta'(0, bb) = \delta'(1, b) = \Omega$
- ▶  $L(\mathcal{A}) = \{w \in \{a, b\}^* \mid w = a^n b a^m \text{ and } n, m \in \mathbb{N}\}$

## Definition (Run)

A **run** of an automaton  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  on a word  $w = c_1 \cdot c_2 \cdots c_n$  is a sequence

$$r = ((q_0, c_1, q_1), (q_1, c_2, q_2), \dots, (q_{n-1}, c_n, q_n))$$

where

- ▶  $q_i \in Q$  holds for  $1 \leq i \leq n$  and
- ▶  $\delta(q_i, c_{i+1}) = q_{i+1}$  holds for  $0 \leq i \leq n - 1$ .

A run is **accepting** if  $q_n \in F$  holds.

# Run of a DFA

## Definition (Run)

A **run** of an automaton  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  on a word  $w = c_1 \cdot c_2 \cdots c_n$  is a sequence

$$r = ((q_0, c_1, q_1), (q_1, c_2, q_2), \dots, (q_{n-1}, c_n, q_n))$$

where

- ▶  $q_i \in Q$  holds for  $1 \leq i \leq n$  and
- ▶  $\delta(q_i, c_{i+1}) = q_{i+1}$  holds for  $0 \leq i \leq n - 1$ .


A run is **accepting** if  $q_n \in F$  holds.

The language accepted by  $\mathcal{A}$  can alternatively be defined as the set of all words for which there exists an accepting run of  $\mathcal{A}$ .



# Exercise: DFA

- 1 Given this graphical representation of a DFA  $\mathcal{A}$ :



- Give a regular expression describing  $L(\mathcal{A})$ .
- Give a formal definition of  $\mathcal{A}$ .

# Exercise: DFA

## 2 Give


- ▶ a regular expression,
- ▶ a graphical representation, and
- ▶ a formal definition

of a DFA  $\mathcal{A}$  whose language  $L(\mathcal{A}) \subset \{a, b\}^*$  contains all those words featuring the substring  $ab$

- a) at the beginning,
- b) at arbitrary position,
- c) at the end.


# Another example

## Example



Which language is recognized by the DFA?

# Tabular representation of a DFA




$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$

- ▶  $Q = \{q_0, q_1, q_2, q_3, q_4\}$
- ▶  $\Sigma = \{0, 1\}$
- ▶ Initial state:  $q_0$
- ▶  $F = \{q_3\}$

$\delta$	0	1
$q_0$	$q_1$	$q_4$
$q_1$	$q_2$	$q_4$
$q_2$	$q_4$	$q_3$
$q_3$	$q_3$	$q_3$
$q_4$	$q_4$	$q_4$

# Tabular representation of a DFA




$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$

- ▶  $Q = \{q_0, q_1, q_2, q_3, q_4\}$
- ▶  $\Sigma = \{0, 1\}$
- ▶ Initial state:  $q_0$
- ▶  $F = \{q_3\}$

$\delta$	0	1
$q_0$	$q_1$	$q_4$
$q_1$	$q_2$	$q_4$
$q_2$	$q_4$	$q_3$
$q_3$	$q_3$	$q_3$
$q_4$	$q_4$	$q_4$

# Tabular representation of a DFA



$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$

▶  $Q = \{q_0, q_1, q_2, q_3, q_4\}$


▶  $\Sigma = \{0, 1\}$

▶ Initial state:  $q_0$

▶  $F = \{q_3\}$

$\delta$	0	1
$q_0$	$q_1$	$q_4$
$q_1$	$q_2$	$q_4$
$q_2$	$q_4$	$q_3$
$q_3$	$q_3$	$q_3$
$q_4$	$q_4$	$q_4$

# Tabular representation of a DFA



$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$

▶  $Q = \{q_0, q_1, q_2, q_3, q_4\}$


▶  $\Sigma = \{0, 1\}$

▶ Initial state:  $q_0$

▶  $F = \{q_3\}$

	$\delta$	0	1
$\rightarrow$	$q_0$	$q_1$	$q_4$
	$q_1$	$q_2$	$q_4$
	$q_2$	$q_4$	$q_3$
*	$q_3$	$q_3$	$q_3$
	$q_4$	$q_4$	$q_4$

# Tabular representation of a DFA



$$A = (Q, \Sigma, \delta, q_0, F)$$

▶  $Q = \{q_0, q_1, q_2, q_3, q_4\}$

▶  $\Sigma = \{0, 1\}$


▶ Initial state:  $q_0$

▶  $F = \{q_3\}$

		$\delta$		
		0	1	
→	$q_0$	$q_1$	$q_4$	
	$q_1$	$q_2$	$q_4$	
	$q_2$	$q_4$	$q_3$	
	*	$q_3$	$q_3$	$q_3$
	$q_4$	$q_4$	$q_4$	



# Tabular representation of a DFA



$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$

▶  $Q = \{q_0, q_1, q_2, q_3, q_4\}$

▶  $\Sigma = \{0, 1\}$

▶ Initial state:  $q_0$

▶  $F = \{q_3\}$

	$\delta$	0	1
→	$q_0$	$q_1$	$q_4$
	$q_1$	$q_2$	$q_4$
	$q_2$	$q_4$	$q_3$
*	$q_3$	$q_3$	$q_3$
	$q_4$	$q_4$	$q_4$

# DFA: Tabular representation in practice

Delta		0	1
-> q0		q1	q4
q1		q2	q4
q2		q4	q3
* q3		q3	q3
q4		q4	q4

# DFA: Tabular representation in practice

Delta		0	1
-----			
-> q0		q1	q4
q1		q2	q4
q2		q4	q3
* q3		q3	q3
q4		q4	q4

```
> easim.py fsa001.txt 10101
Processing: 10101
q0 :: 1 -> q4
q4 :: 0 -> q4
q4 :: 1 -> q4
q4 :: 0 -> q4
q4 :: 1 -> q4
Rejected
```

# DFA: Tabular representation in practice

Delta		0	1
-----			
-> q0		q1	q4
q1		q2	q4
q2		q4	q3
* q3		q3	q3
q4		q4	q4

```
> easim.py fsa001.txt 10101
Processing: 10101
q0 :: 1 -> q4
q4 :: 0 -> q4
q4 :: 1 -> q4
q4 :: 0 -> q4
q4 :: 1 -> q4
Rejected
```

```
> easim.py fsa001.txt 101
Processing: 101
q0 :: 1 -> q4
q4 :: 0 -> q4
q4 :: 1 -> q4
Rejected
```

## DFAs in tabular form: exercise

- ▶ Give the following DFA ...
  - ▶ as a formal 5-tuple
  - ▶ as a diagram

parity		0	1
-----			
-> even		even	odd
* odd		odd	even

- ▶ Characterize the language accepted by the DFA

▶ Assume

- ▶  $\Sigma = \{a, b, c\}$
- ▶  $L_1 = \{ubw \mid u \in \Sigma^*, w \in \Sigma\}$
- ▶  $L_2 = \{ubw \mid u \in \Sigma, w \in \Sigma^*\}$

▶ Group 1 (your family name starts with A-M):

Find a DFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L_1$

▶ Group 2 (your family name does not start with A-M):

Find a DFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L_2$

# Outline

## Introduction

## Regular Languages and Finite Automata

Regular Expressions

### Finite Automata

Non-Determinism

Regular expressions and Finite Automata

Minimisation

Equivalence

The Pumping Lemma

Properties of regular languages

## Scanners and Flex

## Formal Grammars and Context-Free Languages

## Turing Machines and Languages of Type 1 and 0

# Drawbacks of deterministic automata

Deterministic automata:

- ▶ Transition function  $\delta$ 
  - ▶ exactly one transition from every configuration (possibly  $\Omega$ )
- ▶ can be complex even for simple languages




# Drawbacks of deterministic automata

Deterministic automata:

- ▶ Transition function  $\delta$ 
  - ▶ exactly one transition from every configuration (possibly  $\Omega$ )
- ▶ can be complex even for simple languages

Example (DFA  $\mathcal{A}$  for  $(a + b)^*b(a + b)(a + b)$ )




# Non-Determinism

- ▶ FA can be simplified if one input can lead to
  - ▶ one transition,
  - ▶ multiple transitions, or
  - ▶ no transition.
- ▶ Intuitively, such an FA selects its next state from a set of states depending on the current state and the input
  - ▶ and always chooses the “right” one
- ▶ This is called a **non-deterministic finite automaton** (NFA)

# Non-Determinism


- ▶ FA can be simplified if one input can lead to
  - ▶ one transition,
  - ▶ multiple transitions, or
  - ▶ no transition.
- ▶ Intuitively, such an FA selects its next state from a set of states depending on the current state and the input
  - ▶ and always chooses the “right” one
- ▶ This is called a **non-deterministic finite automaton** (NFA)

Example (NFA  $\mathcal{B}$  for  $(a + b)^*b(a + b)(a + b)$ )



# Non-Deterministic automata

## Example (Transitions in $\mathcal{B}$ )




- ▶ In state  $q_0$  with input  $b$ , the FA has to “guess” the next state.
- ▶ The string  $abab$  can be read in three ways:
  - 1  $q_0 \xrightarrow{a} q_0 \xrightarrow{b} q_0 \xrightarrow{a} q_0 \xrightarrow{b} q_0$  (failure)
  - 2  $q_0 \xrightarrow{a} q_0 \xrightarrow{b} q_0 \xrightarrow{a} q_0 \xrightarrow{b} q_1$  (failure)
  - 3  $q_0 \xrightarrow{a} q_0 \xrightarrow{b} q_1 \xrightarrow{a} q_2 \xrightarrow{b} q_3$  (success)
- ▶ An NFA accepts an input  $w$  if there **exists** an accepting run on  $w$ !

# NFA: non-deterministic transitions and $\varepsilon$ -transitions

- ▶ Non-deterministic transitions allow an NFA to go to more than one successor state
  - ▶ Instead of a **function**  $\delta$ , an NFA has a transition **relation**  $\Delta$
- ▶ An NFA can additionally change its current state without reading an input symbol:  $q_1 \xrightarrow{\varepsilon} q_2$ .
  - ▶ This is called a **spontaneous transition** or  **$\varepsilon$ -transition**
  - ▶ Thus,  $\Delta$  is a relation on  $Q \times (\Sigma \cup \{\varepsilon\}) \times Q$

## Example (NFA with $\varepsilon$ -transitions)



## Definition (NFA)

An **NFA** is a quintuple  $\mathcal{A} = (Q, \Sigma, \Delta, q_0, F)$  with the following components:

- 1  $Q$  is the finite set of states.
- 2  $\Sigma$  is the input alphabet.
- 3  $\Delta$  is a **relation** on  $Q \times (\Sigma \cup \{\varepsilon\}) \times Q$ .
- 4  $q_0 \in Q$  is the initial state.
- 5  $F \subseteq Q$  is the set of final states.

# Run of a nondeterministic automaton

## Definition (Run of an NFA)

A **run** of an NFA  $\mathcal{A}$  on a word  $w$  is a sequence of transitions

$$((q_0, c_1, q_1), (q_1, c_2, q_2), \dots, (q_{n-1}, c_n, q_n))$$

such that the following conditions are satisfied:

- ▶  $q_0$  is the initial state,  $q_i \in Q$ ,  $c_i \in \Sigma \cup \{\varepsilon\}$ ,
- ▶  $(q_i, c_{i+1}, q_{i+1}) \in \Delta$  holds for  $0 \leq i \leq n-1$ ,
- ▶  $c_1 \cdot c_2 \cdot \dots \cdot c_n = w$ .

It is accepting if  $q_n$  is a final state.

# Run of a nondeterministic automaton

## Definition (Run of an NFA)

A **run** of an NFA  $\mathcal{A}$  on a word  $w$  is a sequence of transitions

$$((q_0, c_1, q_1), (q_1, c_2, q_2), \dots, (q_{n-1}, c_n, q_n))$$

such that the following conditions are satisfied:

- ▶  $q_0$  is the initial state,  $q_i \in Q$ ,  $c_i \in \Sigma \cup \{\varepsilon\}$ ,
- ▶  $(q_i, c_{i+1}, q_{i+1}) \in \Delta$  holds for  $0 \leq i \leq n-1$ ,
- ▶  $c_1 \cdot c_2 \cdot \dots \cdot c_n = w$ .

It is accepting if  $q_n$  is a final state.

The slightly more complex definition is necessary to handle  $\varepsilon$ -transitions.



# Language recognized by an NFA

## Definition (Language recognized by an NFA)


Assume an NFA  $\mathcal{A} = (Q, \Sigma, \Delta, q_0, F)$ . The language accepted by  $\mathcal{A}$  is

$$L(\mathcal{A}) = \{w \mid \text{there is an accepting run of } \mathcal{A} \text{ on } w\}$$

- ▶ Note that we only require the existence of one accepting run
- ▶ It does not matter if there are also non-accepting runs on  $w$

# Example: NFA definition

## Example (Formal definition of $\mathcal{B}$ )



$\mathcal{B} = (Q, \Sigma, \Delta, q_0, F)$  with


$Q = \{q_0, q_1, q_2, q_3\}$

$\Sigma = \{a, b\}$

$F = \{q_3\}$

# Example: NFA definition

## Example (Formal definition of $\mathcal{B}$ )



$\mathcal{B} = (Q, \Sigma, \Delta, q_0, F)$  with


$Q = \{q_0, q_1, q_2, q_3\}$

$\Sigma = \{a, b\}$

$F = \{q_3\}$

# Example: NFA definition

## Example (Formal definition of $\mathcal{B}$ )



$\mathcal{B} = (Q, \Sigma, \Delta, q_0, F)$  with


$Q = \{q_0, q_1, q_2, q_3\}$

$\Sigma = \{a, b\}$

$F = \{q_3\}$

# Example: NFA definition

## Example (Formal definition of $\mathcal{B}$ )



$\mathcal{B} = (Q, \Sigma, \Delta, q_0, F)$  with


$Q = \{q_0, q_1, q_2, q_3\}$

$\Sigma = \{a, b\}$

$F = \{q_3\}$

# Example: NFA definition

## Example (Formal definition of $\mathcal{B}$ )



$\mathcal{B} = (Q, \Sigma, \Delta, q_0, F)$  with

$Q = \{q_0, q_1, q_2, q_3\}$


$\Sigma = \{a, b\}$

$F = \{q_3\}$

$\Delta = \{(q_0, a, q_0), (q_0, b, q_0), (q_0, b, q_1),$   
 $(q_1, a, q_2), (q_1, b, q_2),$   
 $(q_2, a, q_3), (q_2, b, q_3)\}$

# Example: NFA definition

## Example (Formal definition of $\mathcal{B}$ )



$\mathcal{B} = (Q, \Sigma, \Delta, q_0, F)$  with

$Q = \{q_0, q_1, q_2, q_3\}$

$\Sigma = \{a, b\}$

$F = \{q_3\}$

$\Delta$	a	b	$\epsilon$
$q_0$	$\{q_0\}$	$\{q_0, q_1\}$	$\{\}$
$q_1$	$\{q_2\}$	$\{q_2\}$	$\{\}$
$q_2$	$\{q_3\}$	$\{q_3\}$	$\{\}$
$q_3$	$\{\}$	$\{\}$	$\{\}$

## Exercise: NFA

Develop an NFA  $\mathcal{A}$  whose language  $L(\mathcal{A}) \subset \{a, b\}^*$  contains all those words featuring the substring  $aba$ . Give:

- ▶ a regular expression representing  $L(\mathcal{A})$ ,
- ▶ a graphical representation of  $\mathcal{A}$ ,
- ▶ a formal definition of  $\mathcal{A}$ .



# Equivalence of DFA and NFA

## Theorem (Equivalence of DFA and NFA)

*NFAs and DFAs recognize the same class of languages.*

- ▶ *For every DFA  $\mathcal{A}$  there is an NFA  $\mathcal{B}$  with  $L(\mathcal{A}) = L(\mathcal{B})$ .*
- ▶ *For every NFA  $\mathcal{B}$  there is a DFA  $\mathcal{A}$  with  $L(\mathcal{B}) = L(\mathcal{A})$ .*

# Equivalence of DFA and NFA

## Theorem (Equivalence of DFA and NFA)

*NFAs and DFAs recognize the same class of languages.*

- ▶ *For every DFA  $\mathcal{A}$  there is an NFA  $\mathcal{B}$  with  $L(\mathcal{A}) = L(\mathcal{B})$ .*
- ▶ *For every NFA  $\mathcal{B}$  there is a DFA  $\mathcal{A}$  with  $L(\mathcal{B}) = L(\mathcal{A})$ .*
  
- ▶ The direction DFA to NFA is trivial:
  - ▶ Every DFA is (essentially) an NFA
  - ▶ ... since every function is a relation
- ▶ What about the other direction?

# Equivalence of DFA and NFA

Equivalence of DFAs and NFAs can be shown by transforming

- ▶ an NFA  $\mathcal{A}$
- ▶ into a DFA  $\text{det}(\mathcal{A})$  accepting the same language.

# Equivalence of DFA and NFA

Equivalence of DFAs and NFAs can be shown by transforming

- ▶ an NFA  $\mathcal{A}$
- ▶ into a DFA  $\text{det}(\mathcal{A})$  accepting the same language.

Method:

- ▶ states of  $\text{det}(\mathcal{A})$  represent **sets of states** of  $\mathcal{A}$
- ▶ a transition from  $q_1$  to  $q_2$  with character  $c$  in  $\text{det}(\mathcal{A})$  is possible if
  - ▶ in  $\mathcal{A}$  there is a transition with  $c$
  - ▶ from **one** of the states that  $q_1$  represents
  - ▶ to **one** of the states that  $q_2$  represents.
- ▶ a state in  $\text{det}(\mathcal{A})$  is accepting if it contains an accepting state

# Equivalence of DFA and NFA

Equivalence of DFAs and NFAs can be shown by transforming

- ▶ an NFA  $\mathcal{A}$
- ▶ into a DFA  $\text{det}(\mathcal{A})$  accepting the same language.

Method:

- ▶ states of  $\text{det}(\mathcal{A})$  represent **sets of states** of  $\mathcal{A}$
- ▶ a transition from  $q_1$  to  $q_2$  with character  $c$  in  $\text{det}(\mathcal{A})$  is possible if
  - ▶ in  $\mathcal{A}$  there is a transition with  $c$
  - ▶ from **one** of the states that  $q_1$  represents
  - ▶ to **one** of the states that  $q_2$  represents.
- ▶ a state in  $\text{det}(\mathcal{A})$  is accepting if it contains an accepting state

To this end, we define three auxiliary functions.

- ▶  $\text{ec}$  to compute the  $\varepsilon$  closure of a state
- ▶  $\delta^*$  to compute possible successors of a state
- ▶  $\hat{\delta}$ , the extended transition function for NFAs

## Step 1: $\epsilon$ closure of an NFA

The  $\epsilon$  closure of a state  $q$  contains all states the NFA can change to by means of  $\epsilon$  transitions starting from  $q$ .

## Step 1: $\varepsilon$ closure of an NFA

The  $\varepsilon$  closure of a state  $q$  contains all states the NFA can change to by means of  $\varepsilon$  transitions starting from  $q$ .


### Definition ( $\varepsilon$ closure)

The function  $ec : Q \rightarrow 2^Q$  is the smallest function with the properties:

- ▶  $q \in ec(q)$
- ▶  $p \in ec(q) \wedge (p, \varepsilon, r) \in \delta \Rightarrow r \in ec(q)$

# Example: $\epsilon$ closure


## Example





# Example: $\epsilon$ closure


## Example



►  $ec(q_0) =$

# Example: $\epsilon$ closure

## Example




▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,

▶  $ec(q_1) =$

# Example: $\epsilon$ closure

## Example




▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,

▶  $ec(q_1) = \{q_1\}$ ,

▶  $ec(q_2) =$

# Example: $\epsilon$ closure

## Example



▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,


▶  $ec(q_1) = \{q_1\}$ ,

▶  $ec(q_2) = \{q_2\}$ ,

▶  $ec(q_3) =$

# Example: $\epsilon$ closure

## Example



▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,

▶  $ec(q_1) = \{q_1\}$ ,


▶  $ec(q_2) = \{q_2\}$ ,

▶  $ec(q_3) = \{q_3\}$ ,

▶  $ec(q_4) =$

# Example: $\epsilon$ closure

## Example



▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,

▶  $ec(q_1) = \{q_1\}$ ,

▶  $ec(q_2) = \{q_2\}$ ,


▶  $ec(q_3) = \{q_3\}$ ,

▶  $ec(q_4) = \{q_4\}$ ,

▶  $ec(q_5) =$

# Example: $\epsilon$ closure

## Example



▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,

▶  $ec(q_1) = \{q_1\}$ ,

▶  $ec(q_2) = \{q_2\}$ ,

▶  $ec(q_3) = \{q_3\}$ ,


▶  $ec(q_4) = \{q_4\}$ ,

▶  $ec(q_5) = \{q_5, q_7, q_0, q_1, q_2\}$ ,

▶  $ec(q_6) =$

# Example: $\epsilon$ closure

## Example



▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,

▶  $ec(q_1) = \{q_1\}$ ,

▶  $ec(q_2) = \{q_2\}$ ,

▶  $ec(q_3) = \{q_3\}$ ,

▶  $ec(q_4) = \{q_4\}$ ,

▶  $ec(q_5) = \{q_5, q_7, q_0, q_1, q_2\}$ ,


▶  $ec(q_6) = \{q_6, q_7, q_0, q_1, q_2\}$ ,

▶  $ec(q_7) =$



# Example: $\epsilon$ closure

## Example



▶  $ec(q_0) = \{q_0, q_1, q_2\}$ ,

▶  $ec(q_1) = \{q_1\}$ ,

▶  $ec(q_2) = \{q_2\}$ ,

▶  $ec(q_3) = \{q_3\}$ ,

▶  $ec(q_4) = \{q_4\}$ ,

▶  $ec(q_5) = \{q_5, q_7, q_0, q_1, q_2\}$ ,

▶  $ec(q_6) = \{q_6, q_7, q_0, q_1, q_2\}$ ,

▶  $ec(q_7) = \{q_7, q_0, q_1, q_2\}$ .

## Step 2: Successor state function for NFAs

The function  $\delta^*$  maps

- ▶ a pair  $(q, c)$
- ▶ to the set of **all** states the NFA can change to from  $q$  with  $c$
- ▶ followed by any number of  $\epsilon$  transitions.

## Step 2: Successor state function for NFAs

The function  $\delta^*$  maps

- ▶ a pair  $(q, c)$
- ▶ to the set of **all** states the NFA can change to from  $q$  with  $c$
- ▶ followed by any number of  $\varepsilon$  transitions.


### Definition (Successor state function)

The function  $\delta^* : Q \times \Sigma \rightarrow 2^Q$  is defined as follows:

$$\delta^*(q, c) = \bigcup_{r \in Q: (q, c, r) \in \Delta} ec(r)$$

# Example: successor state function


## Example



$$\delta^*(q, c) = \bigcup_{r \in Q: (q, c, r) \in \Delta} ec(r)$$

# Example: successor state function

## Example




$$\delta^*(q, c) = \bigcup_{r \in Q: (q, c, r) \in \Delta} ec(r)$$

►  $\delta^*(q_0, a) =$

# Example: successor state function

## Example




$$\delta^*(q, c) = \bigcup_{r \in Q: (q, c, r) \in \Delta} ec(r)$$

▶  $\delta^*(q_0, a) = \{\}$ ,

▶  $\delta^*(q_1, b) =$

# Example: successor state function

## Example




$$\delta^*(q, c) = \bigcup_{r \in Q: (q, c, r) \in \Delta} ec(r)$$

- ▶  $\delta^*(q_0, a) = \{\}$ ,
- ▶  $\delta^*(q_1, b) = \{q_3\}$ ,
- ▶  $\delta^*(q_3, a) =$

# Example: successor state function

## Example



$$\delta^*(q, c) = \bigcup_{r \in Q: (q, c, r) \in \Delta} ec(r)$$

- ▶  $\delta^*(q_0, a) = \{\}$ ,
- ▶  $\delta^*(q_1, b) = \{q_3\}$ ,
- ▶  $\delta^*(q_3, a) = \{q_5, q_7, q_0, q_1, q_2\}$ ,
- ▶ ...



## Step 3: extended transition function

The function  $\hat{\delta}$  maps

- ▶ a pair  $(M, c)$  consisting of a **set** of states  $M$  and a character  $c$
- ▶ to the **set**  $N$  of states that are reachable from **any** state of  $M$  via  $\Delta$  by reading the character  $c$
- ▶ possibly followed by  $\varepsilon$  transitions.

## Step 3: extended transition function

The function  $\hat{\delta}$  maps

- ▶ a pair  $(M, c)$  consisting of a **set** of states  $M$  and a character  $c$
- ▶ to the **set**  $N$  of states that are reachable from **any** state of  $M$  via  $\Delta$  by reading the character  $c$
- ▶ possibly followed by  $\varepsilon$  transitions.


### Definition (Extended transition function)

The function  $\hat{\delta} : 2^Q \times \Sigma \rightarrow 2^Q$  is defined as follows:

$$\hat{\delta}(M, c) = \bigcup_{q \in M} \delta^*(q, c).$$

# Example: extended transition function


## Example



- ▶  $\delta^*(q_0, a) = \{\}$
- ▶  $\delta^*(q_1, b) = \{q_3\}$
- ▶  $\delta^*(q_3, a) = \{q_5, q_7, q_0, q_1, q_2\}$
- ▶ ...

# Example: extended transition function

## Example



▶  $\delta^*(q_0, a) = \{\}$

▶  $\delta^*(q_1, b) = \{q_3\}$


▶  $\delta^*(q_3, a) = \{q_5, q_7, q_0, q_1, q_2\}$

▶ ...

▶  $\hat{\delta}(\{q_0, q_1, q_2\}, a) =$

# Example: extended transition function

## Example



▶  $\delta^*(q_0, a) = \{\}$

▶  $\delta^*(q_1, b) = \{q_3\}$

▶  $\delta^*(q_3, a) = \{q_5, q_7, q_0, q_1, q_2\}$


▶ ...

▶  $\hat{\delta}(\{q_0, q_1, q_2\}, a) = \{q_4\}$

▶  $\hat{\delta}(\{q_3\}, a) =$

# Example: extended transition function

## Example



▶  $\delta^*(q_0, a) = \{\}$

▶  $\delta^*(q_1, b) = \{q_3\}$

▶  $\delta^*(q_3, a) = \{q_5, q_7, q_0, q_1, q_2\}$

▶ ...


▶  $\hat{\delta}(\{q_0, q_1, q_2\}, a) = \{q_4\}$

▶  $\hat{\delta}(\{q_3\}, a) = \{q_5, q_7, q_0, q_1, q_2\}$

▶  $\hat{\delta}(\{q_3\}, b) =$

# Example: extended transition function

## Example



▶  $\delta^*(q_0, a) = \{\}$

▶  $\delta^*(q_1, b) = \{q_3\}$

▶  $\delta^*(q_3, a) = \{q_5, q_7, q_0, q_1, q_2\}$

▶ ...

▶  $\hat{\delta}(\{q_0, q_1, q_2\}, a) = \{q_4\}$

▶  $\hat{\delta}(\{q_3\}, a) = \{q_5, q_7, q_0, q_1, q_2\}$

▶  $\hat{\delta}(\{q_3\}, b) = \{\}$

▶ ...

# Equivalence of DFA and NFA: formal definition

Using the three steps, we can define  $\text{det}(\mathcal{A})$ .



# Equivalence of DFA and NFA: formal definition

Using the three steps, we can define  $\det(\mathcal{A})$ .

## Definition

For an NFA  $\mathcal{A} = (Q, \Sigma, \Delta, q_0, F)$ , the **deterministic** Automaton  $\det(\mathcal{A})$  is defined as

$$(2^Q, \Sigma, \hat{\delta}, ec(q_0), \hat{F})$$

with  $\hat{F} = \{M \in 2^Q \mid M \cap F \neq \{\}\}$ .

# Equivalence of DFA and NFA: formal definition

Using the three steps, we can define  $\det(\mathcal{A})$ .

## Definition

For an NFA  $\mathcal{A} = (Q, \Sigma, \Delta, q_0, F)$ , the **deterministic** Automaton  $\det(\mathcal{A})$  is defined as


$$(2^Q, \Sigma, \hat{\delta}, ec(q_0), \hat{F})$$

with  $\hat{F} = \{M \in 2^Q \mid M \cap F \neq \{\}\}$ .

The set of final states  $\hat{F}$  is the set of all subsets of  $Q$  containing a final state.

# Example: transformation into DFA

Example (NFA  $\mathcal{B}$  for  $(a + b)^*b(a + b)(a + b)$ )




$$\begin{aligned}\mathcal{B} &= (\{q_0, q_1, q_2, q_3\}, \{a, b\}, \Delta, q_0, \{q_3\}) \\ \text{det}(\mathcal{B}) &= (\hat{Q}, \{a, b\}, \hat{\delta}, S_0, \hat{F})\end{aligned}$$

► Initial state:  $S_0 := ec(q_0) = \{q_0\}$

# Example: transformation into DFA (cont')


## Example



▶  $\hat{\delta}(S_0, a) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) =$

# Example: transformation into DFA (cont')

## Example




- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) =$



# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
  - ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
  - ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
  - ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
  - ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
  - ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
  - ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
  - ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) = \{q_0, q_1\} = S_1$
- ▶  $\hat{\delta}(S_5, a) =$

# Example: transformation into DFA (cont')

## Example




- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) = \{q_0, q_1\} = S_1$
- ▶  $\hat{\delta}(S_5, a) = \{q_0, q_2\} = S_2$
- ▶  $\hat{\delta}(S_5, b) =$



# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) = \{q_0, q_1\} = S_1$
- ▶  $\hat{\delta}(S_5, a) = \{q_0, q_2\} = S_2$
- ▶  $\hat{\delta}(S_5, b) = \{q_0, q_1, q_2\} = S_4$
- ▶  $\hat{\delta}(S_6, a) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) = \{q_0, q_1\} = S_1$
- ▶  $\hat{\delta}(S_5, a) = \{q_0, q_2\} = S_2$
- ▶  $\hat{\delta}(S_5, b) = \{q_0, q_1, q_2\} = S_4$
- ▶  $\hat{\delta}(S_6, a) = \{q_0, q_3\} = S_3$
- ▶  $\hat{\delta}(S_6, b) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) = \{q_0, q_1\} = S_1$
- ▶  $\hat{\delta}(S_5, a) = \{q_0, q_2\} = S_2$
- ▶  $\hat{\delta}(S_5, b) = \{q_0, q_1, q_2\} = S_4$
- ▶  $\hat{\delta}(S_6, a) = \{q_0, q_3\} = S_3$
- ▶  $\hat{\delta}(S_6, b) = \{q_0, q_1, q_3\} = S_5$
- ▶  $\hat{\delta}(S_7, a) =$

# Example: transformation into DFA (cont')


## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) = \{q_0, q_1\} = S_1$
- ▶  $\hat{\delta}(S_5, a) = \{q_0, q_2\} = S_2$
- ▶  $\hat{\delta}(S_5, b) = \{q_0, q_1, q_2\} = S_4$
- ▶  $\hat{\delta}(S_6, a) = \{q_0, q_3\} = S_3$
- ▶  $\hat{\delta}(S_6, b) = \{q_0, q_1, q_3\} = S_5$
- ▶  $\hat{\delta}(S_7, a) = \{q_0, q_2, q_3\} = S_6$
- ▶  $\hat{\delta}(S_7, b) =$

# Example: transformation into DFA (cont')

## Example



- ▶  $\hat{\delta}(S_0, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_0, b) = \{q_0, q_1\} =: S_1$
- ▶  $\hat{\delta}(S_1, a) = \{q_0, q_2\} =: S_2$
- ▶  $\hat{\delta}(S_1, b) = \{q_0, q_1, q_2\} =: S_4$
- ▶  $\hat{\delta}(S_2, a) = \{q_0, q_3\} =: S_3$
- ▶  $\hat{\delta}(S_2, b) = \{q_0, q_1, q_3\} =: S_5$
- ▶  $\hat{\delta}(S_4, a) = \{q_0, q_2, q_3\} =: S_6$
- ▶  $\hat{\delta}(S_4, b) = \{q_0, q_1, q_2, q_3\} =: S_7$
- ▶  $\hat{\delta}(S_3, a) = \{q_0\} = S_0$
- ▶  $\hat{\delta}(S_3, b) = \{q_0, q_1\} = S_1$
- ▶  $\hat{\delta}(S_5, a) = \{q_0, q_2\} = S_2$
- ▶  $\hat{\delta}(S_5, b) = \{q_0, q_1, q_2\} = S_4$
- ▶  $\hat{\delta}(S_6, a) = \{q_0, q_3\} = S_3$
- ▶  $\hat{\delta}(S_6, b) = \{q_0, q_1, q_3\} = S_5$
- ▶  $\hat{\delta}(S_7, a) = \{q_0, q_2, q_3\} = S_6$
- ▶  $\hat{\delta}(S_7, b) = \{q_0, q_1, q_2, q_3\} = S_7$

# Example: transformation into DFA (cont')

## Example


We can now define the DFA  $\text{det}(\mathcal{B}) = (\hat{Q}, \Sigma, \hat{\delta}, S_0, \hat{F})$  as follows:

- ▶ the set of states  $\hat{Q} = \{S_0, \dots, S_7\}$ ,
- ▶ the state transition function  $\hat{\delta}$  is:


$\hat{\delta}$	$S_0$	$S_1$	$S_2$	$S_3$	$S_4$	$S_5$	$S_6$	$S_7$
a	$S_0$	$S_2$	$S_3$	$S_0$	$S_6$	$S_2$	$S_3$	$S_6$
b	$S_1$	$S_4$	$S_5$	$S_1$	$S_7$	$S_4$	$S_5$	$S_7$

- ▶ and the set of final states  $\hat{F} = \{S_3, S_5, S_6, S_7\}$ .

# Example: transformation into DFA (cont')




# Example: transformation into DFA (cont')





# Exercise: Transformation into DFA

Given the following NFA  $\mathcal{A}$ :



- Determine  $\det(\mathcal{A})$ .
- Draw  $\det(\mathcal{A})$ 's graphical representation
- Give a regular expression representing the same language as  $\mathcal{A}$ .

Solution

# Outline

Introduction

**Regular Languages and Finite Automata**

Regular Expressions

**Finite Automata**

Non-Determinism

**Regular expressions and Finite Automata**

Minimisation

Equivalence

The Pumping Lemma

Properties of regular languages

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

# Regular expressions and Finite Automata

- ▶ Regular expressions describe **regular languages**
  - ▶ For each regular language  $L$ , there is an regular expression  $r$  with  $L(r) = L$
  - ▶ For every regular expression  $r$ ,  $L(r)$  is a regular language
- ▶ Finite automata describe **regular languages**
  - ▶ For each regular language  $L$ , there is a FA  $\mathcal{A}$  with  $L(\mathcal{A}) = L$
  - ▶ For every finite automaton  $\mathcal{A}$ ,  $L(\mathcal{A})$  is a regular language
- ▶ Now: constructive proof of equivalence between REs and FAs
  - ▶ We already know that DFAs and NFAs are equivalent
  - ▶ Now: Equivalence of NFAs and REs

# Transformation of regular expressions into NFAs

- ▶ For a regular expression  $r$ , derive NFA  $\mathcal{A}(r)$  with  $L(\mathcal{A}(r)) = L(r)$ .
- ▶ Idea:
  - ▶ Construct NFAs for the elementary REs ( $\emptyset, \varepsilon, c \in \Sigma$ )
  - ▶ We combine NFAs for subexpressions to generate NFAs for composite REs
- ▶ All NFAs we construct have a number of special properties:
  - ▶ There are no transitions to the initial state.
  - ▶ There is only a single final state.
  - ▶ There are no transitions from the final state.

# Transformation of regular expressions into NFAs

- ▶ For a regular expression  $r$ , derive NFA  $\mathcal{A}(r)$  with  $L(\mathcal{A}(r)) = L(r)$ .
- ▶ Idea:
  - ▶ Construct NFAs for the elementary REs ( $\emptyset, \varepsilon, c \in \Sigma$ )
  - ▶ We combine NFAs for subexpressions to generate NFAs for composite REs
- ▶ All NFAs we construct have a number of special properties:
  - ▶ There are no transitions to the initial state.
  - ▶ There is only a single final state.
  - ▶ There are no transitions from the final state.

**We can easily achieve this with  $\varepsilon$ -transitions!**

# Reminder: Regular Expression


Let  $\Sigma$  be an alphabet.

- ▶ The elementary regular expressions over  $\Sigma$  are:
  - ▶  $\emptyset$  with  $L(\emptyset) = \emptyset$
  - ▶  $\varepsilon$  with  $L(\varepsilon) = \{\varepsilon\}$
  - ▶  $c \in \Sigma$  with  $L(c) = \{c\}$
- ▶ Let  $r_1$  and  $r_2$  be regular expressions over  $\Sigma$ .  
Then the following are also regular expressions over  $\Sigma$ :
  - ▶  $r_1 + r_2$  with  $L(r_1 + r_2) = L(r_1) \cup L(r_2)$
  - ▶  $r_1 \cdot r_2$  with  $L(r_1 \cdot r_2) = L(r_1) \cdot L(r_2)$
  - ▶  $r_1^*$  with  $L(r_1^*) = (L(r_1))^*$


# NFAs for elementary REs

Let  $\Sigma$  be the alphabet which  $r$  is based on.


**1**  $\mathcal{A}(\emptyset) = (\{q_0, q_1\}, \Sigma, \{\}, q_0, \{q_1\})$



**2**  $\mathcal{A}(\varepsilon) = (\{q_0, q_1\}, \Sigma, \{(q_0, \varepsilon, q_1)\}, q_0, \{q_1\})$



**3**  $\mathcal{A}(c) = (\{q_0, q_1\}, \Sigma, \{(q_0, c, q_1)\}, q_0, \{q_1\})$  for all  $c \in \Sigma$




## NFAs for composite REs (general)

- ▶ Assume in the following:
  - ▶  $\mathcal{A}(r_1) = (Q_1, \Sigma, \Delta_1, q_1, \{q_2\})$
  - ▶  $\mathcal{A}(r_2) = (Q_2, \Sigma, \Delta_2, q_3, \{q_4\})$
  - ▶  $Q_1 \cap Q_2 = \emptyset$
  - ▶  $q_0, q_5 \notin Q_1 \cup Q_2$
- ▶  $\mathcal{A}(r_1)$  is visualised by a square box with two explicit states
  - ▶ The initial state  $q_1$  is on the left
  - ▶ The unique accepting state  $q_2$  on the right
  - ▶ All other states and transitions are implicit
  - ▶ We mark initial/accepting states only for the composite automaton




## NFAs for composite REs (general)

- ▶ Assume in the following:
  - ▶  $\mathcal{A}(r_1) = (Q_1, \Sigma, \Delta_1, q_1, \{q_2\})$
  - ▶  $\mathcal{A}(r_2) = (Q_2, \Sigma, \Delta_2, q_3, \{q_4\})$
  - ▶  $Q_1 \cap Q_2 = \emptyset$
  - ▶  $q_0, q_5 \notin Q_1 \cup Q_2$
- ▶  $\mathcal{A}(r_1)$  is visualised by a square box with two explicit states
  - ▶ The initial state  $q_1$  is on the left
  - ▶ The unique accepting state  $q_2$  on the right
  - ▶ All other states and transitions are implicit
  - ▶ We mark initial/accepting states only for the composite automaton



## NFAs for composite REs (concatenation)

4  $\mathcal{A}(r_1 \cdot r_2) = (Q_1 \cup Q_2, \Sigma, \Delta_1 \cup \Delta_2 \cup \{(q_2, \varepsilon, q_3)\}, q_1, \{q_4\})$




Reminder:

- ▶  $\mathcal{A}(r_1) = (Q_1, \Sigma, \Delta_1, q_1, \{q_2\})$
- ▶  $\mathcal{A}(r_2) = (Q_2, \Sigma, \Delta_2, q_3, \{q_4\})$

## NFAs for composite REs (alternatives)

- 5  $\mathcal{A}(r_1 + r_2) = (\{q_0, q_5\} \cup Q_1 \cup Q_2, \Sigma, \Delta, q_0, \{q_5\})$   
 $\Delta = \Delta_1 \cup \Delta_2 \cup \{(q_0, \varepsilon, q_1), (q_0, \varepsilon, q_3), (q_2, \varepsilon, q_5), (q_4, \varepsilon, q_5)\}$




Reminder:

- ▶  $\mathcal{A}(r_1) = (Q_1, \Sigma, \Delta_1, q_1, \{q_2\})$
- ▶  $\mathcal{A}(r_2) = (Q_2, \Sigma, \Delta_2, q_3, \{q_4\})$

## NFAs for composite REs (Kleene Star)

- 6  $\mathcal{A}(r_1^*) = (\{q_0, q_5\} \cup Q_1, \Sigma, \Delta, q_0, \{q_5\})$   
 $\Delta = \Delta_1 \cup \{(q_0, \varepsilon, q_1), (q_2, \varepsilon, q_1), (q_0, \varepsilon, q_5), (q_2, \varepsilon, q_5)\}$



Reminder:

- $\mathcal{A}(r_1) = (Q_1, \Sigma, \Delta_1, q_1, \{q_2\})$

## Result: NFAs can simulate REs

The previous construction produces for each regular expression  $r$  an NFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L(r)$ .

## Result: NFAs can simulate REs

The previous construction produces for each regular expression  $r$  an NFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L(r)$ .

### Corollary

*Every language described by a regular expression can be accepted by a non-deterministic finite automaton.*

## Exercise: transformation of RE into NFA

- ▶ Systematically construct an NFA accepting the same language as the regular expression

$$(a + b)a^*b$$

## Exercise: transformation of RE into NFA

- ▶ Systematically construct an NFA accepting the same language as the regular expression

$$(a + b)a^*b$$

Solution

End lecture 5




# Overview and orientation

- ▶ Claim: NFAs, DFAs and REs all describe the **same** language class


# Overview and orientation

- ▶ Claim: NFAs, DFAs and REs all describe the **same** language class
- ▶ Previous transformations:
  - ▶ REs into equivalent NFAs
  - ▶ NFAs into equivalent DFAs



# Overview and orientation


- ▶ Claim: NFAs, DFAs and REs all describe the **same** language class
- ▶ Previous transformations:
  - ▶ REs into equivalent NFAs
  - ▶ NFAs into equivalent DFAs
  - ▶ (DFAs to equivalent NFAs)



# Overview and orientation

- ▶ Claim: NFAs, DFAs and REs all describe the **same** language class
- ▶ Previous transformations:
  - ▶ REs into equivalent NFAs
  - ▶ NFAs into equivalent DFAs
  - ▶ (DFAs to equivalent NFAs)

**Todo: convert DFA to equivalent RE**




# Overview and orientation

- ▶ Claim: NFAs, DFAs and REs all describe the **same** language class
- ▶ Previous transformations:
  - ▶ REs into equivalent NFAs
  - ▶ NFAs into equivalent DFAs
  - ▶ (DFAs to equivalent NFAs)

**Todo: convert DFA to equivalent RE**

- ▶ Given a DFA  $\mathcal{A}$ , derive a regular expression  $r(\mathcal{A})$  accepting the same language:


$$L(r(\mathcal{A})) = L(\mathcal{A})$$



# Convert DFA into RE


- ▶ Goal: transform DFA  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  into RE  $r(\mathcal{A})$  with  $L(r(\mathcal{A})) = L(\mathcal{A})$
- ▶ Idea
  - ▶ For each state  $q$ ,
  - ▶ generate an **equation** describing the language  $L_q$  that is accepted when **starting from  $q$** ,
  - ▶ depending on the languages accepted at neighbouring states
  - ▶ For each transition with  $c$  to  $q'$ :  $c \cdot L_{q'}$
  - ▶ For final states: additionally  $\varepsilon$
- ▶ Solve the resulting system for  $L_{q_0}$ 
  - ▶ Result: RE describing  $L_{q_0} = L(\mathcal{A})$
- ▶ Convention:
  - ▶ States are named  $\{0, 1, \dots, n\}$
  - ▶ Start state is 0

# Convert DFA to RE: Example



►  $L_0 =$

# Convert DFA to RE: Example




▶  $L_0 = aL_1 + bL_2$

▶  $L_1 =$



# Convert DFA to RE: Example




▶  $L_0 = aL_1 + bL_2$

▶  $L_1 = aL_1 + bL_2$

▶  $L_2 =$

# Convert DFA to RE: Example




▶  $L_0 = aL_1 + bL_2$

▶  $L_1 = aL_1 + bL_2$

▶  $L_2 = bL_0 + \varepsilon$

# Convert DFA to RE: Example



▶  $L_0 = aL_1 + bL_2$

▶  $L_1 = aL_1 + bL_2$

▶  $L_2 = bL_0 + \varepsilon$

3 equations, 3 unknowns

**What now?**

# Insert: Arden's Lemma

Lemma:

$$\varepsilon \notin L(s) \text{ and } r \doteq sr + t \longrightarrow r \doteq s^*t$$

Arden, Dean N.:  
*Delayed-logic  
and finite-state  
machines*,  
Proceedings of  
the Second  
Annual  
Symposium on  
Switching  
Circuit Theory  
and Logical  
Design, 1961,  
pp. 133–151,  
IEEE

# Insert: Arden's Lemma

Lemma:


$$\varepsilon \notin L(s) \text{ and } r \doteq sr + t \longrightarrow r \doteq s^*t$$

Compare Arto Salomaa:

$$\varepsilon \notin L(s) \text{ and } r \doteq rs + t \longrightarrow r \doteq ts^*$$

Arden, Dean N.:  
*Delayed-logic  
and finite-state  
machines*,  
Proceedings of  
the Second  
Annual  
Symposium on  
Switching  
Circuit Theory  
and Logical  
Design, 1961,  
pp. 133–151,  
IEEE

# Convert DFA to RE: Example




▶  $L_0 = aL_1 + bL_2$

▶  $L_1 = aL_1 + bL_2$

▶  $L_2 = bL_0 + \varepsilon$

# Convert DFA to RE: Example



▶  $L_0 = aL_1 + bL_2$


▶  $L_1 = aL_1 + bL_2$

▶  $L_2 = bL_0 + \varepsilon$

$$L_1 \doteq aL_1 + b(bL_0 + \varepsilon)$$

[replace  $L_2$ ]

# Convert DFA to RE: Example



▶  $L_0 = aL_1 + bL_2$

▶  $L_1 = aL_1 + bL_2$


▶  $L_2 = bL_0 + \varepsilon$

$$\begin{aligned} L_1 &\doteq aL_1 + b(bL_0 + \varepsilon) \\ &\doteq a^*b(bL_0 + \varepsilon) \end{aligned}$$

[replace  $L_2$ ]  
[Arden]



# Convert DFA to RE: Example



▶  $L_0 = aL_1 + bL_2$

▶  $L_1 = aL_1 + bL_2$

▶  $L_2 = bL_0 + \varepsilon$

$$L_1 \doteq aL_1 + b(bL_0 + \varepsilon)$$

$$\doteq a^*b(bL_0 + \varepsilon)$$


$$L_0 \doteq a(a^*b(bL_0 + \varepsilon)) + b(bL_0 + \varepsilon)$$

[replace  $L_2$ ]

[Arden]

[replace  $L_1, L_2$ ]

# Convert DFA to RE: Example



▶  $L_0 = aL_1 + bL_2$

▶  $L_1 = aL_1 + bL_2$

▶  $L_2 = bL_0 + \varepsilon$

$$L_1 \doteq aL_1 + b(bL_0 + \varepsilon)$$

$$\doteq a^*b(bL_0 + \varepsilon)$$

$$L_0 \doteq a(a^*b(bL_0 + \varepsilon)) + b(bL_0 + \varepsilon)$$

$$\doteq aa^*bbL_0 + aa^*b + bbL_0 + b$$


[replace  $L_2$ ]

[Arden]

[replace  $L_1, L_2$ ]

[Dist.]

# Convert DFA to RE: Example



$$\blacktriangleright L_0 = aL_1 + bL_2$$

$$\blacktriangleright L_1 = aL_1 + bL_2$$

$$\blacktriangleright L_2 = bL_0 + \varepsilon$$

$$L_1 \doteq aL_1 + b(bL_0 + \varepsilon)$$

$$\doteq a^*b(bL_0 + \varepsilon)$$

$$L_0 \doteq a(a^*b(bL_0 + \varepsilon)) + b(bL_0 + \varepsilon)$$

$$\doteq aa^*bbL_0 + aa^*b + bbL_0 + b$$

$$\doteq (aa^*bb + bb)L_0 + aa^*b + b$$

[replace  $L_2$ ]


[Arden]

[replace  $L_1, L_2$ ]

[Dist.]

[Comm., Dist.]

# Convert DFA to RE: Example



$$\blacktriangleright L_0 = aL_1 + bL_2$$

$$\blacktriangleright L_1 = aL_1 + bL_2$$

$$\blacktriangleright L_2 = bL_0 + \varepsilon$$

$$L_1 \doteq aL_1 + b(bL_0 + \varepsilon)$$

$$\doteq a^*b(bL_0 + \varepsilon)$$

$$L_0 \doteq a(a^*b(bL_0 + \varepsilon)) + b(bL_0 + \varepsilon)$$

$$\doteq aa^*bbL_0 + aa^*b + bbL_0 + b$$

$$\doteq (aa^*bb + bb)L_0 + aa^*b + b$$

$$\doteq (aa^*bb + bb)^*(aa^*b + b)$$

[replace  $L_2$ ]

[Arden]


[replace  $L_1, L_2$ ]

[Dist.]

[Comm., Dist.]

[Arden]

# Convert DFA to RE: Example



$$\blacktriangleright L_0 = aL_1 + bL_2$$

$$\blacktriangleright L_1 = aL_1 + bL_2$$

$$\blacktriangleright L_2 = bL_0 + \varepsilon$$

$$L_1 \doteq aL_1 + b(bL_0 + \varepsilon)$$

$$\doteq a^*b(bL_0 + \varepsilon)$$

$$L_0 \doteq a(a^*b(bL_0 + \varepsilon)) + b(bL_0 + \varepsilon)$$

$$\doteq aa^*bbL_0 + aa^*b + bbL_0 + b$$

$$\doteq (aa^*bb + bb)L_0 + aa^*b + b$$

$$\doteq (aa^*bb + bb)^*(aa^*b + b)$$

$$\doteq ((aa^* + \varepsilon)bb)^*((aa^* + \varepsilon)b)$$

[replace  $L_2$ ]

[Arden]

[replace  $L_1, L_2$ ]


[Dist.]

[Comm., Dist.]

[Arden]

[Dist.]

# Convert DFA to RE: Example



$$\blacktriangleright L_0 = aL_1 + bL_2$$

$$\blacktriangleright L_1 = aL_1 + bL_2$$

$$\blacktriangleright L_2 = bL_0 + \varepsilon$$

$$L_1 \doteq aL_1 + b(bL_0 + \varepsilon)$$

$$\doteq a^*b(bL_0 + \varepsilon)$$

$$L_0 \doteq a(a^*b(bL_0 + \varepsilon)) + b(bL_0 + \varepsilon)$$

$$\doteq aa^*bbL_0 + aa^*b + bbL_0 + b$$

$$\doteq (aa^*bb + bb)L_0 + aa^*b + b$$

$$\doteq (aa^*bb + bb)^*(aa^*b + b)$$

$$\doteq ((aa^* + \varepsilon)bb)^*((aa^* + \varepsilon)b)$$

$$\doteq (a^*bb)^*(a^*b)$$

[replace  $L_2$ ]

[Arden]

[replace  $L_1, L_2$ ]

[Dist.]


[Comm., Dist.]

[Arden]

[Dist.]


[ $rr^* + \varepsilon \doteq r^*$ ]

## Convert DFA to RE: Example (continued)



$$\begin{aligned} L_0 &\doteq \dots \\ &\doteq (a^*bb)^*(a^*b) \end{aligned}$$

## Convert DFA to RE: Example (continued)




$$\begin{aligned}L_0 &\doteq \dots \\ &\doteq (a^*bb)^*(a^*b)\end{aligned}$$

Therefore:  $L(\mathcal{A}) = L((a^*bb)^*(a^*b))$




## Exercise: conversion from DFA to RE

Transform the following DFA into a regular expression accepting the same language:




# Resume: Finite automata and regular expressions

- ▶ We have learned how to convert
  - ▶ REs to equivalent NFAs
  - ▶ NFAs to equivalent DFAs
  - ▶ (DFAs to equivalent NFAs)



# Resume: Finite automata and regular expressions


- ▶ We have learned how to convert
  - ▶ REs to equivalent NFAs
  - ▶ NFAs to equivalent DFAs
  - ▶ (DFAs to equivalent NFAs)
  - ▶ **DFAs to equivalent REs**



# Resume: Finite automata and regular expressions

- ▶ We have learned how to convert
  - ▶ REs to equivalent NFAs
  - ▶ NFAs to equivalent DFAs
  - ▶ (DFAs to equivalent NFAs)
  - ▶ **DFAs to equivalent REs**

**REs, NFAs and DFAs describe the same class of languages – regular languages!**



**and now it's time for something  
completely different**



# Outline

Introduction

**Regular Languages and Finite Automata**

Regular Expressions

**Finite Automata**

Non-Determinism

Regular expressions and Finite Automata

**Minimisation**

Equivalence

The Pumping Lemma

Properties of regular languages

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

# Efficient Automata: Minimisation of DFAs

Given the DFA

$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F),$$

we want to derive a DFA


$$\mathcal{A}^- = (Q^-, \Sigma, \delta^-, q_0, F^-),$$

accepting the same language:

$$L(\mathcal{A}) = L(\mathcal{A}^-)$$

for which the **number of states** (elements of  $Q^-$ ) is **minimal**, i.e. there is no DFA accepting  $L(\mathcal{A})$  with fewer states.

## Minimisation of DFAs: example/exercise



How small can we make it?



# Minimisation of DFAs

Idea: For a DFA  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$ , identify **pairs of necessarily distinct states**

- ▶ Base case: Two states  $p, q$  are necessarily distinct if:
  - ▶ one of them is accepting, the other is not accepting
- ▶ Inductive case: Two states  $p, q$  are necessarily distinct if
  - ▶ there is a  $c \in \Sigma$  such that  $\delta(p, c) = p', \delta(q, c) = q'$
  - ▶ and  $p', q'$  are already necessarily distinct

# Minimisation of DFAs

Idea: For a DFA  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$ , identify **pairs of necessarily distinct states**

- ▶ Base case: Two states  $p, q$  are necessarily distinct if:
  - ▶ one of them is accepting, the other is not accepting
- ▶ Inductive case: Two states  $p, q$  are necessarily distinct if
  - ▶ there is a  $c \in \Sigma$  such that  $\delta(p, c) = p', \delta(q, c) = q'$
  - ▶ and  $p', q'$  are already necessarily distinct

## Definition (Necessarily distinct states)

For a DFA  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$ ,  $V$  is the smallest set of pairs with

- ▶  $\{(p, q) \mid p \in F, q \notin F\} \subseteq V$
- ▶  $\{(p, q) \mid p \notin F, q \in F\} \subseteq V$
- ▶ if  $\delta(p, c) = p', \delta(q, c) = q', (p', q') \in V$  for some  $c \in \Sigma$ , then  $(p, q) \in V$ .

# Minimisation of DFAs

- 1 Initialize  $V$  with all those pairs for which one member is a final state and the other is not:

$$V = \{(p, q) \in Q \times Q \mid (p \in F \wedge q \notin F) \vee (p \notin F \wedge q \in F)\}.$$

# Minimisation of DFAs

- 1 Initialize  $V$  with all those pairs for which one member is a final state and the other is not:

$$V = \{(p, q) \in Q \times Q \mid (p \in F \wedge q \notin F) \vee (p \notin F \wedge q \in F)\}.$$

- 2 While there exists
  - ▶ a new pair of states  $(p, q)$  and a symbol  $c$
  - ▶ such that the states  $\delta(p, c)$  and  $\delta(q, c)$  are necessarily distinct,
  - ▶ add this pair and its inverse to  $V$ :

# Minimisation of DFAs

- 1 Initialize  $V$  with all those pairs for which one member is a final state and the other is not:

$$V = \{(p, q) \in Q \times Q \mid (p \in F \wedge q \notin F) \vee (p \notin F \wedge q \in F)\}.$$


- 2 While there exists
  - ▶ a new pair of states  $(p, q)$  and a symbol  $c$
  - ▶ such that the states  $\delta(p, c)$  and  $\delta(q, c)$  are necessarily distinct,
  - ▶ add this pair and its inverse to  $V$ :

```
while ( $\exists (p, q) \in Q \times Q \exists c \in \Sigma \mid (\delta(p, c), \delta(q, c)) \in V \wedge (p, q) \notin V$ )
{
   $V = V \cup \{(p, q), (q, p)\}$ 
}
```

# Minimisation of DFAs: merging States

# Minimisation of DFAs: example

We want to minimize this DFA with 5 states:



## Minimisation of DFAs: example (cont.)

This is the formal definition of the DFA:

$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$

with

1  $Q = \{q_0, q_1, q_2, q_3, q_4\}$

2  $\Sigma = \{a, b.\}$

3  $\delta = \dots$  (skipped to save space, see graph)

4  $F = \{q_3, q_4\}$



## Minimisation of DFAs: example (cont.)

This is the formal definition of the DFA:

$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$

with

1  $Q = \{q_0, q_1, q_2, q_3, q_4\}$

2  $\Sigma = \{a, b.\}$

3  $\delta = \dots$  (skipped to save space, see graph)

4  $F = \{q_3, q_4\}$


Represent the set  $V$  by means of a two-dimensional table with

- ▶ the elements of  $Q$  as columns and rows
- ▶ the elements of  $V$  are marked with  $\times$
- ▶ pairs that are definitely **not** members of  $V$  are marked with  $\circ$

# Minimisation of DFAs: example (cont.)

- 1** the initial state of  $V$  is obtained by using  $F = \{q_3, q_4\}$  and  $Q \setminus F = \{q_0, q_1, q_2\}$ :


	$q_0$	$q_1$	$q_2$	$q_3$	$q_4$
$q_0$				×	×
$q_1$				×	×
$q_2$				×	×
$q_3$	×	×	×		
$q_4$	×	×	×		



# Minimisation of DFAs: example (cont.)

- 2 The elements of  $\{(q_i, q_i) | i \in \{0, \dots, 4\}\}$  are not contained in  $V$  since every state is indistinguishable from itself:


	$q_0$	$q_1$	$q_2$	$q_3$	$q_4$
$q_0$	○			×	×
$q_1$		○		×	×
$q_2$			○	×	×
$q_3$	×	×	×	○	
$q_4$	×	×	×		○



## Minimisation of DFAs: example (cont.)

- 2 The elements of  $\{(q_i, q_i) | i \in \{0, \dots, 4\}\}$  are not contained in  $V$  since every state is indistinguishable from itself:

	$q_0$	$q_1$	$q_2$	$q_3$	$q_4$
$q_0$	○			×	×
$q_1$		○		×	×
$q_2$			○	×	×
$q_3$	×	×	×	○	
$q_4$	×	×	×		○




There are eight remaining empty fields. Since the table is symmetric, **four** pairs of states have to be checked.

## Minimisation of DFAs: example (cont.)


## Minimisation of DFAs: example (cont.)

- 3 Check the transitions of **every remaining state-pair** for **every letter**.



# Minimisation of DFAs: example (cont.)

- 3** Check the transitions of **every remaining state-pair** for **every letter**.



- 1**  $\delta(q_0, a) = q_1; \delta(q_1, a) = q_3; (q_1, q_3) \in V \rightarrow (q_0, q_1), (q_1, q_0) \in V$
- 2**  $\delta(q_0, a) = q_1; \delta(q_2, a) = q_4; (q_1, q_4) \in V \rightarrow (q_0, q_2), (q_2, q_0) \in V$
- 3**  $\delta(q_1, a) = q_3; \delta(q_2, a) = q_4; (q_3, q_4) \notin V$  (as of yet)  
 $\delta(q_1, b) = q_3; \delta(q_2, b) = q_4; (q_3, q_4) \notin V$  (as of yet)
- 4**  $\delta(q_3, a) = q_1; \delta(q_4, a) = q_2; (q_1, q_2) \notin V$  (as of yet)  
 $\delta(q_3, b) = q_1; \delta(q_4, b) = q_2; (q_1, q_2) \notin V$  (as of yet)

## Minimisation of DFAs: example (cont.)

- 4 Mark the newly found distinguishable pairs with  $\times$ :

	$q_0$	$q_1$	$q_2$	$q_3$	$q_4$
$q_0$	○	×	×	×	×
$q_1$	×	○		×	×
$q_2$	×		○	×	×
$q_3$	×	×	×	○	
$q_4$	×	×	×		○



## Minimisation of DFAs: example (cont.)

- 4 Mark the newly found distinguishable pairs with  $\times$ :

	$q_0$	$q_1$	$q_2$	$q_3$	$q_4$
$q_0$	○	×	×	×	×
$q_1$	×	○		×	×
$q_2$	×		○	×	×
$q_3$	×	×	×	○	
$q_4$	×	×	×		○

Two pairs remain to be checked.

## Minimisation of DFAs: example (cont.)

- 5 Check the remaining pairs.
- 6 Since no additional distinguishable state pairs are found, fill empty cells with  $\circ$ :

	$q_0$	$q_1$	$q_2$	$q_3$	$q_4$
$q_0$	$\circ$	$\times$	$\times$	$\times$	$\times$
$q_1$	$\times$	$\circ$	$\circ$	$\times$	$\times$
$q_2$	$\times$	$\circ$	$\circ$	$\times$	$\times$
$q_3$	$\times$	$\times$	$\times$	$\circ$	$\circ$
$q_4$	$\times$	$\times$	$\times$	$\circ$	$\circ$

## Minimisation of DFAs: example (cont.)

- 5 Check the remaining pairs.
- 6 Since no additional distinguishable state pairs are found, fill empty cells with  $\circ$ :


	$q_0$	$q_1$	$q_2$	$q_3$	$q_4$
$q_0$	$\circ$	$\times$	$\times$	$\times$	$\times$
$q_1$	$\times$	$\circ$	$\circ$	$\times$	$\times$
$q_2$	$\times$	$\circ$	$\circ$	$\times$	$\times$
$q_3$	$\times$	$\times$	$\times$	$\circ$	$\circ$
$q_4$	$\times$	$\times$	$\times$	$\circ$	$\circ$

From the table, we can derive the following indistinguishable state pairs (omitting trivial and symmetric ones):

- ▶  $(q_1, q_2)$ ,
- ▶  $(q_3, q_4)$ .


## Minimisation of DFAs: example (cont.)

- ▶ This is the minimized DFA after merging indistinguishable states:




# Handling $\Omega$

- ▶ The algorithm does not handle missing transitions/ $\Omega$ -transitions
  - ▶ A rejection due to an  $\Omega$ -transition is indistinguishable from a rejection due to reaching a junk state
  - ▶ However, the algorithm treats these cases differently.
- ▶ Solution: If the automaton has  $\Omega$ -transitions, add an explicit junk state and complete the transition function



# Handling $\Omega$

- ▶ The algorithm does not handle missing transitions/ $\Omega$ -transitions
  - ▶ A rejection due to an  $\Omega$ -transition is indistinguishable from a rejection due to reaching a junk state
  - ▶ However, the algorithm treats these cases differently.
- ▶ Solution: If the automaton has  $\Omega$ -transitions, add an explicit junk state and complete the transition function




## Definition (Complete DFA)

A deterministic finite automaton  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  is called *complete*, if  $\delta$  is a total function, i.e. if  $\mathcal{A}$  does not have any  $\Omega$ -transitions.

# Handling $\Omega$

- ▶ The algorithm does not handle missing transitions/ $\Omega$ -transitions
  - ▶ A rejection due to an  $\Omega$ -transition is indistinguishable from a rejection due to reaching a junk state
  - ▶ However, the algorithm treats these cases differently.
- ▶ Solution: If the automaton has  $\Omega$ -transitions, add an explicit junk state and complete the transition function




## Definition (Complete DFA)

A deterministic finite automaton  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  is called *complete*, if  $\delta$  is a total function, i.e. if  $\mathcal{A}$  does not have any  $\Omega$ -transitions.

# Handling $\Omega$

- ▶ The algorithm does not handle missing transitions/ $\Omega$ -transitions
  - ▶ A rejection due to an  $\Omega$ -transition is indistinguishable from a rejection due to reaching a junk state
  - ▶ However, the algorithm treats these cases differently.
- ▶ Solution: If the automaton has  $\Omega$ -transitions, add an explicit junk state and complete the transition function



## Definition (Complete DFA)

A deterministic finite automaton  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  is called *complete*, if  $\delta$  is a total function, i.e. if  $\mathcal{A}$  does not have any  $\Omega$ -transitions.



# Minimisation of DFAs: exercise

Derive a minimal DFA accepting the language

$$L(a(ba)^*).$$

Solve the exercise in three steps:

- 1 Derive an NFA accepting  $L$ .
- 2 Transform the NFA into a DFA.
- 3 Minimize the DFA.

# Uniqueness of minimal DFA

## Theorem (The minimal DFA is unique)

*Assume an arbitrary regular language  $L$ . Then there is a unique (up to the the renaming of states) complete **minimal** DFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L$ .*

- ▶ States can easily be systematically renamed to make equivalent minimal automata strictly equal
- ▶ The unique minimal DFA for  $L$  can be constructed by minimizing an arbitrary DFA that accepts  $L$

# Outline

## Introduction

## Regular Languages and Finite Automata

Regular Expressions

### Finite Automata

Non-Determinism

Regular expressions and Finite Automata

Minimisation

Equivalence

The Pumping Lemma

Properties of regular languages

## Scanners and Flex

## Formal Grammars and Context-Free Languages

## Turing Machines and Languages of Type 1 and 0

# Equivalence of regular expressions

- ▶ Different regular expressions can describe the **same language**
- ▶ **Algebraic transformation rules** can be used to prove equivalence
  - ▶ requires human interaction
  - ▶ can be very difficult
  - ▶ non-equivalence cannot be shown
- ▶ Now: straight-forward algorithm proving equivalence of REs based on FA
- ▶ The algorithm is described in the textbook by John E. Hopcroft, Rajeev Motwani, Jeffrey D. Ullman: *Introduction to Automata Theory, Languages, and Computation (3rd edition)*, 2007 (and earlier editions)

# Equivalence of regular expressions: algorithm

- 1 Given the REs  $r_1$  and  $r_2$ , derive NFAs  $\mathcal{A}_1$  and  $\mathcal{A}_2$  accepting their respective languages:

$$L(r_1) = L(\mathcal{A}_1) \quad \text{and} \quad L(r_2) = L(\mathcal{A}_2).$$

- 2 Transform the NFAs  $\mathcal{A}_1$  and  $\mathcal{A}_2$  into the DFAs  $\mathcal{D}_1$  and  $\mathcal{D}_2$ .
- 3 Minimize the DFAs  $\mathcal{D}_1$  and  $\mathcal{D}_2$  yielding the DFAs  $\mathcal{M}_1$  and  $\mathcal{M}_2$ .
- 4  $r_1 \doteq r_2$  holds iff  $\mathcal{M}_1$  and  $\mathcal{M}_2$  are identical (modulo renaming of states)

# Equivalence of regular expressions: algorithm

- 1 Given the REs  $r_1$  and  $r_2$ , derive NFAs  $\mathcal{A}_1$  and  $\mathcal{A}_2$  accepting their respective languages:

$$L(r_1) = L(\mathcal{A}_1) \quad \text{and} \quad L(r_2) = L(\mathcal{A}_2).$$

- 2 Transform the NFAs  $\mathcal{A}_1$  and  $\mathcal{A}_2$  into the DFAs  $\mathcal{D}_1$  and  $\mathcal{D}_2$ .
- 3 Minimize the DFAs  $\mathcal{D}_1$  and  $\mathcal{D}_2$  yielding the DFAs  $\mathcal{M}_1$  and  $\mathcal{M}_2$ .
- 4  $r_1 \doteq r_2$  holds iff  $\mathcal{M}_1$  and  $\mathcal{M}_2$  are identical (modulo renaming of states)

Note: If equivalence can be shown in any intermediate stage of the algorithm, this is sufficient to prove  $r_1 \doteq r_2$  (e.g. if  $\mathcal{A}_1 = \mathcal{A}_2$ ).

## Exercise: Equivalence of regular expressions

Reusing an exercise from an earlier section, prove the following equivalence (by conversion to minimal DFAs):

$$10(10)^* \doteq 1(01)^*0$$

## Exercise: Equivalence of regular expressions

Reusing an exercise from an earlier section, prove the following equivalence (by conversion to minimal DFAs):

$$10(10)^* \doteq 1(01)^*0$$

Solution

End lecture 6



# Outline

Introduction

**Regular Languages and Finite Automata**

Regular Expressions

Finite Automata

**The Pumping Lemma**

Properties of regular languages

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

# Non-regular languages


For some simple languages, there is no obvious FA:

# Non-regular languages

For some simple languages, there is no obvious FA:

Example (Naive automaton  $\mathcal{A}$  for  $L = \{a^n b^n \mid n \in \mathbb{N}\}$ )

$\mathcal{A}$  has an infinite number of states:




# Non-regular languages

For some simple languages, there is no obvious FA:

Example (Naive automaton  $\mathcal{A}$  for  $L = \{a^n b^n \mid n \in \mathbb{N}\}$ )

$\mathcal{A}$  has an infinite number of states:



- ▶ Is there a better solution?
- ▶ If no, how can this be shown?

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic **finite** Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a **cycle**.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed **arbitrarily often** (and the resulting word will be accepted).

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic **finite** Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a **cycle**.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed **arbitrarily often** (and the resulting word will be accepted).




# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic **finite** Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a **cycle**.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed **arbitrarily often** (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )




# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic **finite** Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a **cycle**.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed **arbitrarily often** (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )



- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `uroma`




# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic finite Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a cycle.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed arbitrarily often (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )




- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `uroma`

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic finite Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a cycle.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed arbitrarily often (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )




- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `uroma`

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic finite Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a cycle.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed arbitrarily often (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )




- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `uroma`

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic **finite** Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a **cycle**.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed **arbitrarily often** (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )




- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `uroma`

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic finite Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a cycle.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed arbitrarily often (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )




- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `ururoma`

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic **finite** Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a **cycle**.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed **arbitrarily often** (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )




- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `urururoma`

# Pumping Lemma: Idea

- 1 Every regular language  $L$  is accepted by a deterministic **finite** Automaton  $\mathcal{A}_L$ .
- 2 If  $L$  contains arbitrarily long words, then  $\mathcal{A}_L$  must contain a **cycle**.
  - ▶  $L$  contains arbitrarily long words iff  $L$  is infinite.
- 3 If  $\mathcal{A}_L$  contains a cycle, then the cycle can be traversed **arbitrarily often** (and the resulting word will be accepted).



## Example (Cyclic DFA $\mathcal{C}$ )



- ▶  $\mathcal{C}$  accepts `uroma`
- ▶  $\mathcal{C}$  also accepts `ururur...oma`

# The Pumping Lemma

## Lemma

*Let  $L$  be a regular language.*

*Then there exists a  $k \in \mathbb{N}$  such that for every word  $s \in L$  with  $|s| \geq k$  the following holds:*



# The Pumping Lemma


## Lemma

*Let  $L$  be a regular language.*


*Then there exists a  $k \in \mathbb{N}$  such that for every word  $s \in L$  with  $|s| \geq k$  the following holds:*

- 1**  $\exists u, v, w \in \Sigma^* (s = u \cdot v \cdot w)$ ,  
*i.e.  $s$  consists of **prolog**  $u$ , **cycle**  $v$  and **epilog**  $w$ ,*
- 2**  $v \neq \varepsilon$ ,  
*i.e. the cycle has a **length of at least 1**,*
- 3**  $|u \cdot v| \leq k$ ,  
*i.e. prolog and cycle combined have a **length of at most  $k$** ,*
- 4**  $\forall h \in \mathbb{N} (u \cdot v^h \cdot w \in L)$ ,  
*i.e. an **arbitrary number of cycle transitions** results in a word of the language  $L$ .*

# The Pumping Lemma visualised



# The Pumping Lemma visualised



- ▶  $\mathcal{C}$  has 5 states  $k = 5$
- ▶  $uroma$  has 5 letters  $s = uroma$
- ▶ There is a segmentation  $s = u \cdot v \cdot w$   $u = \varepsilon$   $v = ur$   $w = oma$
- ▶ such that  $|v| \neq \varepsilon$   $v = ur$
- ▶ and  $|u \cdot v| \leq k$   $|\varepsilon \cdot ur| = 2 \leq 5$
- ▶ and  $\forall h \in \mathbb{N}(u \cdot v^h \cdot w \in L(\mathcal{C}))$   $(ur)^*oma \subseteq L(\mathcal{C})$

## Pumping Lemma: Idea II

- ▶ If  $L$  is regular, then there exists a DFA  $\mathcal{A}$  with  $L = L(\mathcal{A})$
- ▶ That DFA has (e.g.)  $k - 1$  states
- ▶ For every  $w \in L$  with  $|w| \geq k$  the automaton must execute a loop
- ▶  $u$  is the word read to the first state of the loop
- ▶  $v$  is the word read in the loop
- ▶  $w$  is the word read after the loop
- ▶ ... so every word that traverses  $v$  zero or multiple times is also accepted by  $\mathcal{A}$

# Using the Pumping Lemma

- ▶ The Pumping Lemma describes a property of **regular** languages
  - ▶ *If  $L$  is regular, then some words can be pumped up.*
- ▶ Goal: proof of **irregularity** of a language
  - ▶ *If  $L$  has property  $X$ , then  $L$  is not regular.*
- ▶ How can the Pumping Lemma help?

# Using the Pumping Lemma

- ▶ The Pumping Lemma describes a property of **regular** languages
  - ▶ *If  $L$  is regular, then some words can be pumped up.*
- ▶ Goal: proof of **irregularity** of a language
  - ▶ *If  $L$  has property  $X$ , then  $L$  is not regular.*
- ▶ How can the Pumping Lemma help?

## Theorem (Contraposition)

$$A \rightarrow B \quad \Leftrightarrow \quad \neg B \rightarrow \neg A$$

# Contraposition of the Pumping Lemma

The Pumping Lemma in formal logic:

$$\begin{aligned} \text{reg}(L) \rightarrow & \exists k \in \mathbb{N} \forall s \in L : (|s| \geq k \rightarrow \\ & \exists u, v, w : (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \wedge \\ & \forall h \in \mathbb{N} : (u \cdot v^h \cdot w \in L))) \end{aligned}$$

# Contraposition of the Pumping Lemma

The Pumping Lemma in formal logic:

$$\text{reg}(L) \rightarrow \exists k \in \mathbb{N} \forall s \in L : (|s| \geq k \rightarrow \\ \exists u, v, w : (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \wedge \\ \forall h \in \mathbb{N} : (u \cdot v^h \cdot w \in L)))$$

Contraposition of the PL:

$$\neg(\exists k \in \mathbb{N} \forall s \in L (|s| \geq k \rightarrow \\ \exists u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \wedge \\ \forall h \in \mathbb{N} (u \cdot v^h \cdot w \in L)))) \rightarrow \neg \text{reg}(L)$$



# Contraposition of the Pumping Lemma

The Pumping Lemma in formal logic:

$$\text{reg}(L) \rightarrow \exists k \in \mathbb{N} \forall s \in L : (|s| \geq k \rightarrow \\ \exists u, v, w : (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \wedge \\ \forall h \in \mathbb{N} : (u \cdot v^h \cdot w \in L)))$$

Contraposition of the PL:

$$\neg(\exists k \in \mathbb{N} \forall s \in L (|s| \geq k \rightarrow \\ \exists u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \wedge \\ \forall h \in \mathbb{N} (u \cdot v^h \cdot w \in L)))) \rightarrow \neg \text{reg}(L)$$

After pushing negation inward and doing some propositional transformations:

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$  there is a word  $s$

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$  there is a word  $s$  with length at least  $k$

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$  there is a word  $s$  with length at least  $k$   
and for every segmentation  $u \cdot v \cdot w$  of  $s$

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$  there is a word  $s$  with length at least  $k$   
and for every segmentation  $u \cdot v \cdot w$  of  $s$  (with  $v \neq \varepsilon$  and  $|u \cdot v| \leq k$ )

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$  there is a word  $s$  with length at least  $k$   
and for every segmentation  $u \cdot v \cdot w$  of  $s$  (with  $v \neq \varepsilon$  and  $|u \cdot v| \leq k$ )  
there is a number  $h$



# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$  there is a word  $s$  with length at least  $k$  and for every segmentation  $u \cdot v \cdot w$  of  $s$  (with  $v \neq \varepsilon$  and  $|u \cdot v| \leq k$ ) there is a number  $h$  such that  $u \cdot v^h \cdot w$  does not belong to  $L$ ,

# What does it mean?

$$\forall k \in \mathbb{N} \exists s \in L (|s| \geq k \wedge \\ \forall u, v, w (s = u \cdot v \cdot w \wedge v \neq \varepsilon \wedge |u \cdot v| \leq k \rightarrow \\ \exists h \in \mathbb{N} (u \cdot v^h \cdot w \notin L))) \rightarrow \neg \text{reg}(L)$$

If for every number  $k$  there is a word  $s$  with length at least  $k$  and for every segmentation  $u \cdot v \cdot w$  of  $s$  (with  $v \neq \varepsilon$  and  $|u \cdot v| \leq k$ ) there is a number  $h$  such that  $u \cdot v^h \cdot w$  does not belong to  $L$ , then  $L$  is not regular.

# Proving Irregularity for a Language

We have to show:

- ▶ For **every** natural number  $k$

# Proving Irregularity for a Language

We have to show:

- ▶ For **every** natural number  $k$
- ▶ For an unspecified arbitrary natural number  $k$

# Proving Irregularity for a Language

We have to show:

- ▶ For **every** natural number  $k$
- ▶ For an unspecified arbitrary natural number  $k$
- ▶ **there is** a word  $s \in L$  that is longer than  $k$
- ▶ such that **every** segmentation  $u \cdot v \cdot w = s$  with  $|u \cdot v| \leq k$  and  $|v| \neq \varepsilon$
- ▶ **can** be pumped up into a word  $u \cdot v^h \cdot w \notin L$ .

# Proving Irregularity for a Language

We have to show:

- ▶ For every natural number  $k$
- ▶ For an unspecified arbitrary natural number  $k$
- ▶ there is a word  $s \in L$  that is longer than  $k$
- ▶ such that every segmentation  $u \cdot v \cdot w = s$  with  $|u \cdot v| \leq k$  and  $|v| \neq \varepsilon$
- ▶ can be pumped up into a word  $u \cdot v^h \cdot w \notin L$ .

## Example ( $L = a^n b^n$ )

- ▶ Choose  $s = a^k b^k$ . It follows:

$$s = \underbrace{a^i}_u \cdot \underbrace{a^j}_v \cdot \underbrace{a^\ell \cdot b^k}_w$$

- ▶  $i + j + \ell = k$
- ▶ since  $|u \cdot v| \leq k$  holds,  $u$  and  $v$  consist only of  $a$ 's
- ▶  $v \neq \varepsilon$  implies  $j \geq 1$

- ▶ Choose  $h = 0$ . It follows:

- ▶  $u \cdot v^h \cdot w = u \cdot w = a^{i+\ell} b^k$
- ▶  $j \geq 1$  implies  $i + \ell < k$
- ▶  $a^{i+\ell} b^k \notin L$

# Regarding quantifiers

Four quantifiers:

- ▶ In the lemma:

$$\exists k \forall s \exists u, v, w \forall h (u \cdot v^h \cdot w \in L)$$

- ▶ To show irregularity:

$$\forall k \exists s \forall u, v, w \exists h (u \cdot v^h \cdot w \notin L)$$

# Regarding quantifiers

Four quantifiers:

- ▶ In the lemma:

$$\exists k \forall s \exists u, v, w \forall h (u \cdot v^h \cdot w \in L)$$

- ▶ To show irregularity:

$$\forall k \exists s \forall u, v, w \exists h (u \cdot v^h \cdot w \notin L)$$

To do:

- 1 Find a word  $s$  depending on the length  $k$ .
- 2 Find an  $h$  depending on the segmentation  $u \cdot v \cdot w$ .
- 3 Prove that  $u \cdot v^h \cdot w \notin L$  holds.



## Exercise: $a^n b^m$ with $n < m$

Use the pumping lemma to show that

$$L = \{a^n b^m \mid n < m\}$$

is not regular.

## Exercise: $a^n b^m$ with $n < m$

Use the pumping lemma to show that

$$L = \{a^n b^m \mid n < m\}$$

is not regular.

Reminder:

- 1 Find a word  $s$  depending on the length  $k$ .
- 2 Find an  $h$  depending on the segmentation  $u \cdot v \cdot w$ .
- 3 Prove that  $u \cdot v^h \cdot w \notin L$  holds.

## Exercise: $a^n b^m$ with $n < m$

Use the pumping lemma to show that

$$L = \{a^n b^m \mid n < m\}$$

is not regular.

Reminder:

- 1 Find a word  $s$  depending on the length  $k$ .
- 2 Find an  $h$  depending on the segmentation  $u \cdot v \cdot w$ .
- 3 Prove that  $u \cdot v^h \cdot w \notin L$  holds.

Solution

## Challenging exercise / homework

Let  $L$  be the language containing all words of the form  $a^p$  where  $p$  is a prime number:

$$L = \{a^p \mid p \in \mathbb{P}\}.$$

Prove that  $L$  is not a regular language.

Hint: let  $h = p + 1$

## Challenging exercise / homework

Let  $L$  be the language containing all words of the form  $a^p$  where  $p$  is a prime number:

$$L = \{a^p \mid p \in \mathbb{P}\}.$$

Prove that  $L$  is not a regular language.

Hint: let  $h = p + 1$

Solution

## Practical relevance of irregularity

Finite automata cannot **count** arbitrarily high.

# Practical relevance of irregularity

Finite automata cannot **count** arbitrarily high.

## Examples (Nested dependencies)

**C** for every { there is a }

**XML** for every `<token>` there is a `</token>`

**L<sup>A</sup>T<sub>E</sub>X** for every `\begin{env}` there is a `\end{env}`

**German** for every subject there is a predicate

# Practical relevance of irregularity

Finite automata cannot **count** arbitrarily high.

## Examples (Nested dependencies)

**C** for every { there is a }

**XML** for every `<token>` there is a `</token>`

**L<sup>A</sup>T<sub>E</sub>X** for every `\begin{env}` there is a `\end{env}`

**German** for every subject there is a predicate

```
Erinnern Sie sich,  
    wie der Krieger,  
        der die Botschaft,  
            die den Sieg,  
                den die Griechen bei Marathon  
                    errungen hatten,  
                        verkündete,  
                            brachte,  
                                starb!
```



# Pumping Lemma: Summary

- ▶ Every regular language is accepted by a DFA  $\mathcal{A}$  (with  $k$  states).
- ▶ Pumping lemma: words with at least  $k$  letters can be **pumped up**.
- ▶ If it is possible to pump up a word  $w \in L$  and obtain a word  $w' \notin L$ , then  $L$  is **not regular**.
  - ▶ Make sure to handle quantifiers correctly!
- ▶ Practical relevance
  - ▶ FAs cannot **count arbitrarily high**.
  - ▶ **Nested structures** are not regular.
    - ▶ programming languages
    - ▶ natural languages
  - ▶ More powerful tools are needed to handle these languages.

# Outline

Introduction

**Regular Languages and Finite Automata**

Regular Expressions

Finite Automata

The Pumping Lemma

**Properties of regular languages**

Scanners and Flex

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0

# Regular languages: Closure properties

Reminder:

- ▶ **Formal languages** are sets of words (over a finite alphabet)
- ▶ A formal language  $L$  is a *regular language* if any of the following holds:
  - ▶ There exists an NFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L$
  - ▶ There exists a DFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L$
  - ▶ There exists a regular expression  $r$  with  $L(r) = L$
  - ▶ There exists a regular *grammar*  $G$  with  $L(G) = L$
- ▶ Pumping lemma: not all languages are regular

# Regular languages: Closure properties

Reminder:

- ▶ **Formal languages** are sets of words (over a finite alphabet)
- ▶ A formal language  $L$  is a *regular language* if any of the following holds:
  - ▶ There exists an NFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L$
  - ▶ There exists a DFA  $\mathcal{A}$  with  $L(\mathcal{A}) = L$
  - ▶ There exists a regular expression  $r$  with  $L(r) = L$
  - ▶ There exists a regular *grammar*  $G$  with  $L(G) = L$
- ▶ Pumping lemma: not all languages are regular

## Question

**What can we do to regular languages and be sure the result is still regular?**

## Closure properties (Question)

Question: If  $L_1$  and  $L_2$  are regular languages, does the same hold for  $L_1 \cup L_2$ ? (closure under union)

## Closure properties (Question)

Question: If  $L_1$  and  $L_2$  are regular languages, does the same hold for

$L_1 \cup L_2$ ?            (closure under **union**)

$L_1 \cap L_2$ ?            (closure under **intersection**)

## Closure properties (Question)

Question: If  $L_1$  and  $L_2$  are regular languages, does the same hold for

- $L_1 \cup L_2$ ? (closure under **union**)
- $L_1 \cap L_2$ ? (closure under **intersection**)
- $L_1 \cdot L_2$ ? (closure under **concatenation**)

## Closure properties (Question)

Question: If  $L_1$  and  $L_2$  are regular languages, does the same hold for

- $L_1 \cup L_2$ ? (closure under **union**)
- $L_1 \cap L_2$ ? (closure under **intersection**)
- $L_1 \cdot L_2$ ? (closure under **concatenation**)
- $\overline{L_1}$ , i.e.  $\Sigma^* \setminus L_1$ ? (closure under **complement**)



## Closure properties (Question)

Question: If  $L_1$  and  $L_2$  are regular languages, does the same hold for

- $L_1 \cup L_2$ ? (closure under **union**)
- $L_1 \cap L_2$ ? (closure under **intersection**)
- $L_1 \cdot L_2$ ? (closure under **concatenation**)
- $\overline{L_1}$ , i.e.  $\Sigma^* \setminus L_1$ ? (closure under **complement**)
- $L_1^*$ ? (closure under **Kleene-star**)

## Closure properties (Question)

Question: If  $L_1$  and  $L_2$  are regular languages, does the same hold for

- $L_1 \cup L_2$ ? (closure under **union**)
- $L_1 \cap L_2$ ? (closure under **intersection**)
- $L_1 \cdot L_2$ ? (closure under **concatenation**)
- $\overline{L_1}$ , i.e.  $\Sigma^* \setminus L_1$ ? (closure under **complement**)
- $L_1^*$ ? (closure under **Kleene-star**)

# Closure properties (Theorem)

## Theorem

*Let  $L_1$  and  $L_2$  be regular languages. Then the following languages are also regular:*

- ▶  $L_1 \cup L_2$
- ▶  $L_1 \cap L_2$
- ▶  $L_1 \cdot L_2$
- ▶  $\overline{L_1}$ , i.e.  $\Sigma^* \setminus L_1$
- ▶  $L_1^*$ ?

# Closure properties (Theorem)

## Theorem

*Let  $L_1$  and  $L_2$  be regular languages. Then the following languages are also regular:*

- ▶  $L_1 \cup L_2$
- ▶  $L_1 \cap L_2$
- ▶  $L_1 \cdot L_2$
- ▶  $\overline{L_1}$ , i.e.  $\Sigma^* \setminus L_1$
- ▶  $L_1^*$ ?

## Proof.

Idea: using (disjoint) finite automata for  $L_1$  and  $L_2$ , construct an automaton for the different languages above. □

# Closure under union, concatenation, and Kleene-star

We use the same construction that was used to generate NFAs for regular expressions:

Let  $\mathcal{A}_{L_1}$  and  $\mathcal{A}_{L_2}$  be automata for  $L_1$  and  $L_2$ .

$L_1 \cup L_2$  new initial and final states,


$\varepsilon$ -transitions to initial/final states of  $\mathcal{A}_{L_1}$  and  $\mathcal{A}_{L_2}$

$L_1 \cdot L_2$   $\varepsilon$ -transition from final state of  $\mathcal{A}_{L_1}$  to initial state of  $\mathcal{A}_{L_2}$


- $(L_1)^*$
- ▶ new initial and final states (with  $\varepsilon$ -transitions),
  - ▶  $\varepsilon$ -transitions from the original final states to the original initial state,
  - ▶  $\varepsilon$ -transition from the new initial to the new final state.

# Visual refresher


$L_1 \cup L_2$



$L_1 \circ L_2$



$L_1^*$



## Closure under intersection

Let  $\mathcal{A}_{L_1} = (Q_1, \Sigma, \delta_1, q_{0_1}, F_1)$  and  $\mathcal{A}_{L_2} = (Q_2, \Sigma, \delta_2, q_{0_2}, F_2)$  be DFAs for  $L_1$  and  $L_2$ .

An automaton  $L = (Q, \Sigma, \delta, q_0, F)$  for  $\mathcal{A}_{L_1} \cap \mathcal{A}_{L_2}$  can be generated as follows:

- ▶ if there are  $\Omega$  transitions, add junk state(s).
- ▶  $Q = Q_1 \times Q_2$
- ▶  $\delta((q_1, q_2), a) = (\delta_1(q_1, a), \delta_2(q_2, a))$  for all  $q_1 \in Q_1, q_2 \in Q_2, a \in \Sigma$
- ▶  $q_0 = (q_{0_1}, q_{0_2})$
- ▶  $F = F_1 \times F_2$

## Closure under intersection

Let  $\mathcal{A}_{L_1} = (Q_1, \Sigma, \delta_1, q_{0_1}, F_1)$  and  $\mathcal{A}_{L_2} = (Q_2, \Sigma, \delta_2, q_{0_2}, F_2)$  be DFAs for  $L_1$  and  $L_2$ .

An automaton  $L = (Q, \Sigma, \delta, q_0, F)$  for  $\mathcal{A}_{L_1} \cap \mathcal{A}_{L_2}$  can be generated as follows:

- ▶ if there are  $\Omega$  transitions, add junk state(s).
- ▶  $Q = Q_1 \times Q_2$
- ▶  $\delta((q_1, q_2), a) = (\delta_1(q_1, a), \delta_2(q_2, a))$  for all  $q_1 \in Q_1, q_2 \in Q_2, a \in \Sigma$
- ▶  $q_0 = (q_{0_1}, q_{0_2})$
- ▶  $F = F_1 \times F_2$

This so-called **product automaton**

- ▶ starts in state that corresponds to initial states of  $\mathcal{A}_{L_1}$  and  $\mathcal{A}_{L_2}$ ,
- ▶ simulates simultaneous processing in both automata
- ▶ accepts if both  $\mathcal{A}_{L_1}$  and  $\mathcal{A}_{L_2}$  accept.



# Product automaton: exercise

Generate automata for

- ▶  $L_1 = \{w \in \{0, 1\}^* \mid |w|_1 \text{ is divisible by } 2\}$
- ▶  $L_2 = \{w \in \{0, 1\}^* \mid |w|_1 \text{ is divisible by } 3\}$

Then generate an automaton for  $L_1 \cap L_2$ .

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}_L} = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton  
accepting  $\overline{L}$ :

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}_L} = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton accepting  $\overline{L}$ :

- ▶ if  $w \in L(\mathcal{A})$  then  $\delta'(q_0, w) \in F$ , i.e.  
 $\delta'(q_0, w) \notin Q \setminus F$ , which implies  $w \notin L(\overline{\mathcal{A}_L})$ .
- ▶ if  $w \notin L(\mathcal{A})$  then  $\delta'(q_0, w) \notin F$ , i.e.  
 $\delta'(q_0, w) \in Q \setminus F$ , which implies  $w \in L(\overline{\mathcal{A}_L})$ .

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}_L} = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton accepting  $\bar{L}$ :

- ▶ if  $w \in L(\mathcal{A})$  then  $\delta'(q_0, w) \in F$ , i.e.  
 $\delta'(q_0, w) \notin Q \setminus F$ , which implies  $w \notin L(\overline{\mathcal{A}_L})$ .
- ▶ if  $w \notin L(\mathcal{A})$  then  $\delta'(q_0, w) \notin F$ , i.e.  
 $\delta'(q_0, w) \in Q \setminus F$ , which implies  $w \in L(\overline{\mathcal{A}_L})$ .

## Reminder:

$$\delta' : Q \times \Sigma^* \rightarrow Q$$

$\delta'(q_0, w)$  is the final state of the automaton after processing  $w$

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}_L} = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton accepting  $\bar{L}$ :

- ▶ if  $w \in L(\mathcal{A})$  then  $\delta'(q_0, w) \in F$ , i.e.  
 $\delta'(q_0, w) \notin Q \setminus F$ , which implies  $w \notin L(\overline{\mathcal{A}_L})$ .
- ▶ if  $w \notin L(\mathcal{A})$  then  $\delta'(q_0, w) \notin F$ , i.e.  
 $\delta'(q_0, w) \in Q \setminus F$ , which implies  $w \in L(\overline{\mathcal{A}_L})$ .

## Reminder:

$$\delta' : Q \times \Sigma^* \rightarrow Q$$

$\delta'(q_0, w)$  is the final state of the automaton after processing  $w$

**All we have to do is exchange final and non-final states.**

# Closure properties: exercise

Show that  $L = \{w \in \{a, b\}^* \mid |w|_a = |w|_b\}$  is not regular.

Hint: Use the following:

- ▶  $a^n b^n$  is not regular. (Pumping lemma)
- ▶  $a^* b^*$  is regular. (Regular expression)
- ▶ (one of) the closure properties shown before.

End lecture 7

## Theorem (Regularity of finite languages)

*Every finite language, i.e. every language containing only a finite number of words, is regular.*

## Theorem (Regularity of finite languages)

*Every finite language, i.e. every language containing only a finite number of words, is regular.*

## Proof.

Let  $L = \{w_1, \dots, w_n\}$ .

- ▶ For each  $w_i$ , generate an automaton  $\mathcal{A}_i$  with initial state  $q_{0_i}$  and final state  $q_{f_i}$ .
- ▶ Let  $q_0$  be a new state, from which there is an  $\varepsilon$ -transition to each  $q_{0_i}$ .



# Finite languages and automata

## Theorem (Regularity of finite languages)

*Every finite language, i.e. every language containing only a finite number of words, is regular.*

## Proof.


Let  $L = \{w_1, \dots, w_n\}$ .

- ▶ For each  $w_i$ , generate an automaton  $\mathcal{A}_i$  with initial state  $q_{0_i}$  and final state  $q_{f_i}$ .
- ▶ Let  $q_0$  be a new state, from which there is an  $\varepsilon$ -transition to each  $q_{0_i}$ .

Then the resulting automaton, with  $q_0$  as initial state and all  $q_{f_i}$  as final states, accepts  $L$ . □

# Example: finite language

Example ( $L = \{if, then, else, while, goto, for\}$  over  $\Sigma_{ASCII}$ )



# Finite languages and regular expressions

## Theorem (Regularity of finite languages)

*Every finite language is regular.*

## Alternate proof.

Let  $L = \{w_1, w_2, \dots, w_n\}$ .

Write  $L$  as the regular expression  $w_1 + w_2 + \dots + w_n$ . □

# Finite languages and regular expressions

## Theorem (Regularity of finite languages)

*Every finite language is regular.*

## Alternate proof.

Let  $L = \{w_1, w_2, \dots, w_n\}$ .

Write  $L$  as the regular expression  $w_1 + w_2 + \dots + w_n$ . □

## Corollary

*The class of finite languages is characterised by*

- ▶ *acyclic finite automata,*
- ▶ *regular expressions **without Kleene star.***

# Decision problems

For regular languages  $L_1$  and  $L_2$  and a word  $w$ , answer the following questions:

Is there a word in  $L_1$ ?    emptiness problem

# Decision problems

For regular languages  $L_1$  and  $L_2$  and a word  $w$ , answer the following questions:

Is there a word in  $L_1$ ?    emptiness problem

Is  $w$  an element of  $L_1$ ?    word problem

# Decision problems

For regular languages  $L_1$  and  $L_2$  and a word  $w$ , answer the following questions:

- Is there a word in  $L_1$ ? emptiness problem
- Is  $w$  an element of  $L_1$ ? word problem
- Is  $L_1$  equal to  $L_2$ ? equivalence problem

# Decision problems

For regular languages  $L_1$  and  $L_2$  and a word  $w$ , answer the following questions:

- |                              |                     |
|------------------------------|---------------------|
| Is there a word in $L_1$ ?   | emptiness problem   |
| Is $w$ an element of $L_1$ ? | word problem        |
| Is $L_1$ equal to $L_2$ ?    | equivalence problem |
| Is $L_1$ finite?             | finiteness problem  |



# Emptiness problem

Theorem (Emptiness problem for regular languages)

*The emptiness problem for regular languages is decidable.*

# Emptiness problem

## Theorem (Emptiness problem for regular languages)

*The emptiness problem for regular languages is decidable.*

## Proof.

Algorithm: Let  $\mathcal{A}$  be an automaton accepting the language  $L$ .

- ▶ Starting with the initial state  $q_0$ , mark all states to which there is a transition from  $q_0$  as **reachable**.
- ▶ Continue with transitions from states which are already marked as **reachable** until either a final state is reached or no further states are reachable.
- ▶ If a final state is **reachable**, then  $L \neq \emptyset$  holds.



## Group exercise: Emptiness problem

- ▶ Find an alternative proof for the emptiness problem!

# Word problem

## Theorem (Word problem for regular languages)

*The word problem for regular languages is decidable.*

# Word problem

## Theorem (Word problem for regular languages)

*The word problem for regular languages is decidable.*

## Proof.

Let  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  be a DFA accepting  $L$  and  $w = c_1c_2 \dots c_n$ .

Algorithm:

- ▶  $q_1 := \delta(q_0, c_1)$
- ▶ If  $q_1 = \Omega$  holds, then  $w \notin L$
- ▶  $q_2 := \delta(q_1, c_2)$
- ▶ ...
- ▶ If  $q_n \in F$  holds, then  $\mathcal{A}$  accepts  $w$ .



# Word problem

## Theorem (Word problem for regular languages)

*The word problem for regular languages is decidable.*

## Proof.

Let  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$  be a DFA accepting  $L$  and  $w = c_1c_2 \dots c_n$ .

Algorithm:

- ▶  $q_1 := \delta(q_0, c_1)$
- ▶ If  $q_1 = \Omega$  holds, then  $w \notin L$
- ▶  $q_2 := \delta(q_1, c_2)$
- ▶ ...
- ▶ If  $q_n \in F$  holds, then  $\mathcal{A}$  accepts  $w$ .



All we have to do is simulate the run of  $\mathcal{A}$  on  $w$ .

# Equivalence problem

Theorem (Equivalence problem for regular languages)

*The equivalence problem for regular languages is decidable.*

# Equivalence problem

## Theorem (Equivalence problem for regular languages)

*The equivalence problem for regular languages is decidable.*

We have already shown how to prove this using minimised DFAs for  $L_1$  and  $L_2$ .



# Equivalence problem

## Theorem (Equivalence problem for regular languages)

*The equivalence problem for regular languages is decidable.*

We have already shown how to prove this using minimised DFAs for  $L_1$  and  $L_2$ .

## Alternative proof.

One can also use closure properties and decidability of the emptiness problem:

$$L_1 = L_2 \text{ iff } \underbrace{(L_1 \cap \overline{L_2})}_{\text{words that are in } L_1, \text{ but not in } L_2} \cup \underbrace{(\overline{L_1} \cap L_2)}_{\text{words that are not in } L_1, \text{ but in } L_2} = \emptyset$$



# Finiteness problem

Theorem (Finiteness problem for regular languages)

*The finiteness problem for regular languages is decidable.*

# Finiteness problem

## Theorem (Finiteness problem for regular languages)

*The finiteness problem for regular languages is decidable.*

## Proof.

Idea: if there is a loop in an accepting run, words of arbitrary length are accepted.

# Finiteness problem

## Theorem (Finiteness problem for regular languages)

*The finiteness problem for regular languages is decidable.*

## Proof.

Idea: if there is a loop in an accepting run, words of arbitrary length are accepted.


Let  $\mathcal{A}$  be a DFA accepting  $L$ .

- ▶ Eliminate from  $\mathcal{A}$  all states that are not reachable from the initial state, obtaining  $\mathcal{A}_r$ .
- ▶ Eliminate from  $\mathcal{A}_r$  all states from which no final state is reachable, obtaining  $\mathcal{A}_f$ .
- ▶  $L$  is infinite iff  $\mathcal{A}_f$  contains a loop.



# Exercise: Finiteness

Consider the following DFA  $\mathcal{A}$ . Use the previous algorithm to decide if  $L(\mathcal{A})$  is finite. Describe  $L(\mathcal{A})$ .



# Regular languages: summary

## Regular languages

- ▶ are characterised by
  - ▶ NFAs / DFAs
  - ▶ regular expressions
  - ▶ regular grammars
- ▶ can be transferred from one formalism to another one
- ▶ are **closed** under all operators (considered here)
- ▶ all decision problems (considered here) are **decidable**
- ▶ do not contain several interesting languages ( $a^n b^n$ , **counting**)
  - ▶ see chapter on **grammars**
- ▶ can express important features of programming languages
  - ▶ keywords
  - ▶ legal identifiers
  - ▶ numbers
- ▶ in compilers, these features are used by **scanners** (next chapter)

# Regular languages: summary

## Regular languages

- ▶ are characterised by
  - ▶ NFAs / DFAs
  - ▶ regular expressions
  - ▶ regular grammars
- ▶ can be transferred from one formalism to another one
- ▶ are **closed** under all operators (considered here)
- ▶ all decision problems (considered here) are **decidable**
- ▶ do not contain several interesting languages ( $a^n b^n$ , **counting**)
  - ▶ see chapter on **grammars**
- ▶ can express important features of programming languages
  - ▶ keywords
  - ▶ legal identifiers
  - ▶ numbers
- ▶ in compilers, these features are used by **scanners** (next chapter)

# Outline

Introduction

Regular Languages and Finite Automata

**Scanners and Flex**

Formal Grammars and Context-Free Languages

Turing Machines and Languages of Type 1 and 0



## Scanners and Flex

# Computing Environment

- ▶ For practical exercises, you will need a complete Linux/UNIX environment. If you do not run one natively, there are several options:
  - ▶ You can install VirtualBox (<https://www.virtualbox.org>) and then install e.g. Ubuntu (<http://www.ubuntu.com/>) on a virtual machine. Make sure to install the *Guest Additions*
  - ▶ For Windows, you can install the **complete** UNIX emulation package Cygwin from <http://cygwin.com>
  - ▶ For MacOS, you can install `fink` (<http://fink.sourceforge.net/>) or MacPorts (<https://www.macports.org/>) and the necessary tools
- ▶ You will need at least `flex`, `bison`, `gcc`, `grep`, `sed`, `AWK`, `make`, and a good text editor

# Syntactic Structure of Programming Languages

Most computer languages are **mostly context-free**

# Syntactic Structure of Programming Languages

Most computer languages are **mostly context-free**

- ▶ Regular: **vocabulary**
  - ▶ Keywords, operators, identifiers
  - ▶ Described by regular expressions or regular **grammar**
  - ▶ Handled by (generated or hand-written) **scanner/tokenizer/lexer**

# Syntactic Structure of Programming Languages

Most computer languages are **mostly context-free**

- ▶ Regular: **vocabulary**
  - ▶ Keywords, operators, identifiers
  - ▶ Described by regular expressions or regular **grammar**
  - ▶ Handled by (generated or hand-written) **scanner/tokenizer/lexer**
- ▶ Context-free: **program structure**
  - ▶ Matching parenthesis, block structure, algebraic expressions, ...
  - ▶ Described by context-free grammar
  - ▶ Handled by (generated or hand-written) *parser*

# Syntactic Structure of Programming Languages

Most computer languages are **mostly context-free**


- ▶ Regular: **vocabulary**
  - ▶ Keywords, operators, identifiers
  - ▶ Described by regular expressions or regular **grammar**
  - ▶ Handled by (generated or hand-written) **scanner/tokenizer/lexer**
- ▶ Context-free: **program structure**
  - ▶ Matching parenthesis, block structure, algebraic expressions, ...
  - ▶ Described by context-free grammar
  - ▶ Handled by (generated or hand-written) *parser*
- ▶ Context-sensitive: e.g. declarations
  - ▶ Described by human-readable constraints
  - ▶ Handled in an ad-hoc fashion (e.g. symbol table)

# Syntactic Structure of Programming Languages

Most computer languages are **mostly context-free**

- ▶ **Regular: vocabulary**
  - ▶ **Keywords, operators, identifiers**
  - ▶ **Described by regular expressions or regular grammar**
  - ▶ **Handled by (generated or hand-written) scanner/tokenizer/lexer**
- ▶ **Context-free: program structure**
  - ▶ Matching parenthesis, block structure, algebraic expressions, ...
  - ▶ Described by context-free grammar
  - ▶ Handled by (generated or hand-written) *parser*
- ▶ **Context-sensitive: e.g. declarations**
  - ▶ Described by human-readable constraints
  - ▶ Handled in an ad-hoc fashion (e.g. symbol table)

# High-Level Architecture of a Compiler





# Source Handler

- ▶ Handles input files
- ▶ Provides character-by-character access
- ▶ May maintain file/line/column (for error messages)
- ▶ May provide look-ahead

# Source Handler

- ▶ Handles input files
- ▶ Provides character-by-character access
- ▶ May maintain file/line/column (for error messages)
- ▶ May provide look-ahead


**Result:** Sequence of characters (with positions)

- ▶ Breaks program into **tokens**
- ▶ Typical tokens:
  - ▶ Reserved word (`if`, `while`)
  - ▶ Identifier (`i`, `database`)
  - ▶ Symbols (`{`, `}`, `(`, `)`, `+`, `-`, `...`)

- ▶ Breaks program into **tokens**
- ▶ Typical tokens:
  - ▶ Reserved word (`if`, `while`)
  - ▶ Identifier (`i`, `database`)
  - ▶ Symbols (`{`, `}`, `(`, `)`, `+`, `-`, `...`)

**Result:** Sequence of tokens


# Automatisation with Flex



# Flex Overview





- ▶ Flex is a **scanner generator**
- ▶ Input: Specification of a regular language and what to do with it
  - ▶ Definitions - named regular expressions
  - ▶ Rules - patterns+actions
  - ▶ (miscellaneous support code)
- ▶ Output: Source code of **scanner**
  - ▶ Scans input for patterns
  - ▶ Executes associated actions
  - ▶ Default action: Copy input to output
  - ▶ Interface for higher-level processing: `yylex()` function

# Flex Overview



# Flex Overview

Development time



Execution time



# Flex Example Task

- ▶ Goal: Sum up all numbers in a file, separately for ints and floats
- ▶ Given: A file with numbers and commands
  - ▶ Ints: Non-empty sequences of digits
  - ▶ Floats: Non-empty sequences of digits, followed by decimal dot, followed by (potentially empty) sequence of digits
  - ▶ Command `print`: Print current sums
  - ▶ Command `reset`: Reset sums to 0.
- ▶ At end of file, print sums

# Flex Example Output

## Input

```
12 3.1415
0.33333
print reset
2 11
1.5 2.5 print
1
print 1.0
```

## Output

```
int: 12 ("12")
float: 3.141500 ("3.1415")
float: 0.333330 ("0.33333")
Current: 12 : 3.474830
Reset
int: 2 ("2")
int: 11 ("11")
float: 1.500000 ("1.5")
float: 2.500000 ("2.5")
Current: 13 : 4.000000
int: 1 ("1")
Current: 14 : 4.000000
float: 1.000000 ("1.0")
Final 14 : 5.000000
```

# Basic Structure of Flex Files

- ▶ Flex files have 3 sections
  - ▶ Definitions
  - ▶ Rules
  - ▶ User Code
- ▶ Sections are separated by `%%`
- ▶ Flex files traditionally use the suffix `.l`

## Example Code (definition section)

```
%%option noyywrap

DIGIT    [0-9]

%{
    int intval    = 0;
    double floatval = 0.0;
}%

%%
```

## Example Code (rule section)

```
{DIGIT}+    {
    printf( "int:   %d (\"%s\")\n", atoi(yytext), yytext );
    intval += atoi(yytext);
}
{DIGIT}+"."{DIGIT}*    {
    printf( "float: %f (\"%s\")\n", atof(yytext),yytext );
    floatval += atof(yytext);
}
reset {
    intval = 0;
    floatval = 0;
    printf("Reset\n");
}
print {
    printf("Current: %d : %f\n", intval, floatval);
}
\n|. {
    /* Skip */
}
```

## Example Code (user code section)

```
%%  
int main( int argc, char **argv )  
{  
    ++argv, --argc; /* skip over program name */  
    if ( argc > 0 )  
        yyin = fopen( argv[0], "r" );  
    else  
        yyin = stdin;  
  
    yylex();  
  
    printf("Final   %d : %f\n", intval, floatval);  
}
```

## Generating a scanner

```
> flex -t numbers.l > numbers.c
> gcc -c -o numbers.o numbers.c
> gcc numbers.o -o scan_numbers
> ./scan_numbers Numbers.txt
int: 12 ("12")
float: 3.141500 ("3.1415")
float: 0.333330 ("0.33333")
Current: 12 : 3.474830
Reset
int: 2 ("2")
int: 11 ("11")
float: 1.500000 ("1.5")
float: 2.500000 ("2.5")
...
```

## Flexing in detail

```
> flex -tv numbers.l > numbers.c
scanner options: -tvI8 -Cem
37/2000 NFA states
18/1000 DFA states (50 words)
5 rules
Compressed tables always back-up
1/40 start conditions
20 epsilon states, 11 double epsilon states
6/100 character classes needed 31/500 words
of storage, 0 reused
36 state/nextstate pairs created
24/12 unique/duplicate transitions
...
381 total table entries needed
```



# Exercise: Building a Scanner

- ▶ Download the `flex` example and input from <http://www.lehre.dhbw-stuttgart.de/~sschulz/fla2015.html>
- ▶ Build and execute the program:
  - ▶ Generate the scanner with `flex`
  - ▶ Compile/link the C code with `gcc`
  - ▶ Execute the resulting program in the input file

# Definition Section

- ▶ Can contain `flex` options
- ▶ Can contain (C) initialization code
  - ▶ Typically `#include()` directives
  - ▶ Global variable definitions
  - ▶ Macros and type definitions
  - ▶ Initialization code is embedded in `%{` and `%}`
- ▶ Can contain definitions of regular expressions
  - ▶ Format: `NAME RE`
  - ▶ Defined `NAMES` can be referenced later

# Regular Expressions in Practice (1)

- ▶ The minimal syntax of REs as discussed before suffices to show their equivalence to finite state machines
- ▶ Practical implementations of REs (e.g. in Flex) use a richer and more powerful syntax
- ▶ Regular expressions in Flex are based on the ASCII alphabet
- ▶ We distinguish between the set of operator symbols

$$O = \{., *, +, ?, -, \sim, |, (, ), [, ], \{, \}, <, >, /, \backslash, \wedge, \$, \}$$

and the set of regular expressions

1.  $c \in \Sigma_{\text{ASCII}} \setminus O \longrightarrow c \in R$
2.  $“.” \in R$   
any character but newline ( $\backslash n$ )

## Regular Expressions in Practice (2)

3.  $x \in \{a, b, f, n, r, t, v\} \longrightarrow \backslash x \in R$   
defines the following control characters
- $\backslash a$  (alert)
  - $\backslash b$  (backspace)
  - $\backslash f$  (form feed)
  - $\backslash n$  (newline)
  - $\backslash r$  (carriage return)
  - $\backslash t$  (tabulator)
  - $\backslash v$  (vertical tabulator)
4.  $a, b, c \in \{0, \dots, 7\} \longrightarrow \backslash abc \in R$  octal representation of a character's ASCII code (e.g.  $\backslash 040$  represents the empty space “ ”)

## Regular Expressions in Practice (3)

5.  $c \in O \longrightarrow \backslash c \in R$   
escaping operator symbols
6.  $r_1, r_2 \in R \longrightarrow r_1 r_2 \in R$   
concatenation
7.  $r_1, r_2 \in R \longrightarrow r_1 | r_2 \in R$   
infix operation using “|” rather than “+”
8.  $r \in R \longrightarrow r^* \in R$   
Kleene star
9.  $r \in R \longrightarrow r^+ \in R$   
(one or more of  $r$ )
10.  $r \in R \longrightarrow r^? \in R$   
optional presence (zero or one  $r$ )

## Regular Expressions in Practice (4)

- $r \in R, n \in \mathbb{N} \rightarrow r\{n\} \in R$   
concatenation of  $n$  times  $r$
- $r \in R; m, n \in \mathbb{N}; m \leq n \rightarrow r\{m, n\} \in R$   
concatenation of between  $m$  and  $n$  times  $r$
- $r \in R \rightarrow \hat{r} \in R$   
 $r$  has to be at the **beginning** of line
- $r \in R \rightarrow r\$ \in R$   
 $r$  has to be at the **end** of line
- $r_1, r_2 \in R \rightarrow r_1/r_2 \in R$   
The same as  $r_1r_2$ , however, only the contents of  $r_1$  is consumed.  
The **trailing context**  $r_2$  can be processed by the next rule.
- $r \in R \rightarrow (r) \in R$   
Grouping regular expressions with brackets.

## 17. Ranges

- $[aeiou] \doteq a|e|i|o|u$
- $[a-z] \doteq a|b|c|\dots|z$
- $[a-zA-Z0-9]$ : alphanumeric characters
- $[\^0-9]$ : all ASCII characters w/o digits

## 18. $[ ] \in R$

empty space

19.  $w \in \{\Sigma_{\text{ASCII}} \setminus \{\backslash, \text{"}\}\}^* \longrightarrow \text{"}w\text{"} \in R$   
verbatim text (no escape sequences)

21.  $r \in R \longrightarrow \sim r \in R$

The `upto` operator matches the **shortest** string ending with  $r$ .

22. predefined character classes

- ▶ `[:alnum:]`    `[:alpha:]`    `[:blank:]`
- ▶ `[:cntrl:]`    `[:digit:]`    `[:graph:]`
- ▶ `[:lower:]`    `[:print:]`    `[:punct:]`
- ▶ `[:space:]`    `[:upper:]`    `[:xdigit:]`



# Regular Expressions in Practice (precedences)

- I. “(”, “)” (strongest)
- II. “\*”, “+”, “?”
- III. concatenation
- IV. “|” (weakest)

# Regular Expressions in Practice (precedences)

- I. “(”, “)” (strongest)
- II. “\*”, “+”, “?”
- III. concatenation
- IV. “|” (weakest)

## Example

$a^*b | c+de \doteq ((a^*)b) | (((c+)d)e)$

# Regular Expressions in Practice (precedences)

- I. “(”, “)” (strongest)
- II. “\*”, “+”, “?”
- III. concatenation
- IV. “|” (weakest)

## Example

$a^*b | c+de \doteq ((a^*)b) | (((c+)d)e)$

**Rule of thumb: \*, +, ? bind the smallest possible RE.  
Use () if in doubt!**

# Regular Expressions in Practice (definitions)

- ▶ Assume definition `NAME DEF`
  - ▶ In later REs. `{NAME}` is expanded to `(DEF)`
- ▶ Example:

```
DIGIT  [0-9]
INTEGER {DIGIT}+
PAIR    \({INTEGER}, {INTEGER}\)
```

## Exercise: extended regular expressions

Given the alphabet  $\Sigma_{ascii}$ , how would you express the following practical REs using only the simple REs we have used so far?

- 1 [a-z]
- 2 [^0-9]
- 3 (r)+
- 4 (r){3}
- 5 (r){3,7}
- 6 (r)?

## Example Code (definition section) (revisited)

```
%%option noyywrap

DIGIT    [0-9]

%{
    int    intval    = 0;
    double floatval = 0.0;
}%

%%
```

# Rule Section

- ▶ This is the core of the scanner!
- ▶ Rules have the form `PATTERN ACTION`
- ▶ Patterns are regular expressions
  - ▶ Typically use previous definitions
- ▶ There has to be white space between pattern and action
- ▶ Actions are C code
  - ▶ Can be embedded in `{ and }`
  - ▶ Can be simple C statements
  - ▶ For a token-by-token scanner, must include `return` statement
  - ▶ Inside the action, the variable `yytext` contains the text matched by the pattern
  - ▶ Otherwise: Full input file is processed

## Example Code (rule section) (revisited)

```
{DIGIT}+    {
    printf( "int:   %d (\"%s\")\n", atoi(yytext), yytext );
    intval += atoi(yytext);
}
{DIGIT}+"."{DIGIT}*    {
    printf( "float: %f (\"%s\")\n", atof(yytext),yytext );
    floatval += atof(yytext);
}
reset {
    intval = 0;
    floatval = 0;
    printf("Reset\n");
}
print {
    printf("Current: %d : %f\n", intval, floatval);
}
w\n|. {
    /* Skip */
}
```



## User code section

- ▶ Can contain all kinds of code
- ▶ For stand-alone scanner: must include `main()`
- ▶ In `main()`, the function `yylex()` will invoke the scanner
- ▶ `yylex()` will read data from the file pointer `yyin`  
(so `main()` must set it up reasonably)

## Example Code (user code section) (revisited)

```
%%  
int main( int argc, char **argv )  
{  
    ++argv, --argc; /* skip over program name */  
    if ( argc > 0 )  
        yyin = fopen( argv[0], "r" );  
    else  
        yyin = stdin;  
  
    yylex();  
  
    printf("Final   %d : %f\n", intval, floatval);  
}
```

# A comment on comments

- ▶ Comments in Flex are complicated
  - ▶ ...because nearly everything can be a pattern
- ▶ Simple rules:
  - ▶ Use old-style C comments `/* This is a comment */`
  - ▶ Never start them in the first column
  - ▶ Comments are copied into the generated code
  - ▶ Read the manual if you want the dirty details

▶ Flex online:

▶ `http://flex.sourceforge.net/`

▶ **Manual:** `http://flex.sourceforge.net/manual/`

▶ **REs:**

`http://flex.sourceforge.net/manual/Patterns.html`

- ▶ Flex online:

- ▶ `http://flex.sourceforge.net/`
- ▶ **Manual:** `http://flex.sourceforge.net/manual/`
- ▶ **REs:**  
`http://flex.sourceforge.net/manual/Patterns.html`

- ▶ `make` knows flex

- ▶ **Make will automatically generate `file.o` from `file.l`**
- ▶ **Be sure to set `LEX=flex` to enable flex extensions**
- ▶ **Makefile example:**

```
LEX=flex
all: scan_numbers
numbers.o: numbers.l

scan_numbers: numbers.o
gcc numbers.o -o scan_numbers
```

# Flexercise (1)

A security audit firm needs a tool that scans documents for the following:

- ▶ Email addresses

- ▶ Format: String over `[A-Za-z0-9_~]`, followed by `@`, followed by a domain name according to RFC-1034, <https://tools.ietf.org/html/rfc1034>, Section 3.5 (we only consider the case that the domain name is not empty)

- ▶ (simplified) Web addresses

- ▶ `http://` followed by an RFC-1034 domain name, optionally followed by `:<port>` (where `<port>` is a non-empty sequence of digits), optionally followed by one or several parts of the form `/<str>`, where `<str>` is a non-empty sequence over `[A-Za-z0-9_~]`

## Flexercise (2)

### ▶ Bank account numbers

- ▶ Old-style bank account numbers start with an identifying string, optionally followed by ., optionally followed by :, optionally followed by spaces, followed by a non-empty sequence of up to 10 digits. Identifying strings are `Konto`, `Kto`, `KNr`, `Ktonr`, `Kontonummer`
- ▶ (German) IBANs are strings starting with `DE`, followed by exactly 20 digits. Human-readable IBANs have spaces after every 4 characters (the last group has only 2 characters)

### ▶ Examples:

- ▶ `Rosenda@gidwd-39.at.z8o3rw2.zhv`
- ▶ `http://jzl.j51g.m-x95.vi5/ojlg_i1/72zz_gt68f`
- ▶ `http://iefbottw99.v4gy.zslu9q.zrc2es01nr.dy:8004`
- ▶ `Ktonr. 241524`
- ▶ `DE26959558703965641174`
- ▶ `DE27 0192 8222 4741 4694 55`

## Flexercise (3)

- ▶ Create a programm scanning for the data described above and printing the found items.
- ▶ Example data for Jan Hladik's lecture can be found in `http://wwwlehre.dhbw-stuttgart.de/~hладik/FLA/skim-source.txt`
- ▶ Example input/output data for Stephan Schulz's lecture can be found under `http://wwwlehre.dhbw-stuttgart.de/~sschulz/fla2015.html`



## Flexercise (3)

- ▶ Create a programm scanning for the data described above and printing the found items.
- ▶ Example data for Jan Hladik's lecture can be found in `http://wwwlehre.dhbw-stuttgart.de/~hладik/FLA/skim-source.txt`
- ▶ Example input/output data for Stephan Schulz's lecture can be found under `http://wwwlehre.dhbw-stuttgart.de/~sschulz/fla2015.html`

End lecture 8

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

**Formal Grammars and Context-Free Languages**

- Formal Grammars

- The Chomsky Hierarchy

- Right-linear Grammars

- Context-free Grammars

- Push-Down Automata

- Properties of Context-free Languages

Turing Machines and Languages of Type 1 and 0

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

**Formal Grammars and Context-Free Languages**

**Formal Grammars**

The Chomsky Hierarchy

Right-linear Grammars

Context-free Grammars

Push-Down Automata

Properties of Context-free Languages

Turing Machines and Languages of Type 1 and 0

So far, we have seen

- ▶ regular expressions: compact description of regular languages
- ▶ finite automata: recognise words of a regular language

# Formal Grammars: Motivation

So far, we have seen

- ▶ regular expressions: compact description of regular languages
- ▶ finite automata: recognise words of a regular language

Another, more powerful formalism: formal grammars

- ▶ generate words of a language
- ▶ contain a set of rules allowing to replace symbols with different symbols

## Example (Formal grammars)

$$S \rightarrow aA, \quad A \rightarrow bB, \quad B \rightarrow \varepsilon$$

## Example (Formal grammars)

$S \rightarrow aA, \quad A \rightarrow bB, \quad B \rightarrow \varepsilon$

generates  $ab$  (starting from  $S$ ):  $S \rightarrow aA \rightarrow abB \rightarrow ab$

## Example (Formal grammars)

$S \rightarrow aA, \quad A \rightarrow bB, \quad B \rightarrow \varepsilon$

generates  $ab$  (starting from  $S$ ):  $S \rightarrow aA \rightarrow abB \rightarrow ab$

$S \rightarrow \varepsilon, \quad S \rightarrow aSb$



## Example (Formal grammars)

$S \rightarrow aA, \quad A \rightarrow bB, \quad B \rightarrow \varepsilon$

generates  $ab$  (starting from  $S$ ):  $S \rightarrow aA \rightarrow abB \rightarrow ab$

$S \rightarrow \varepsilon, \quad S \rightarrow aSb$

generates  $a^n b^n$

## Definition (Grammar according to Chomsky)

A (formal) grammar is a quadruple

$$G = (N, \Sigma, P, S)$$

with

- 1 the set of non-terminal symbols  $N$ ,
- 2 the set of terminal symbols  $\Sigma$ ,
- 3 the set of production rules  $P$  of the form


$$\alpha \rightarrow \beta$$

with  $\alpha \in V^*NV^*$ ,  $\beta \in V^*$ ,  $V = N \cup \Sigma$

- 4 the distinguished start symbol  $S \in N$ .

# Noam Chomsky (\*1928)

- ▶ Linguist, philosopher, logician, . . .
- ▶ BA, MA, PhD (1955) at the University of Pennsylvania
- ▶ Mainly teaching at MIT (since 1955)
  - ▶ Also Harvard, Columbia University, Institute of Advanced Studies (Princeton), UC Berkeley, . . .
- ▶ Opposition to Vietnam War, Essay *The Responsibility of Intellectuals*
- ▶ Most cited academic (1980-1992)
- ▶ “World’s top public intellectual” (2005)
- ▶ More than 40 honorary degrees



## Example (C identifiers)

$G = (N, \Sigma, P, S)$  describes C identifiers:

- ▶ alpha-numeric words
- ▶ which must not start with a digit
- ▶ and may contain an underscore (`_`)

## Example (C identifiers)

$G = (N, \Sigma, P, S)$  describes C identifiers:

- ▶ alpha-numeric words
- ▶ which must not start with a digit
- ▶ and may contain an underscore (`_`)

$N = \{S, R, L, D\}$  (start, rest, letter, digit),

$\Sigma = \{a, \dots, z, A, \dots, Z, 0, \dots, 9, \_ \}$ ,

$P = \{$

$S$	$\rightarrow$	$LR _R$
$R$	$\rightarrow$	$LR DR _R \varepsilon$
$L$	$\rightarrow$	$a \dots z A \dots Z$
$D$	$\rightarrow$	$0 \dots 9\}$

# Grammar for C identifiers

## Example (C identifiers)

$G = (N, \Sigma, P, S)$  describes C identifiers:

- ▶ alpha-numeric words
- ▶ which must not start with a digit
- ▶ and may contain an underscore (`_`)

$N = \{S, R, L, D\}$  (start, rest, letter, digit),

$\Sigma = \{a, \dots, z, A, \dots, Z, 0, \dots, 9, \_ \}$ ,

$$P = \left\{ \begin{array}{l} S \rightarrow LR|_R \\ R \rightarrow LR|DR|_R|\varepsilon \\ L \rightarrow a|\dots|z|A|\dots|Z \\ D \rightarrow 0|\dots|9 \end{array} \right.$$

$\alpha \rightarrow \beta_1 | \dots | \beta_n$  is an abbreviation for  $\alpha \rightarrow \beta_1, \dots, \alpha \rightarrow \beta_n$ .

# Formal grammars: derivation, language

## Definition (Derivation, Language of a Grammar)

For a grammar  $G = (N, \Sigma, P, S)$  and words  $x, y \in (\Sigma \cup N)^*$ , we say that

$G$  derives  $y$  from  $x$  in one step  $(x \Rightarrow_G y)$  iff

$$\exists u, v, p, q \in V^* : (x = upv) \wedge (p \rightarrow q \in P) \wedge (y = uqv)$$

# Formal grammars: derivation, language

## Definition (Derivation, Language of a Grammar)

For a grammar  $G = (N, \Sigma, P, S)$  and words  $x, y \in (\Sigma \cup N)^*$ , we say that

$G$  derives  $y$  from  $x$  in one step  $(x \Rightarrow_G y)$  iff

$$\exists u, v, p, q \in V^* : (x = upv) \wedge (p \rightarrow q \in P) \wedge (y = uqv)$$

Moreover, we say that

$G$  derives  $y$  from  $x$   $(x \Rightarrow_G^* y)$  iff

$$\exists w_0, \dots, w_n$$

with  $w_0 = x, w_n = y, w_{i-1} \Rightarrow_G w_i$  for  $i \in \{1, \dots, n\}$



# Formal grammars: derivation, language

## Definition (Derivation, Language of a Grammar)

For a grammar  $G = (N, \Sigma, P, S)$  and words  $x, y \in (\Sigma \cup N)^*$ , we say that

$G$  derives  $y$  from  $x$  in one step  $(x \Rightarrow_G y)$  iff

$$\exists u, v, p, q \in V^* : (x = upv) \wedge (p \rightarrow q \in P) \wedge (y = uqv)$$

Moreover, we say that

$G$  derives  $y$  from  $x$   $(x \Rightarrow_G^* y)$  iff

$$\exists w_0, \dots, w_n$$

with  $w_0 = x, w_n = y, w_{i-1} \Rightarrow_G w_i$  for  $i \in \{1, \dots, n\}$

The language of  $G$  is  $L(G) = \{w \in \Sigma^* \mid S \Rightarrow_G^* w\}$

## Example ( $G_3$ )

Let  $G_3 = (N, \Sigma, P, S)$  with

- ▶  $N = \{S\}$ ,
- ▶  $\Sigma = \{a\}$ ,
- ▶  $P = \{S \rightarrow aS, \quad S \rightarrow \varepsilon\}$ .

## Example ( $G_3$ )

Let  $G_3 = (N, \Sigma, P, S)$  with

- ▶  $N = \{S\}$ ,
- ▶  $\Sigma = \{a\}$ ,
- ▶  $P = \{S \rightarrow aS, S \rightarrow \varepsilon\}$ .

Derivations of  $G_3$  have the general form

$$S \Rightarrow aS \Rightarrow aaS \Rightarrow \dots \Rightarrow a^n S \Rightarrow a^n$$

## Example ( $G_3$ )

Let  $G_3 = (N, \Sigma, P, S)$  with

- ▶  $N = \{S\}$ ,
- ▶  $\Sigma = \{a\}$ ,
- ▶  $P = \{S \rightarrow aS, S \rightarrow \varepsilon\}$ .

Derivations of  $G_3$  have the general form

$$S \Rightarrow aS \Rightarrow aaS \Rightarrow \dots \Rightarrow a^n S \Rightarrow a^n$$

The language produced by  $G_3$  is

$$L(G_3) = \{a^n \mid n \in \mathbb{N}\}.$$

## Example ( $G_2$ )

Let  $G_2 = (N, \Sigma, P, S)$  with

- ▶  $N = \{S\}$ ,
- ▶  $\Sigma = \{a, b\}$ ,
- ▶  $P = \{S \rightarrow aSb, S \rightarrow \varepsilon\}$

# Grammars and derivations (cont')

## Example ( $G_2$ )

Let  $G_2 = (N, \Sigma, P, S)$  with

- ▶  $N = \{S\}$ ,
- ▶  $\Sigma = \{a, b\}$ ,
- ▶  $P = \{S \rightarrow aSb, S \rightarrow \varepsilon\}$

Derivations of  $G_2$ :

$$S \Rightarrow aSb \Rightarrow aaSbb \Rightarrow \dots \Rightarrow a^n S b^n \Rightarrow a^n b^n.$$

# Grammars and derivations (cont')

## Example ( $G_2$ )

Let  $G_2 = (N, \Sigma, P, S)$  with

- ▶  $N = \{S\}$ ,
- ▶  $\Sigma = \{a, b\}$ ,
- ▶  $P = \{S \rightarrow aSb, S \rightarrow \varepsilon\}$

Derivations of  $G_2$ :

$$S \Rightarrow aSb \Rightarrow aaSbb \Rightarrow \dots \Rightarrow a^n S b^n \Rightarrow a^n b^n.$$

$$L(G_2) = \{a^n b^n \mid n \in \mathbb{N}\}.$$

# Grammars and derivations (cont')

## Example ( $G_2$ )

Let  $G_2 = (N, \Sigma, P, S)$  with

- ▶  $N = \{S\}$ ,
- ▶  $\Sigma = \{a, b\}$ ,
- ▶  $P = \{S \rightarrow aSb, S \rightarrow \varepsilon\}$

Derivations of  $G_2$ :

$$S \Rightarrow aSb \Rightarrow aaSbb \Rightarrow \dots \Rightarrow a^n S b^n \Rightarrow a^n b^n.$$

$$L(G_2) = \{a^n b^n \mid n \in \mathbb{N}\}.$$

**Reminder:  $L(G_2)$  is not regular!**



## Example ( $G_0$ )

Let  $G_1 = (N, \Sigma, P, S)$  with

▶  $N = \{S, B, C\}$ ,

▶  $\Sigma = \{a, b, c\}$ ,

▶  $P$ :

$$S \rightarrow aSBC \quad 1$$

$$S \rightarrow aBC \quad 2$$

$$CB \rightarrow BC \quad 3$$

$$aB \rightarrow ab \quad 4$$

$$bB \rightarrow bb \quad 5$$

$$bC \rightarrow bc \quad 6$$

$$cC \rightarrow cc \quad 7$$

# Grammars and derivations (cont.)

Derivations of  $G_1$ :

$$\begin{aligned} S &\Rightarrow_1 aSBC \Rightarrow_1 aaSBCBC \Rightarrow_1 \cdots \Rightarrow_1 a^{n-1}S(BC)^{n-1} \Rightarrow_2 a^n(BC)^n \\ &\Rightarrow_3^* a^n B^n C^n \Rightarrow_{4,5}^* a^n b^n C^n \Rightarrow_{6,7}^* a^n b^n c^n \end{aligned}$$

# Grammars and derivations (cont.)

Derivations of  $G_1$ :

$$\begin{aligned} S &\Rightarrow_1 aSBC \Rightarrow_1 aaSBCBC \Rightarrow_1 \cdots \Rightarrow_1 a^{n-1}S(BC)^{n-1} \Rightarrow_2 a^n(BC)^n \\ &\Rightarrow_3^* a^nB^nC^n \Rightarrow_{4,5}^* a^n b^n C^n \Rightarrow_{6,7}^* a^n b^n c^n \end{aligned}$$

$$L(G_1) = \{a^n b^n c^n \mid n \in \mathbb{N}; n > 0\}.$$

# Grammars and derivations (cont.)

Derivations of  $G_1$ :

$$\begin{aligned} S &\Rightarrow_1 aSBC \Rightarrow_1 aaSBCBC \Rightarrow_1 \cdots \Rightarrow_1 a^{n-1}S(BC)^{n-1} \Rightarrow_2 a^n(BC)^n \\ &\Rightarrow_3^* a^nB^nC^n \Rightarrow_{4,5}^* a^n b^n C^n \Rightarrow_{6,7}^* a^n b^n c^n \end{aligned}$$

$$L(G_1) = \{a^n b^n c^n \mid n \in \mathbb{N}; n > 0\}.$$

- ▶ These three derivation examples represent different classes of grammars or languages characterized by different properties.
- ▶ A widely used classification scheme of formal grammars and languages is the [Chomsky hierarchy](#) (1956).

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

**Formal Grammars and Context-Free Languages**

Formal Grammars

**The Chomsky Hierarchy**

Right-linear Grammars

Context-free Grammars

Push-Down Automata

Properties of Context-free Languages

Turing Machines and Languages of Type 1 and 0

# The Chomsky hierarchy (0)

## Definition (Grammar of type 0)

Every Chomsky grammar  $G = (N, \Sigma, P, S)$  is of **Type 0** or **unrestricted**.

# The Chomsky hierarchy (1)

## Definition (context-sensitive grammar)

A Chomsky grammar  $G = (N, \Sigma, P, S)$  is of is **Type 1** (**context-sensitive**) if all productions are of the form

$$\alpha \rightarrow \beta \quad \text{with} \quad |\alpha| \leq |\beta|$$

Exception: the rule  $S \rightarrow \varepsilon$  is allowed if  $S$  does not appear on the right-hand side of any rule

# The Chomsky hierarchy (1)

## Definition (context-sensitive grammar)

A Chomsky grammar  $G = (N, \Sigma, P, S)$  is of is **Type 1** (**context-sensitive**) if all productions are of the form

$$\alpha \rightarrow \beta \quad \text{with} \quad |\alpha| \leq |\beta|$$

Exception: the rule  $S \rightarrow \varepsilon$  is allowed if  $S$  does not appear on the right-hand side of any rule

- ▶ Rules never derive shorter words
  - ▶ except for the empty word in the first step



# Context-sensitive vs. monotonic grammars

- ▶ The grammars defined previously were originally called **monotonic** or **non-contracting** by Chomsky
- ▶ **Context-sensitive** grammars additionally have to satisfy:

$$\alpha_1 A \alpha_2 \rightarrow \alpha_1 \beta \alpha_2 \text{ with } A \in N; \alpha_1, \alpha_2 \in V^*, \beta \in VV^*$$

- ▶ rule application can depend on a context  $\alpha_1, \alpha_2$
  - ▶ context cannot be modified (or moved)
  - ▶ only **one NTS** can be modified
- ▶ every monotonic grammar can be rewritten as context-sensitive
    - ▶  $AB \rightarrow BA$  is not context-sensitive, but  $AB \rightarrow AY \rightarrow XY \rightarrow XA \rightarrow BA$
    - ▶ if terminal symbols are involved: replace  $S \rightarrow aB \rightarrow ba$  with  $S \rightarrow N_a B \rightarrow \dots N_b N_a \rightarrow b N_a \rightarrow ba$
  - ▶ since context is irrelevant for the language class, we drop the context requirement for this lecture
  - ▶ since the term “context-sensitive” is generally used in the literature, we stick with this term

## The Chomsky hierarchy (2)

### Definition (context-free grammar)

A Chomsky grammar  $G = (N, \Sigma, P, S)$  is of is **Type 2 (context-free)** if all productions are of the form

$$A \rightarrow \beta \text{ with } A \in N; \beta \in V^*$$

## The Chomsky hierarchy (2)

### Definition (context-free grammar)

A Chomsky grammar  $G = (N, \Sigma, P, S)$  is of is **Type 2 (context-free)** if all productions are of the form

$$A \rightarrow \beta \text{ with } A \in N; \beta \in V^*$$

- ▶ Only single non-terminals are replaced
  - ▶ independent of their context
- ▶ Contracting rules are **allowed!**
  - ▶ context-free grammars are **not** a subset of context-sensitive grammars
  - ▶ but: context-free **languages** are a subset of context-sensitive **languages**
  - ▶ reason: contracting rules can be removed from context-free grammars, but not from context-sensitive ones

## The Chomsky hierarchy (3)

### Definition (right-linear grammar)

A Chomsky grammar  $G = (N, \Sigma, P, S)$  is of **Type 3** (right-linear or regular) if all productions are of the form

$$A \rightarrow aB$$

with  $A \in N$ ;  $B \in N \cup \{\varepsilon\}$ ;  $a \in \Sigma \cup \{\varepsilon\}$

## The Chomsky hierarchy (3)

### Definition (right-linear grammar)

A Chomsky grammar  $G = (N, \Sigma, P, S)$  is of **Type 3** (right-linear or regular) if all productions are of the form

$$A \rightarrow aB$$

with  $A \in N; B \in N \cup \{\varepsilon\}; a \in \Sigma \cup \{\varepsilon\}$

- ▶ only one NTS on the left
- ▶ on the right: one TS, one NTS, both, or neither
- ▶ analogy with automata is obvious

## Definition (language classes)

A language is called

recursively enumerable, context-sensitive, context-free, or regular,

if it can be generated by a

unrestricted, context-sensitive, context-free, or regular


grammar, respectively.

# Formal grammars vs. formal languages vs. machines

For each grammar/language type, there is a corresponding type of machine model:


grammar	language	machine
Type 0 unrestricted	recursively enumerable	Turing machine
Type 1	context-sensitive	linear-bounded non-deterministic Turing machine
Type 2	context-free	non-deterministic pushdown automaton
Type 3 right linear	regular	finite automaton

# The Chomsky Hierarchy for Languages





# The Chomsky Hierarchy for Grammars



# The Chomsky hierarchy: examples

## Example (C identifiers revisited)

$$S \rightarrow LR\_R$$
$$R \rightarrow LR|DR\_R|\varepsilon$$
$$L \rightarrow a|\dots|z|A|\dots|Z$$
$$D \rightarrow 0|\dots|9$$

# The Chomsky hierarchy: examples

## Example (C identifiers revisited)

$$S \rightarrow LR\_R$$

$$R \rightarrow LR|DR\_R|\varepsilon$$

$$L \rightarrow a|\dots|z|A|\dots|Z$$

$$D \rightarrow 0|\dots|9$$

This grammar is context-free but not regular.

# The Chomsky hierarchy: examples

## Example (C identifiers revisited)

$$S \rightarrow LR\_R$$

$$R \rightarrow LR|DR\_R|\varepsilon$$

$$L \rightarrow a|\dots|z|A|\dots|Z$$

$$D \rightarrow 0|\dots|9$$

This grammar is context-free but not regular.

An equivalent regular grammar:

$$S \rightarrow AR|\dots|ZR|aR|\dots|zR|\_R$$

$$R \rightarrow AR|\dots|ZR|aR|\dots|zR|0R|\dots|9R|\_R|\varepsilon$$

# The Chomsky hierarchy: examples revisited

Returning to the three derivation examples:

- ▶  $G_3$  with  $P = \{S \rightarrow aS, S \rightarrow \varepsilon\}$ 
  - ▶  $G_3$  is regular.
  - ▶ So is the produced language  $L_3 = \{a^n \mid n \in \mathbb{N}\}$ .
- ▶  $G_2$  with  $P = \{S \rightarrow aSb, S \rightarrow \varepsilon\}$ 
  - ▶  $G_2$  is context-free.
  - ▶ So is the produced language  $L_2 = \{a^n b^n \mid n \in \mathbb{N}\}$ .
- ▶  $G_1$  with  $P = \{S \rightarrow aSBC, S \rightarrow aBC, CB \rightarrow BC, \dots\}$ 
  - ▶  $G_1$  is context-sensitive.
  - ▶ So is the produced language  $L_1 = \{a^n b^n c^n \mid n \in \mathbb{N}; n > 0\}$ .

# The Chomsky hierarchy: exercises

Let  $G = (N, \Sigma, P, S)$  with

▶  $N = \{S, A, B\}$ ,

▶  $\Sigma = \{a\}$ ,

▶  $P$  :

$$S \rightarrow \varepsilon \quad 1$$

$$S \rightarrow ABA \quad 2$$

$$AB \rightarrow aa \quad 3$$

$$aA \rightarrow aaaA \quad 4$$

$$A \rightarrow a \quad 5$$

- What is  $G$ 's highest type?
- Show how  $G$  derives the word  $aaaaa$ .
- Formally describe the language  $L(G)$ .
- Define a regular grammar  $G'$  equivalent to  $G$ .

## The Chomsky hierarchy: exercises (cont.)

An **octal constant** is a finite sequence of digits starting with 0 followed by at least one digit ranging from 0 to 7. Define a regular grammar encoding exactly the set of possible octal constants.

# The Chomsky hierarchy: exercises (cont.)

Let  $G = (N, \Sigma, P, S)$  with

▶  $N = \{S, A, B\}$ ,

▶  $\Sigma = \{a, b, t\}$ ,

▶  $P :$

$S \rightarrow aAS$	1	$Aa \rightarrow aA$	6
$S \rightarrow bBS$	2	$Ab \rightarrow bA$	7
$S \rightarrow t$	3	$Ba \rightarrow aB$	8
$At \rightarrow ta$	4	$Bb \rightarrow bB$	9
$Bt \rightarrow tb$	5		

a) What is  $G$ 's highest type?

b) Formally describe the language  $L(G)$ .



# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

**Formal Grammars and Context-Free Languages**

Formal Grammars

The Chomsky Hierarchy

**Right-linear Grammars**

Context-free Grammars

Push-Down Automata

Properties of Context-free Languages

Turing Machines and Languages of Type 1 and 0

# Regular languages and right-linear grammars

## Theorem (right-linear grammars and regular languages)

*The class of regular languages (generated by regular expressions, accepted by finite automata) is exactly the class of languages generated by right-linear grammars.*

# Regular languages and right-linear grammars

## Theorem (right-linear grammars and regular languages)

*The class of regular languages (generated by regular expressions, accepted by finite automata) is exactly the class of languages generated by right-linear grammars.*

## Proof.

- ▶ Convert DFA to right-linear grammar
- ▶ Convert right-linear grammar to NFA



# DFA $\rightsquigarrow$ right-linear grammar

Algorithm for transforming a DFA

$$\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$$


into a grammar

$$G = (N, \Sigma, P, S)$$

- ▶  $N = Q$
- ▶  $S = q_0$
- ▶  $P = \{p \rightarrow aq \mid (p, a, q) \in \delta\} \cup \{p \rightarrow \varepsilon \mid p \in F\}$

## Regular grammars and FAs: exercise

Consider the following DFA  $\mathcal{A}$ :



- Give a formal definition of  $\mathcal{A}$
- Generate a right-linear grammar  $G$  with  $L(G) = L(\mathcal{A})$

# Right-linear grammar $\rightsquigarrow$ NFA

Algorithm for transforming a grammar

$$G = (N, \Sigma, P, S)$$

into an NFA

$$\mathcal{A} = (Q, \Sigma, \Delta, q_0, F)$$

- ▶  $Q = N \cup \{q_f\}$  ( $q_f \notin N$ )
- ▶  $q_0 = S$
- ▶  $F = \{q_f\}$
- ▶  $\Delta = \{(A, c, B) \mid A \rightarrow cB \in P\} \cup$   
 $\{(A, c, q_f) \mid A \rightarrow c \in P\} \cup$   
 $\{(A, \varepsilon, B) \mid A \rightarrow B \in P\} \cup$   
 $\{(A, \varepsilon, q_f) \mid A \rightarrow \varepsilon \in P\}$

# Right-linear grammar $\rightsquigarrow$ NFA

Algorithm for transforming a grammar

$$G = (N, \Sigma, P, S)$$

into an NFA

$$\mathcal{A} = (Q, \Sigma, \Delta, q_0, F)$$

- ▶  $Q = N \cup \{q_f\}$  ( $q_f \notin N$ )
- ▶  $q_0 = S$
- ▶  $F = \{q_f\}$
- ▶  $\Delta = \{(A, c, B) \mid A \rightarrow cB \in P\} \cup$   
 $\{(A, c, q_f) \mid A \rightarrow c \in P\} \cup$   
 $\{(A, \varepsilon, B) \mid A \rightarrow B \in P\} \cup$   
 $\{(A, \varepsilon, q_f) \mid A \rightarrow \varepsilon \in P\}$

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

**Formal Grammars and Context-Free Languages**

Formal Grammars

The Chomsky Hierarchy

Right-linear Grammars

**Context-free Grammars**

Push-Down Automata

Properties of Context-free Languages

Turing Machines and Languages of Type 1 and 0



# Context-free grammars

- ▶ Reminder:  $G = (N, \Sigma, P, S)$  is context-free if all rules are of the form  $A \rightarrow \beta$  with  $A \in N$ .
- ▶ Context-free languages/grammars are highly relevant
  - ▶ Core of most programming languages
  - ▶ XML
  - ▶ Algebraic expressions
  - ▶ Many aspects of human language

## Definition (equivalence)

Two grammars are called **equivalent** if they generate the same language.

## Definition (equivalence)

Two grammars are called **equivalent** if they generate the same language.

We will now compute grammars that are equivalent to some given context-free grammar  $G$  but have “nicer” properties

- ▶ **Reduced** grammars contain no unproductive symbols
- ▶ Grammars in **Chomsky normal form** support efficient decision of the **word problem**

## Definition (reduced)

Let  $G = (N, \Sigma, P, S)$  be a context-free grammar.

- ▶  $A \in N$  is called **terminating** if  $A \Rightarrow_G^* w$  for some  $w \in \Sigma^*$ .
- ▶  $A \in N$  is called **reachable** if  $S \Rightarrow_G^* uAv$  for some  $u, v \in V^*$ .
- ▶  $G$  is called **reduced** if  $N$  contains only reachable and terminating symbols.

# Terminating and reachable symbols

The terminating symbols can be computed as follows:

- 1  $T := \{A \in N \mid \exists w \in \Sigma^* : A \rightarrow w \in P\}$
- 2 add all symbols  $M$  to  $T$  with a rule  $M \rightarrow D$  with  $D \in (\Sigma \cup T)^*$
- 3 repeat step 2 until no further symbols can be added

Now  $T$  contains exactly the terminating symbols.

# Terminating and reachable symbols

The terminating symbols can be computed as follows:

- 1  $T := \{A \in N \mid \exists w \in \Sigma^* : A \rightarrow w \in P\}$
- 2 add all symbols  $M$  to  $T$  with a rule  $M \rightarrow D$  with  $D \in (\Sigma \cup T)^*$
- 3 repeat step 2 until no further symbols can be added

Now  $T$  contains exactly the terminating symbols.

The reachable symbols can be computed as follows:

- 1  $R := \{S\}$
- 2 for every  $A \in R$ , add all symbols  $M$  with a rule  $A \rightarrow V^*MV^*$
- 3 repeat step 2 until no further symbols can be added

Now  $R$  contains exactly the reachable symbols.

# Reducing context-free grammars

# Reducing context-free grammars

## Theorem (reduction of context-free grammars)

*Every context-free grammar  $G$  can be transformed into an equivalent reduced context-free grammar  $G_r$ .*



# Reducing context-free grammars

## Theorem (reduction of context-free grammars)

*Every context-free grammar  $G$  can be transformed into an equivalent reduced context-free grammar  $G_r$ .*

## Proof.

- 1 generate the grammar  $G_T$  by removing all **non-terminating** symbols (and rules containing them) from  $G$
- 2 generate the grammar  $G_r$  by removing all **unreachable symbols** (and rules containing them) from  $G_T$



# Reducing context-free grammars

## Theorem (reduction of context-free grammars)

*Every context-free grammar  $G$  can be transformed into an equivalent reduced context-free grammar  $G_r$ .*

## Proof.

- 1 generate the grammar  $G_T$  by removing all **non-terminating** symbols (and rules containing them) from  $G$
- 2 generate the grammar  $G_r$  by removing all **unreachable symbols** (and rules containing them) from  $G_T$



Sequence is important: symbols can become unreachable through removal of non-terminating symbols.

## Example

Let  $G = (N, \Sigma, P, S)$  with

▶  $N = \{S, A, B, C, T\},$

▶  $\Sigma = \{a, b, c\},$

▶  $P :$

$$S \rightarrow T|B|C$$

$$T \rightarrow AB$$

$$A \rightarrow a$$

$$B \rightarrow bB$$

$$C \rightarrow c$$

# Reachable and terminating symbols

## Example

Let  $G = (N, \Sigma, P, S)$  with

▶  $N = \{S, A, B, C, T\},$

▶  $\Sigma = \{a, b, c\},$

▶  $P :$

$$S \rightarrow T|B|C$$

$$T \rightarrow AB$$

$$A \rightarrow a$$

$$B \rightarrow bB$$

$$C \rightarrow c$$

▶ terminating symbols in  $G$ :  $C, A, S \rightsquigarrow G_T$

▶ reachable symbols in  $G_T$ :  $S, C \rightsquigarrow G_r$

▶ note:  $A$  is still reachable in  $G$ !

## Exercise: reducing grammars

Compute the reduced grammar  $G = (N, \Sigma, P, S)$  for the following grammar  $G' = (N', \Sigma, P', S)$ :

1  $N' = \{S, A, B, C, D\},$

2  $\Sigma = \{a, b\},$

3  $P' :$

$$S \rightarrow A|aS|B$$

$$A \rightarrow a$$

$$A \rightarrow AS$$

$$A \rightarrow Ba$$

$$B \rightarrow Ba$$

$$C \rightarrow Da$$

$$D \rightarrow Cb$$

$$D \rightarrow a$$

# Chomsky normal form

Reduced grammars can be further modified to allow for an efficient decision procedure for the word problem.

# Chomsky normal form

Reduced grammars can be further modified to allow for an efficient decision procedure for the word problem.

## Definition (CNF)

A context-free grammar  $(N, \Sigma, P, S)$  is in **Chomsky normal form** if all rules are of the kind

- ▶  $N \rightarrow a$  with  $a \in \Sigma$
- ▶  $N \rightarrow AB$  with  $A, B \in N$
- ▶  $S \rightarrow \varepsilon$ , if  $S$  does not appear on the right-hand side of any rule

# Chomsky normal form

Reduced grammars can be further modified to allow for an efficient decision procedure for the word problem.

## Definition (CNF)

A context-free grammar  $(N, \Sigma, P, S)$  is in **Chomsky normal form** if all rules are of the kind

- ▶  $N \rightarrow a$  with  $a \in \Sigma$
- ▶  $N \rightarrow AB$  with  $A, B \in N$
- ▶  $S \rightarrow \varepsilon$ , if  $S$  does not appear on the right-hand side of any rule

Transformation into CNF:

- 1 remove  $\varepsilon$ -productions
- 2 remove chain rules ( $A \rightarrow B$ )
- 3 introduce auxiliary symbols



# Removal of $\epsilon$ -productions

## Theorem ( $\epsilon$ -free grammar)

*Every context-free grammar can be transformed into an equivalent cf. grammar that does not contain rules of the kind  $A \rightarrow \epsilon$  (except  $S \rightarrow \epsilon$  if  $S$  does not appear on the rhs).*

# Removal of $\varepsilon$ -productions


## Theorem ( $\varepsilon$ -free grammar)

*Every context-free grammar can be transformed into an equivalent cf. grammar that does not contain rules of the kind  $A \rightarrow \varepsilon$  (except  $S \rightarrow \varepsilon$  if  $S$  does not appear on the rhs).*

Procedure:


- 1 let  $E = \{A \in N \mid A \rightarrow \varepsilon \in P\}$
- 2 add all symbols  $B$  to  $E$  for which there is a rule  $B \rightarrow \beta$  with  $\beta \in E^*$
- 3 repeat step 2 until no further symbols can be added
- 4 for every rule  $C \rightarrow \beta_1 B \beta_2$  with  $B \in E$ 
  - ▶ add a rule  $C \rightarrow \beta_1 \beta_2$  to  $P$
- 5 remove all rules  $A \rightarrow \varepsilon$  from  $P$
- 6 if  $S \in E$ 
  - ▶ use a new start symbol  $S_0$
  - ▶ add rules  $S_0 \rightarrow \varepsilon \mid S$

# Interlude: Chomsky-Hierarchy for Grammars (again)




- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy

# Interlude: Chomsky-Hierarchy for Grammars (again)




- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy
- ▶ Not quite true for grammars:

# Interlude: Chomsky-Hierarchy for Grammars (again)



- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy
- ▶ Not quite true for grammars:
  - ▶  $A \rightarrow \epsilon$  allowed in context-free/regular grammars, not in context-free languages

# Interlude: Chomsky-Hierarchy for Grammars (again)



- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy
- ▶ Not quite true for grammars:
  - ▶  $A \rightarrow \varepsilon$  allowed in context-free/regular grammars, not in context-free languages
- ▶ Eliminating  $\varepsilon$ -productions removes this discrepancy!

# Removal of chain rules

## Theorem (chain rules)

*Every context-free grammar can be transformed into an equivalent cf. grammar that does not contain rules of the kind  $A \rightarrow B$ .*

# Removal of chain rules

## Theorem (chain rules)

*Every context-free grammar can be transformed into an equivalent cf. grammar that does not contain rules of the kind  $A \rightarrow B$ .*

Procedure:

- 1 for every  $A \in N$ , compute the set  $N(A) = \{B \in N \mid A \Rightarrow_G^* B\}$   
(this can be done iteratively, as shown previously)
- 2 remove  $A \rightarrow C$  for any  $C \in N$  from  $P$
- 3 add the following production rules to  $P$   
 $\{A \rightarrow w \mid w \notin N \text{ and } B \rightarrow w \in P \text{ and } B \in N(A)\}$



# Removal of chain rules

## Theorem (chain rules)

*Every context-free grammar can be transformed into an equivalent cf. grammar that does not contain rules of the kind  $A \rightarrow B$ .*

Procedure:

- 1 for every  $A \in N$ , compute the set  $N(A) = \{B \in N \mid A \Rightarrow_G^* B\}$   
(this can be done iteratively, as shown previously)
- 2 remove  $A \rightarrow C$  for any  $C \in N$  from  $P$
- 3 add the following production rules to  $P$   
 $\{A \rightarrow w \mid w \notin N \text{ and } B \rightarrow w \in P \text{ and } B \in N(A)\}$

## Example

$A \rightarrow a|B; \quad B \rightarrow bb|C; \quad C \rightarrow ccc$

is equivalent to

$A \rightarrow a|bb|ccc; B \rightarrow bb|ccc; C \rightarrow ccc$

# Chomsky normal form

Reminder: Chomsky normal form

A context-free grammar  $(N, \Sigma, P, S)$  is in CNF if all rules are of the kind

- ▶  $N \rightarrow a$  with  $a \in \Sigma$
- ▶  $N \rightarrow AB$  with  $A, B \in N$
- ▶  $S \rightarrow \varepsilon$ , if  $S$  does not appear on the right-hand side of any rule

# Chomsky normal form

Reminder: Chomsky normal form

A context-free grammar  $(N, \Sigma, P, S)$  is in CNF if all rules are of the kind

- ▶  $N \rightarrow a$  with  $a \in \Sigma$
- ▶  $N \rightarrow AB$  with  $A, B \in N$
- ▶  $S \rightarrow \varepsilon$ , if  $S$  does not appear on the right-hand side of any rule

## Theorem (transformation into Chomsky normal form)

*Every context free grammar can be transformed into an equivalent cf. grammar in Chomsky normal form.*

# Algorithm for computing Chomsky normal form

- 1 remove  $\varepsilon$  rules
- 2 remove chain rules
- 3 compute reduced grammar
  - 1 remove non-terminating symbols
  - 2 remove unreachable symbols
- 4 for all rules  $A \rightarrow w$  with  $w \notin \Sigma$ :
  - ▶ replace all occurrences of  $a$  with  $X_a$  for all  $a \in \Sigma$
  - ▶ add rules  $X_a \rightarrow a$
- 5 replace rules  $A \rightarrow B_1 B_2 \dots B_n$  for  $n > 2$  with rules

$$\begin{aligned} A &\rightarrow B_1 C_1 \\ C_1 &\rightarrow B_2 C_2 \\ &\vdots \\ C_{n-2} &\rightarrow B_{n-1} B_n \end{aligned}$$

with new symbols  $C_i$ .

# Exercise: transformation into CNF

Compute the Chomsky normal form of the following grammar:

$$G = (N, \Sigma, P, S)$$

▶  $N = \{S, A, B, C, D, E\}$

▶  $\Sigma = \{a, b\}$

▶  $P$ :

$$S \rightarrow AB|SB|BDE$$

$$A \rightarrow Aa$$

$$B \rightarrow bB|BaB|ab$$

$$C \rightarrow SB$$

$$D \rightarrow E$$

$$E \rightarrow \varepsilon$$

# Exercise: transformation into CNF

Compute the Chomsky normal form of the following grammar:

$$G = (N, \Sigma, P, S)$$

▶  $N = \{S, A, B, C, D, E\}$

▶  $\Sigma = \{a, b\}$

▶  $P$ :

$$S \rightarrow AB|SB|BDE$$

$$A \rightarrow Aa$$

$$B \rightarrow bB|BaB|ab$$

$$C \rightarrow SB$$

$$D \rightarrow E$$

$$E \rightarrow \varepsilon$$

Solution

# Chomsky NF: purpose

Why transform  $G$  into Chomsky NF?

- ▶ in a context-free grammar, derivations can have arbitrary length
  - ▶ if there are contracting rules, a derivation of  $w$  can contain words longer than  $w$
  - ▶ if there are chain rules ( $C \rightarrow B; B \rightarrow C$ ), a derivation of  $w$  can contain arbitrarily many steps
- ▶ **word problem** is difficult to decide
- ▶ if  $G$  is in CNF, for a word of length  $n$ , a derivation has  $2n - 1$  steps:
  - ▶  $n - 1$  rule applications  $A \rightarrow BC$
  - ▶  $n$  rule applications  $A \rightarrow a$
- ▶ word problem can be decided by checking all derivations of length  $2n - 1$

# Chomsky NF: purpose

Why transform  $G$  into Chomsky NF?

- ▶ in a context-free grammar, derivations can have arbitrary length
  - ▶ if there are contracting rules, a derivation of  $w$  can contain words longer than  $w$
  - ▶ if there are chain rules ( $C \rightarrow B; B \rightarrow C$ ), a derivation of  $w$  can contain arbitrarily many steps
- ▶ **word problem** is difficult to decide
- ▶ if  $G$  is in CNF, for a word of length  $n$ , a derivation has  $2n - 1$  steps:
  - ▶  $n - 1$  rule applications  $A \rightarrow BC$
  - ▶  $n$  rule applications  $A \rightarrow a$
- ▶ word problem can be decided by checking all derivations of length  $2n - 1$
- ▶ That's still plenty of derivations!



# Chomsky NF: purpose

Why transform  $G$  into Chomsky NF?

- ▶ in a context-free grammar, derivations can have arbitrary length
  - ▶ if there are contracting rules, a derivation of  $w$  can contain words longer than  $w$
  - ▶ if there are chain rules ( $C \rightarrow B; B \rightarrow C$ ), a derivation of  $w$  can contain arbitrarily many steps
- ▶ **word problem** is difficult to decide
- ▶ if  $G$  is in CNF, for a word of length  $n$ , a derivation has  $2n - 1$  steps:
  - ▶  $n - 1$  rule applications  $A \rightarrow BC$
  - ▶  $n$  rule applications  $A \rightarrow a$
- ▶ word problem can be decided by checking all derivations of length  $2n - 1$
- ▶ That's still plenty of derivations!

**More efficient algorithm: Cocke-Younger-Kasami (CYK)**

## CYK algorithm: idea

Decide the word problem for a context-free grammar  $G$  in Chomsky NF and a word  $w$ .

- ▶ find out which NTS are needed in the end to produce the TS for  $w$  (using production rules  $A \rightarrow a$ ).
- ▶ iteratively find all NTS that can generate the required sequence of NTS (using production rules  $A \rightarrow BC$ ).
- ▶ if  $S$  can produce the required sequence,  $w \in L(G)$  holds.

## CYK algorithm: idea

Decide the word problem for a context-free grammar  $G$  in Chomsky NF and a word  $w$ .

- ▶ find out which NTS are needed in the end to produce the TS for  $w$  (using production rules  $A \rightarrow a$ ).
- ▶ iteratively find all NTS that can generate the required sequence of NTS (using production rules  $A \rightarrow BC$ ).
- ▶ if  $S$  can produce the required sequence,  $w \in L(G)$  holds.

Mechanism:

- ▶ operates on a table.
- ▶ field in row  $i$  and column  $j$  contains all NTS that can generate words from character  $i$  through  $j$ .

# CYK algorithm: idea

Decide the word problem for a context-free grammar  $G$  in Chomsky NF and a word  $w$ .

- ▶ find out which NTS are needed in the end to produce the TS for  $w$  (using production rules  $A \rightarrow a$ ).
- ▶ iteratively find all NTS that can generate the required sequence of NTS (using production rules  $A \rightarrow BC$ ).
- ▶ if  $S$  can produce the required sequence,  $w \in L(G)$  holds.

Mechanism:

- ▶ operates on a table.
- ▶ field in row  $i$  and column  $j$  contains all NTS that can generate words from character  $i$  through  $j$ .

**Example of dynamic programming!**

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1						
2						
3						
4						
5						
6						
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$					
2						
3						
4						
5						
6						
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$					
2		$B$				
3						
4						
5						
6						
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$					
2		$B$				
3			$S$			
4						
5						
6						
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$



# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$					
2		$B$				
3			$S$			
4				$B$		
5						
6						
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$					
2		$B$				
3			$S$			
4				$B$		
5					$B$	
6						
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$					
2		$B$				
3			$S$			
4				$B$		
5					$B$	
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$				
2		$B$				
3			$S$			
4				$B$		
5					$B$	
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$				
2		$B$	$A, B$			
3			$S$			
4				$B$		
5					$B$	
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$				
2		$B$	$A, B$			
3			$S$	$\emptyset$		
4				$B$		
5					$B$	
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$				
2		$B$	$A, B$			
3			$S$	$\emptyset$		
4				$B$	$B$	
5					$B$	
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$				
2		$B$	$A, B$			
3			$S$	$\emptyset$		
4				$B$	$B$	
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$



# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$			
2		$B$	$A, B$			
3			$S$	$\emptyset$		
4				$B$	$B$	
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$			
2		$B$	$A, B$	$B$		
3			$S$	$\emptyset$		
4				$B$	$B$	
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$			
2		$B$	$A, B$	$B$		
3			$S$	$\emptyset$	$\emptyset$	
4				$B$	$B$	
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$			
2		$B$	$A, B$	$B$		
3			$S$	$\emptyset$	$\emptyset$	
4				$B$	$B$	$A, B$
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \setminus j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$	$\emptyset$		
2		$B$	$A, B$	$B$		
3			$S$	$\emptyset$	$\emptyset$	
4				$B$	$B$	$A, B$
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$	$\emptyset$		
2		$B$	$A, B$	$B$	$B$	
3			$S$	$\emptyset$	$\emptyset$	
4				$B$	$B$	$A, B$
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \setminus j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$	$\emptyset$		
2		$B$	$A, B$	$B$	$B$	
3			$S$	$\emptyset$	$\emptyset$	$S$
4				$B$	$B$	$A, B$
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$	$\emptyset$	$\emptyset$	
2		$B$	$A, B$	$B$	$B$	
3			$S$	$\emptyset$	$\emptyset$	$S$
4				$B$	$B$	$A, B$
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$



# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \backslash j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$	$\emptyset$	$\emptyset$	
2		$B$	$A, B$	$B$	$B$	$A, B$
3			$S$	$\emptyset$	$\emptyset$	$S$
4				$B$	$B$	$A, B$
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK algorithm: example

$S \rightarrow a$

$B \rightarrow b$

$B \rightarrow c$

$S \rightarrow SA$

$A \rightarrow BS$

$B \rightarrow BB$

$B \rightarrow BS$

$i \setminus j$	1	2	3	4	5	6
1	$S$	$\emptyset$	$S$	$\emptyset$	$\emptyset$	$S$
2		$B$	$A, B$	$B$	$B$	$A, B$
3			$S$	$\emptyset$	$\emptyset$	$S$
4				$B$	$B$	$A, B$
5					$B$	$A, B$
6						$S$
$w =$	$a$	$b$	$a$	$c$	$b$	$a$

$w = abacba$

# CYK: formal algorithm

**for**  $i := 1$  to  $n$  **do**

$N_{ii} := \{A \mid A \rightarrow a_i \in P\}$

# CYK: formal algorithm

**for**  $i := 1$  to  $n$  **do**

$N_{ii} := \{A \mid A \rightarrow a_i \in P\}$

**for**  $d := 1$  to  $n - 1$  **do**

# CYK: formal algorithm

**for**  $i := 1$  to  $n$  **do**

$N_{ii} := \{A \mid A \rightarrow a_i \in P\}$

**for**  $d := 1$  to  $n - 1$  **do**

**for**  $i := 1$  to  $n - d$  **do**

$j := i + d$

$N_{ij} := \emptyset$

# CYK: formal algorithm

**for**  $i := 1$  to  $n$  **do**

$N_{ii} := \{A \mid A \rightarrow a_i \in P\}$

**for**  $d := 1$  to  $n - 1$  **do**

**for**  $i := 1$  to  $n - d$  **do**

$j := i + d$

$N_{ij} := \emptyset$

**for**  $k := i$  to  $j - 1$  **do**

$N_{ij} := N_{ij} \cup \{A \mid A \rightarrow BC \in P; B \in N_{ik}; C \in N_{(k+1)j}\}$

# CYK algorithm: exercise

Consider the grammar  
 $G = (N, \Sigma, P, S)$  from the previous  
exercise

- ▶  $N = \{S, A, B, C\}$
- ▶  $\Sigma = \{a, b\}$

$$\begin{aligned}P : \quad S &\rightarrow AB|SB|BDE \\ A &\rightarrow Aa \\ B &\rightarrow bB|BaB|ab \\ C &\rightarrow SB \\ D &\rightarrow E \\ E &\rightarrow \varepsilon\end{aligned}$$

Use the CYK algorithm to determine if the following words can be generated by  $G$ :

- a)  $w_1 = babaab$
- b)  $w_2 = abba$

# CYK algorithm: exercise

Consider the grammar  
 $G = (N, \Sigma, P, S)$  from the previous  
exercise

- ▶  $N = \{S, A, B, C_1, X_a, X_b\}$
- ▶  $\Sigma = \{a, b\}$

$$\begin{aligned}P : \quad S &\rightarrow SB|BC_1|X_bB|X_aX_b \\ B &\rightarrow BC_1|X_bB|X_aX_b \\ C_1 &\rightarrow X_aB \\ X_a &\rightarrow a \\ X_b &\rightarrow b\end{aligned}$$

Use the CYK algorithm to determine if the following words can be generated by  $G$ :

- a)  $w_1 = babaab$
- b)  $w_2 = abba$



# CYK algorithm: exercise

Consider the grammar  
 $G = (N, \Sigma, P, S)$  from the previous  
exercise

- ▶  $N = \{S, A, B, D, X, Y\}$
- ▶  $\Sigma = \{a, b\}$

$$\begin{aligned}P : \quad S &\rightarrow SB|BD|YB|XY \\ B &\rightarrow BD|YB|XY \\ D &\rightarrow XB \\ X &\rightarrow a \\ Y &\rightarrow b\end{aligned}$$

Use the CYK algorithm to determine if the following words can be generated by  $G$ :

- a)  $w_1 = babaab$
- b)  $w_2 = abba$

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

**Formal Grammars and Context-Free Languages**

Formal Grammars

The Chomsky Hierarchy

Right-linear Grammars

Context-free Grammars

**Push-Down Automata**


Properties of Context-free Languages

Turing Machines and Languages of Type 1 and 0

# Pushdown automata: motivation

- ▶ DFAs/NFAs are weaker than context-free grammars
- ▶ to accept languages like  $a^n b^n$ , an **unlimited storage component** is needed
- ▶ **Pushdown automata** have an unlimited **stack**
  - ▶ LIFO: last in, first out
  - ▶ only top symbol can be read
  - ▶ arbitrary amount of symbols can be added to the top

# PDA: conceptual model



- ▶ extends FA by **unlimited stack**:
  - ▶ transitions can read and **write** stack
  - ▶ only a the top
  - ▶ **stack alphabet**  $\Gamma$
  - ▶ **LIFO**: last in, first out
- ▶ acceptance condition
  - ▶ **empty stack** after reading input
  - ▶ no final states needed
- ▶ commonalities with FA:
  - ▶ read input from left to right
  - ▶ set of states, input alphabet
  - ▶ initial state

# PDA transitions

$$\Delta \subseteq Q \times \Sigma \cup \{\epsilon\} \times \Gamma \times \Gamma^* \times Q$$

- ▶ PDA is in a state
- ▶ can read next input character or nothing
- ▶ must read (and remove) top stack symbol
- ▶ can write arbitrary amount of symbols on top of stack
- ▶ goes into a new state

# PDA transitions

$$\Delta \subseteq Q \times \Sigma \cup \{\epsilon\} \times \Gamma \times \Gamma^* \times Q$$

- ▶ PDA is in a state
- ▶ can read next input character or nothing
- ▶ must read (and remove) top stack symbol
- ▶ can write arbitrary amount of symbols on top of stack
- ▶ goes into a new state

A transition  $(p, c, A, BC, q)$  can be written as follows:

$$p \quad c \quad A \quad \rightarrow \quad BC \quad q$$

# Pushdown automata: definition

## Definition (pushdown automaton)

A **pushdown automaton** (PDA) is a 6-tuple  $(Q, \Sigma, \Gamma, \Delta, q_0, Z_0)$  where

- ▶  $Q, \Sigma, q_0$  are defined as for NFAs.
- ▶  $\Gamma$  is the stack alphabet
- ▶  $Z_0$  is the initial stack symbol
- ▶  $\Delta \subseteq Q \times \Sigma \cup \{\varepsilon\} \times \Gamma \times \Gamma^* \times Q$  is the transition relation

# Pushdown automata: definition

## Definition (pushdown automaton)

A **pushdown automaton** (PDA) is a 6-tuple  $(Q, \Sigma, \Gamma, \Delta, q_0, Z_0)$  where

- ▶  $Q, \Sigma, q_0$  are defined as for NFAs.
- ▶  $\Gamma$  is the stack alphabet
- ▶  $Z_0$  is the initial stack symbol
- ▶  $\Delta \subseteq Q \times \Sigma \cup \{\varepsilon\} \times \Gamma \times \Gamma^* \times Q$  is the transition relation

A **configuration** of a PDA is a triple  $(q, w, \gamma)$  where

- ▶  $q$  is the current state
- ▶  $w$  is the input yet unread
- ▶  $\gamma$  is the current stack content



# Pushdown automata: definition

## Definition (pushdown automaton)

A **pushdown automaton** (PDA) is a 6-tuple  $(Q, \Sigma, \Gamma, \Delta, q_0, Z_0)$  where

- ▶  $Q, \Sigma, q_0$  are defined as for NFAs.
- ▶  $\Gamma$  is the stack alphabet
- ▶  $Z_0$  is the initial stack symbol
- ▶  $\Delta \subseteq Q \times \Sigma \cup \{\varepsilon\} \times \Gamma \times \Gamma^* \times Q$  is the transition relation

A **configuration** of a PDA is a triple  $(q, w, \gamma)$  where

- ▶  $q$  is the current state
- ▶  $w$  is the input yet unread
- ▶  $\gamma$  is the current stack content

A PDA  $\mathcal{A}$  **accepts** a word  $w \in \Sigma^*$  if, starting from the configuration  $(q_0, w, Z_0)$ ,  $\mathcal{A}$  can reach the configuration  $(q, \varepsilon, \varepsilon)$  for some  $q$ .

# PDAs: important properties


- ▶ PDAs defined above are non-deterministic
  - ▶ deterministic PDAs are weaker
- ▶  $\epsilon$  transitions are possible
- ▶ it is possible to define acceptance condition using final states
  - ▶ makes representation of PDAs more complex
  - ▶ makes proofs more difficult

# Example: PDA for $a^n b^n$

## Example (Automaton $\mathcal{A}$ )

$$\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, 0, Z)$$

- ▶  $Q = \{0, 1\}$
- ▶  $\Sigma = \{a, b\}$
- ▶  $\Gamma = \{A, Z\}$
- ▶  $\Delta :$




# Example: PDA for $a^n b^n$

## Example (Automaton $\mathcal{A}$ )

$$\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, 0, Z)$$

- ▶  $Q = \{0, 1\}$
- ▶  $\Sigma = \{a, b\}$
- ▶  $\Gamma = \{A, Z\}$
- ▶  $\Delta :$

0	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	0	accept empty word
0	a	Z	$\rightarrow$	AZ	0	read first a, store A
0	a	A	$\rightarrow$	AA	0	read further a, store A
0	b	A	$\rightarrow$	$\varepsilon$	1	read first b, delete A
1	b	A	$\rightarrow$	$\varepsilon$	1	read further b, delete A
1	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	1	accept if all As have been deleted



## PDA: example (2)

Process  $aabb$ :

0	$\varepsilon$	$Z$	$\rightarrow$	$\varepsilon$	0
0	$a$	$Z$	$\rightarrow$	$AZ$	0
0	$a$	$A$	$\rightarrow$	$AA$	0
0	$b$	$A$	$\rightarrow$	$\varepsilon$	1
1	$b$	$A$	$\rightarrow$	$\varepsilon$	1
1	$\varepsilon$	$Z$	$\rightarrow$	$\varepsilon$	1

## PDA: example (2)

Process  $aabb$ :

**1**  $(0, aabb, Z)$

$0 \ \varepsilon \ Z \rightarrow \varepsilon \ 0$

$0 \ a \ Z \rightarrow AZ \ 0$

$0 \ a \ A \rightarrow AA \ 0$

$0 \ b \ A \rightarrow \varepsilon \ 1$

$1 \ b \ A \rightarrow \varepsilon \ 1$

$1 \ \varepsilon \ Z \rightarrow \varepsilon \ 1$

## PDA: example (2)

Process  $aabb$ :

1  $(0, aabb, Z)$

2  $(0, abb, AZ)$

0  $\epsilon Z \rightarrow \epsilon$  0

0  $a Z \rightarrow AZ$  0

0  $a A \rightarrow AA$  0

0  $b A \rightarrow \epsilon$  1

1  $b A \rightarrow \epsilon$  1

1  $\epsilon Z \rightarrow \epsilon$  1

## PDA: example (2)

0	$\epsilon$	$Z$	$\rightarrow$	$\epsilon$	0
0	$a$	$Z$	$\rightarrow$	$AZ$	0
0	$a$	$A$	$\rightarrow$	$AA$	0
0	$b$	$A$	$\rightarrow$	$\epsilon$	1
1	$b$	$A$	$\rightarrow$	$\epsilon$	1
1	$\epsilon$	$Z$	$\rightarrow$	$\epsilon$	1

Process  $aabb$ :

1 (0,  $aabb$ ,  $Z$ )

2 (0,  $abb$ ,  $AZ$ )

3 (0,  $bb$ ,  $AAZ$ )



## PDA: example (2)

0	$\epsilon$	$Z$	$\rightarrow$	$\epsilon$	0
0	$a$	$Z$	$\rightarrow$	$AZ$	0
0	$a$	$A$	$\rightarrow$	$AA$	0
0	$b$	$A$	$\rightarrow$	$\epsilon$	1
1	$b$	$A$	$\rightarrow$	$\epsilon$	1
1	$\epsilon$	$Z$	$\rightarrow$	$\epsilon$	1

Process  $aabb$ :

1 (0,  $aabb$ ,  $Z$ )

2 (0,  $abb$ ,  $AZ$ )

3 (0,  $bb$ ,  $AAZ$ )

4 (1,  $b$ ,  $AZ$ )

## PDA: example (2)

0	$\epsilon$	Z	$\rightarrow$	$\epsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\epsilon$	1
1	b	A	$\rightarrow$	$\epsilon$	1
1	$\epsilon$	Z	$\rightarrow$	$\epsilon$	1

Process *aabb*:

**1** (0, *aabb*, Z)

**2** (0, *abb*, AZ)

**3** (0, *bb*, AAZ)

**4** (1, *b*, AZ)

**5** (1,  $\epsilon$ , Z)

## PDA: example (2)

0	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\varepsilon$	1
1	b	A	$\rightarrow$	$\varepsilon$	1
1	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	1

Process *aabb*:

**1** (0, *aabb*, Z)

**2** (0, *abb*, AZ)

**3** (0, *bb*, AAZ)

**4** (1, *b*, AZ)

**5** (1,  $\varepsilon$ , Z)

**6** (1,  $\varepsilon$ ,  $\varepsilon$ )

## PDA: example (2)

0	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\varepsilon$	1
1	b	A	$\rightarrow$	$\varepsilon$	1
1	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	1

Process *aabb*:

**1** (0, *aabb*, Z)

**2** (0, *abb*, AZ)

**3** (0, *bb*, AAZ)

**4** (1, *b*, AZ)

**5** (1,  $\varepsilon$ , Z)

**6** (1,  $\varepsilon$ ,  $\varepsilon$ )

Process *abb*:

## PDA: example (2)

0	$\epsilon$	Z	$\rightarrow$	$\epsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\epsilon$	1
1	b	A	$\rightarrow$	$\epsilon$	1
1	$\epsilon$	Z	$\rightarrow$	$\epsilon$	1

Process *aabb*:

**1** (0, *aabb*, Z)

**2** (0, *abb*, AZ)

**3** (0, *bb*, AAZ)

**4** (1, *b*, AZ)

**5** (1,  $\epsilon$ , Z)

**6** (1,  $\epsilon$ ,  $\epsilon$ )

Process *abb*:

**1** (0, *abb*, Z)

## PDA: example (2)

0	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\varepsilon$	1
1	b	A	$\rightarrow$	$\varepsilon$	1
1	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	1

Process *aabb*:

**1** (0, *aabb*, Z)

**2** (0, *abb*, AZ)

**3** (0, *bb*, AAZ)

**4** (1, *b*, AZ)

**5** (1,  $\varepsilon$ , Z)

**6** (1,  $\varepsilon$ ,  $\varepsilon$ )

Process *abb*:

**1** (0, *abb*, Z)

**2** (0, *bb*, AZ)

## PDA: example (2)

0	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\varepsilon$	1
1	b	A	$\rightarrow$	$\varepsilon$	1
1	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	1

Process *aabb*:

**1** (0, *aabb*, Z)

**2** (0, *abb*, AZ)

**3** (0, *bb*, AAZ)

**4** (1, *b*, AZ)

**5** (1,  $\varepsilon$ , Z)

**6** (1,  $\varepsilon$ ,  $\varepsilon$ )

Process *abb*:

**1** (0, *abb*, Z)

**2** (0, *bb*, AZ)

**3** (1, *b*, Z)

## PDA: example (2)

0	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\varepsilon$	1
1	b	A	$\rightarrow$	$\varepsilon$	1
1	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	1

Process *aabb*:

1 (0, *aabb*, Z)

2 (0, *abb*, AZ)

3 (0, *bb*, AAZ)

4 (1, *b*, AZ)

5 (1,  $\varepsilon$ , Z)

6 (1,  $\varepsilon$ ,  $\varepsilon$ )

Process *abb*:

1 (0, *abb*, Z)

2 (0, *bb*, AZ)

3 (1, *b*, Z)

4 No rule applicable



Define a PDA detecting all palindromes over  $\{a, b\}$ , i.e. all words

$$\{w \cdot \overleftarrow{w} \mid w \in \{a, b\}^*\}$$

where

$$\overleftarrow{w} = a_n \dots a_1 \text{ if } w = a_1 \dots a_n$$

Can you define a deterministic automaton?

# Equivalence of PDAs and Context-Free Grammars

## Theorem

*The class of languages that can be accepted by a PDA is exactly the class of languages that can be produced by a context-free grammar.*

# Equivalence of PDAs and Context-Free Grammars

## Theorem

*The class of languages that can be accepted by a PDA is exactly the class of languages that can be produced by a context-free grammar.*

## Proof.

- ▶ For a cf. grammar  $G$ , generate a PDA  $\mathcal{A}_G$  with  $L(\mathcal{A}_G) = L(G)$ .
- ▶ For a PDA  $\mathcal{A}$ , generate a cf. grammar  $G_{\mathcal{A}}$  with  $L(G_{\mathcal{A}}) = L(\mathcal{A})$ .



## From context-free grammars to PDAs

For a grammar  $G = (N, \Sigma, P, S)$ , an equivalent PDA is:

$$\mathcal{A}_G = (\{q\}, \Sigma, \Sigma \cup N, \Delta, q, S)$$

$$\Delta = \{(q, \varepsilon, A, \gamma, q) \mid A \rightarrow \gamma \in P\} \cup \{(q, a, a, \varepsilon, q) \mid a \in \Sigma\}$$

## From context-free grammars to PDAs

For a grammar  $G = (N, \Sigma, P, S)$ , an equivalent PDA is:

$$\mathcal{A}_G = (\{q\}, \Sigma, \Sigma \cup N, \Delta, q, S)$$

$$\Delta = \{(q, \varepsilon, A, \gamma, q) \mid A \rightarrow \gamma \in P\} \cup \\ \{(q, a, a, \varepsilon, q) \mid a \in \Sigma\}$$

$\mathcal{A}_G$  simulates the productions of  $G$  in the following way:

- ▶ a production rule is applied to the top stack symbol if it is an NTS
- ▶ a TS is removed from the stack if it corresponds to the next input character

## From context-free grammars to PDAs

For a grammar  $G = (N, \Sigma, P, S)$ , an equivalent PDA is:

$$\mathcal{A}_G = (\{q\}, \Sigma, \Sigma \cup N, \Delta, q, S)$$

$$\Delta = \{(q, \varepsilon, A, \gamma, q) \mid A \rightarrow \gamma \in P\} \cup \\ \{(q, a, a, \varepsilon, q) \mid a \in \Sigma\}$$

$\mathcal{A}_G$  simulates the productions of  $G$  in the following way:

- ▶ a production rule is applied to the top stack symbol if it is an NTS
- ▶ a TS is removed from the stack if it corresponds to the next input character

Note:

- ▶  $\mathcal{A}_G$  is nondeterministic if there are several rules for one NTS.
- ▶  $\mathcal{A}_G$  only has one single state.
  - ▶ Corollary: PDAs need no states, could be written as  $(\Sigma, \Gamma, \Delta, Z_0)$ .

## From context-free grammars to PDAs: exercise

For the grammar  $G = (\{S\}, \{a, b\}, P, S)$  with

$$P = \{S \rightarrow aSa$$

$$S \rightarrow bSb$$

$$S \rightarrow \varepsilon\}$$

- ▶ create an equivalent PDA  $\mathcal{A}_G$ ,
- ▶ show how  $\mathcal{A}_G$  processes the input  $abba$ .

# From PDAs to context-free grammars

Transforming a PDA  $\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, q_0, Z_0)$  into a grammar  $G_{\mathcal{A}} = (N, \Sigma, P, S)$  is more involved:

- ▶  $N$  contains symbols  $[pZq]$ , meaning
  - ▶  $\mathcal{A}$  must go from  $p$  to  $q$  deleting  $Z$  from the stack
- ▶ for a transition  $(p, a, Z, \varepsilon, q)$  that deletes a stack symbol:
  - ▶  $\mathcal{A}$  can switch from  $p$  to  $q$  and delete  $Z$  by reading input  $a$
  - ▶ this can be expressed by a production rule  $[pZq] \rightarrow a$ .
- ▶ for transitions  $(p, a, Z, ABC, q)$  that produce stack symbols:
  - ▶ test all possible transitions for removing these symbols
  - ▶  $[p, Z, t] \rightarrow a[qAr][rBs][sCt]$  for all states  $r, s, t$
  - ▶ intuitive meaning: in order to go from  $p$  to  $t$  and delete  $Z$ , you can
    - 1 read the input  $a$
    - 2 go into state  $q$
    - 3 find states  $r, s$  through which you can go from  $q$  to  $t$  and delete  $A, B$ , and  $C$  from the stack.



## $G_{\mathcal{A}}$ : formal definition

For  $\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, q_0, Z_0)$  we define  $G_{\mathcal{A}} = (N, \Sigma, P, S)$  as follows

- ▶  $N = \{S\} \cup \{[p, Z, q] \mid p, q \in Q, Z \in \Gamma\}$
- ▶  $P$  contains the following rules:
  - ▶ for every  $q \in Q$ ,  $P$  contains  $\{S \rightarrow [q_0, Z_0, q]\}$   
meaning:  $\mathcal{A}$  has to go from  $q_0$  to any state  $q$ , deleting  $Z_0$ .
  - ▶ for each transition  $(p, a, Z, Y_1 Y_2 \dots Y_n, q)$  with
    - ▶  $a \in \Sigma \cup \{\varepsilon\}$  and
    - ▶  $Z, Y_1, Y_2 \dots Y_n \in \Gamma$ ,

## $G_{\mathcal{A}}$ : formal definition

For  $\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, q_0, Z_0)$  we define  $G_{\mathcal{A}} = (N, \Sigma, P, S)$  as follows

- ▶  $N = \{S\} \cup \{[p, Z, q] \mid p, q \in Q, Z \in \Gamma\}$
- ▶  $P$  contains the following rules:
  - ▶ for every  $q \in Q$ ,  $P$  contains  $\{S \rightarrow [q_0, Z_0, q]\}$   
meaning:  $\mathcal{A}$  has to go from  $q_0$  to any state  $q$ , deleting  $Z_0$ .
  - ▶ for each transition  $(p, a, Z, Y_1 Y_2 \dots Y_n, q)$  with
    - ▶  $a \in \Sigma \cup \{\varepsilon\}$  and
    - ▶  $Z, Y_1, Y_2 \dots Y_n \in \Gamma$ ,

$P$  contains rules

$$[p, Z, q_n] \rightarrow a[qY_1q_1][q_1Y_2q_2] \dots [q_{n-1}Y_nq_n]$$


for all possible combinations of states  $q_1, q_2, \dots, q_n \in Q$ .

# Exercise: transformation of PDA into grammar

$\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, 0, Z)$

- ▶  $Q = \{0, 1\}$
- ▶  $\Sigma = \{a, b\}$
- ▶  $\Gamma = \{A, Z\}$
- ▶  $\Delta :$

0	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	0
0	a	Z	$\rightarrow$	AZ	0
0	a	A	$\rightarrow$	AA	0
0	b	A	$\rightarrow$	$\varepsilon$	1
1	b	A	$\rightarrow$	$\varepsilon$	1
1	$\varepsilon$	Z	$\rightarrow$	$\varepsilon$	1



- ▶ Transform  $\mathcal{A}$  into a grammar  $G_{\mathcal{A}}$  (and reduce  $G_{\mathcal{A}}$ ).
- ▶ Show how  $\mathcal{A}_G$  produces the words  $\varepsilon$ ,  $ab$ , and  $aabb$ .

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

**Formal Grammars and Context-Free Languages**

Formal Grammars

The Chomsky Hierarchy

Right-linear Grammars

Context-free Grammars

Push-Down Automata

**Properties of Context-free Languages**

Turing Machines and Languages of Type 1 and 0

# Closure properties

## Theorem (Closure under $\cup, \cdot, *$ )

*The class of context-free languages is closed under union, concatenation, and Kleene star.*

# Closure properties

## Theorem (Closure under $\cup, \cdot, *$ )

*The class of context-free languages is closed under union, concatenation, and Kleene star.*

For context-free grammars

$$G_1 = (N_1, \Sigma, P_1, S_1) \quad \text{and} \quad G_2 = (N_2, \Sigma, P_2, S_2)$$

with  $N_1 \cap N_2 = \emptyset$  (rename NTSs if needed), let  $S$  be a new start symbol.

# Closure properties

## Theorem (Closure under $\cup, \cdot, *$ )

*The class of context-free languages is closed under union, concatenation, and Kleene star.*

For context-free grammars

$$G_1 = (N_1, \Sigma, P_1, S_1) \quad \text{and} \quad G_2 = (N_2, \Sigma, P_2, S_2)$$

with  $N_1 \cap N_2 = \emptyset$  (rename NTSs if needed), let  $S$  be a new start symbol.

- ▶ for  $L(G_1) \cup L(G_2)$ , add productions  $S \rightarrow S_1, S \rightarrow S_2$ .
- ▶ for  $L(G_1) \cdot L(G_2)$ , add production  $S \rightarrow S_1 S_2$ .
- ▶ for  $L(G_1)^*$ , add productions  $S \rightarrow \varepsilon, S \rightarrow T, T \rightarrow S_1 T, T \rightarrow S_1$ .

# Proving that a language is not context-free

Pumping-Lemma for cf. languages, similar to the PL for regular languages



# Proving that a language is not context-free

Pumping-Lemma for cf. languages, similar to the PL for regular languages

- ▶ Commonalities:
  - ▶ If a grammar produces words of arbitrary length, there must be a **repeated NTS**.
  - ▶ This NTS produces itself (and possibly other symbols).
  - ▶ This cycle can be repeated arbitrarily often.
- ▶ Difference:
  - ▶ instead of pumping one part of the word, **two** are pumped in parallel.

# The Lemma

## Theorem (Pumping-Lemma for context-free languages)

*Let  $L$  be a context-free language, generated by a context-free grammar  $G_L = (N, \Sigma, P, S)$  without contracting rules or chain rules. Let  $m = |N|$ ,  $r$  be the maximum length of the rhs of a rule in  $P$ , and  $k = r^{m+1}$ .*

*Then for every  $s \in L$  with  $|s| > k$  there exists a segmentation  $u \cdot v \cdot w \cdot x \cdot y = s$  such that*

- 1**  $vx \neq \varepsilon$
- 2**  $|vwx| \leq k$
- 3**  $u \cdot v^h \cdot w \cdot x^h \cdot y \in L$  for every  $h \in \mathbb{N}$ .

# The Lemma

## Theorem (Pumping-Lemma for context-free languages)

Let  $L$  be a context-free language, generated by a context-free grammar  $G_L = (N, \Sigma, P, S)$  without contracting rules or chain rules. Let  $m = |N|$ ,  $r$  be the maximum length of the rhs of a rule in  $P$ , and  $k = r^{m+1}$ .

Then for every  $s \in L$  with  $|s| > k$  there exists a segmentation  $u \cdot v \cdot w \cdot x \cdot y = s$  such that

- 1  $vx \neq \varepsilon$
- 2  $|vwx| \leq k$
- 3  $u \cdot v^h \cdot w \cdot x^h \cdot y \in L$  for every  $h \in \mathbb{N}$ .

- ▶ Cannot be applied to  $\{a^n b^n\}$ , but to  $\{a^n b^n c^n\}$ .
- ▶  $\{a^n b^n c^n\}$  is **not context-free**, but context-sensitive, as we have seen before.

### Theorem (Closure under $\cap$ )

*Context-free languages are not closed under intersection.*

### Theorem (Closure under $\cap$ )

*Context-free languages are not closed under intersection.*

Otherwise,  $\{a^n b^n c^n\}$  would be context-free:

- ▶  $\{a^n b^n c^m\}$  is context-free
- ▶  $\{a^m b^n c^n\}$  is context-free
- ▶  $\{a^n b^n c^n\} = \{a^n b^n c^m\} \cap \{a^m b^n c^n\}$

## Exercise: closure properties

- 1 Define context-free grammars for  $L_1 = \{a^n b^n c^m \mid n, m \geq 0\}$  and  $L_2 = \{a^m b^n c^n \mid n, m \geq 0\}$ .
- 2 Use the known closure properties to show that context-free languages are not closed under complement.

# Decision problems: word problem

## Theorem (Word problem for cf. languages)

*For a word  $w$  and a context-free grammar  $G$ , it is **decidable** whether  $w \in L(G)$  holds.*

# Decision problems: word problem

## Theorem (Word problem for cf. languages)

*For a word  $w$  and a context-free grammar  $G$ , it is **decidable** whether  $w \in L(G)$  holds.*

## Proof.

The CYK algorithm decides the word problem. □



## Decision problems: emptiness problem

Theorem (Emptiness problem for cf. languages)

*For a context-free grammar  $G$ , it is **decidable** if  $L(G) = \emptyset$  holds.*

# Decision problems: emptiness problem

## Theorem (Emptiness problem for cf. languages)

For a context-free grammar  $G$ , it is *decidable* if  $L(G) = \emptyset$  holds.

## Proof.

Let  $G = (N, \Sigma, P, S)$ .

Iteratively compute *productive* NTSs, i.e. symbols that produce terminal words as follows:

- 1 let  $Z = \Sigma$
- 2 add all symbols  $A$  to  $Z$  for which there is a rule  $A \rightarrow \beta$  with  $\beta \in Z^*$
- 3 repeat step 2 until no further symbols can be added
- 4  $L(G) = \emptyset$  iff  $S \notin Z$ .



## Decision problems: equivalence problem

### Theorem (Equivalence problem for cf. languages)

*For context-free grammars  $G_1, G_2$ , it is **undecidable** if  $L(G_1) = L(G_2)$  holds.*

## Decision problems: equivalence problem

### Theorem (Equivalence problem for cf. languages)

*For context-free grammars  $G_1, G_2$ , it is **undecidable** if  $L(G_1) = L(G_2)$  holds.*

This follows from undecidability of Post's Correspondence Problem.

# Summary: context-free languages

- ▶ characterised by
  - ▶ context-free grammars
  - ▶ pushdown automata
- ▶ closure properties
  - ▶ closed under  $\cup, *, \cdot$
  - ▶ not closed under  $\cap, \bar{\phantom{x}}$
- ▶ decision problems
  - ▶ decidable:  $w \in L(G), L(G) = \emptyset$  (Chomsky NF, CYK algorithm)
  - ▶ undecidable:  $L(G_1) = L(G_2)$
- ▶ can describe nested dependencies
  - ▶ structure of programming languages
  - ▶ natural language processing
- ▶ in compilers, these features are used by parsers (next chapter)

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

Formal Grammars and Context-Free Languages

**Turing Machines and Languages of Type 1 and 0**

Turing Machines

Unrestricted Grammars

Linear Bounded Automata

Properties of Type-0-languages

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

Formal Grammars and Context-Free Languages

**Turing Machines and Languages of Type 1 and 0**

**Turing Machines**

Unrestricted Grammars

Linear Bounded Automata

Properties of Type-0-languages

## Turing machines



# Turing machine: Motivation

Four classes of languages described by grammars and equivalent machine models:

- 1 regular languages  $\rightsquigarrow$  finite automata
- 2 context-free languages  $\rightsquigarrow$  pushdown automata
- 3 context-sensitive languages  $\rightsquigarrow$  ?
- 4 Type-0-languages  $\rightsquigarrow$  ?

# Turing machine: Motivation

Four classes of languages described by grammars and equivalent machine models:

- 1 regular languages  $\rightsquigarrow$  finite automata
- 2 context-free languages  $\rightsquigarrow$  pushdown automata
- 3 context-sensitive languages  $\rightsquigarrow$  ?
- 4 Type-0-languages  $\rightsquigarrow$  ?

We need a machine model that is more powerful than PDAs:


Turing machines

# Turing machine: history

- ▶ proposed in 1936 by Alan Turing
  - ▶ paper: *On computable numbers, with an application to the Entscheidungsproblem*
  - ▶ uses the TM to show that satisfiability of first-order formulas is **undecidable**
- ▶ model of a **universal computer**
  - ▶ very simple (and thus easy to describe formally)
  - ▶ but as powerful as any conceivable machine



# Turing machine: conceptual model



- ▶ medium: unlimited **tape** (bidirectional)
  - ▶ initially contains input (and blanks #)
  - ▶ TM can read and **write** tape
  - ▶ TM can **move arbitrarily** over tape
  - ▶ serves for input, working, output
  - ▶ **output** possible
- ▶ transition relation
  - ▶ read and write current position
  - ▶ moving instructions (l, r, n)
- ▶ acceptance condition
  - ▶ **final state** is reached
  - ▶ no transitions possible
- ▶ commonalities with FA
  - ▶ control unit (finite set of states),
  - ▶ initial and final states
  - ▶ input alphabet

# Transitions in Turing machines

$$\Delta \subseteq Q \times \Gamma \times \Gamma \times \{l, n, r\} \times Q$$

- ▶ TM is in state
- ▶ reads tape symbol from current position
- ▶ writes tape symbol on current position
- ▶ moves to left, right, or stays
- ▶ goes into a new state

# Transitions in Turing machines

$$\Delta \subseteq Q \times \Gamma \times \Gamma \times \{l, n, r\} \times Q$$



- ▶ TM is in state
- ▶ reads tape symbol from current position
- ▶ writes tape symbol on current position
- ▶ moves to left, right, or stays
- ▶ goes into a new state

A transition  $p, a, b, l, q$  can also be written as

$$p \ a \ \rightarrow \ b \ l \ q$$





# Example: transition

Example (transition  $1, t \rightarrow c, r, 2$ )



# Example: transition

Example (transition  $1, t \rightarrow c, r, 2$ )





## Definition (Turing machine)

A **Turing machine** (TM) is a 6-tuple  $(Q, \Sigma, \Gamma, \Delta, q_0, F)$  where

- ▶  $Q, \Sigma, q_0, F$  are defined as for NFAs,
- ▶  $\Gamma \supseteq \Sigma \cup \{\#\}$  is the **tape alphabet**, including at least  $\Sigma$  and the blank symbol,
- ▶  $\Delta \subseteq Q \times \Gamma \times \Gamma \times \{l, n, r\} \times Q$  is the transition relation.

## Definition (Turing machine)

A **Turing machine** (TM) is a 6-tuple  $(Q, \Sigma, \Gamma, \Delta, q_0, F)$  where

- ▶  $Q, \Sigma, q_0, F$  are defined as for NFAs,
- ▶  $\Gamma \supseteq \Sigma \cup \{\#\}$  is the **tape alphabet**, including at least  $\Sigma$  and the blank symbol,
- ▶  $\Delta \subseteq Q \times \Gamma \times \Gamma \times \{l, n, r\} \times Q$  is the transition relation.

If  $\Delta$  contains at most one transition  $(p, a, b, d, q)$  for each pair  $(p, a) \in Q \times \Sigma$ , the TM is called **deterministic**. The transition **function** is then denoted by  $\delta$ .

## Definition (configuration)

A **configuration**  $c = \alpha q \beta$  of a Turing machine is given by

- ▶ the current state  $q$
- ▶ the tape content  $\alpha$  on the left of the read/write head (except unlimited # sequences)
- ▶ the tape content  $\beta$  starting with the position of the head (except unlimited # sequences)

# Configurations of TMs

## Definition (configuration)

A **configuration**  $c = \alpha q \beta$  of a Turing machine is given by

- ▶ the current state  $q$
- ▶ the tape content  $\alpha$  on the left of the read/write head (except unlimited # sequences)
- ▶ the tape content  $\beta$  starting with the position of the head (except unlimited # sequences)

A configuration  $c = \alpha q \beta$  is **accepting** if  $q \in F$ .

# Configurations of TMs

## Definition (configuration)

A **configuration**  $c = \alpha q \beta$  of a Turing machine is given by

- ▶ the current state  $q$
- ▶ the tape content  $\alpha$  on the left of the read/write head (except unlimited # sequences)
- ▶ the tape content  $\beta$  starting with the position of the head (except unlimited # sequences)



A configuration  $c = \alpha q \beta$  is **accepting** if  $q \in F$ .

A configuration  $c$  is a **stop configuration** if there are no transitions from  $c$ .

# Example: configuration

# Example: configuration





## Example (configurations)



- ▶ This TM is in the configuration  $c2ape$ .

# Example: configuration

## Example (configurations)



- ▶ This TM is in the configuration  $c2ape$ .
- ▶ The configuration  $4tape$  is accepting.
- ▶ If there are no transitions  $4, t \rightarrow \dots$ ,  $4tape$  also is a stop configuration.



## Definition (computation, acceptance)

A **computation** of a TM  $\mathcal{M}$  on a word  $w$  is a sequence of configurations (according to the transition function) of configurations of  $\mathcal{M}$ , starting from  $q_0w$ .

## Definition (computation, acceptance)

A **computation** of a TM  $\mathcal{M}$  on a word  $w$  is a sequence of configurations (according to the transition function) of configurations of  $\mathcal{M}$ , starting from  $q_0w$ .

$\mathcal{M}$  **accepts**  $w$  if there exists a computation of  $\mathcal{M}$  on  $w$  that results in accepting stop configuration.

## Exercise: Turing machines

Let  $\Sigma = \{a, b\}$  and  $L = \{w \in \Sigma^* \mid |w|_a \text{ is even}\}$ .

- ▶ Give a TM  $\mathcal{M}$  that accepts (exactly) the words in  $L$ .
- ▶ Give the computation of  $\mathcal{M}$  on the words *abbab* and *bbab*.

# Example: TM for $a^n b^n c^n$

$\mathcal{M} = (Q, \Sigma, \Gamma, \Delta, \text{start}, \{f\})$  with

- ▶  $Q = \{\text{start, findb, findc, check, back, end, f}\}$
- ▶  $\Sigma = \{a, b, c\}$  and  $\Gamma = \Sigma \cup \{\#, x, y, z\}$

state	read	write	move	state	state	read	write	move	state
start	#	#	n	f	back	z	z	l	back
start	a	x	r	findb	back	b	b	l	back
findb	a	a	r	findb	back	y	y	l	back
findb	y	y	r	findb	back	a	a	l	back
findb	b	y	r	findc	back	x	x	r	start
findc	b	b	r	findc	end	z	z	l	end
findc	z	z	r	findc	end	y	y	l	end
findc	c	z	r	check	end	x	x	l	end
check	c	c	l	back	end	#	#	n	f
check	#	#	l	end					

## Exercise: Turing machines (2)

- a) Simulate the computations of  $\mathcal{M}$  on  $aabbcc$  and  $aabc$ .
- b) Develop a Turing machine  $\mathcal{P}$  accepting  $L_{\mathcal{P}} = \{w cw \mid w \in \{a, b\}^*\}$ .
- c) How do you have to modify  $\mathcal{P}$  if you want to recognise inputs of the form  $ww$ ?

# Turing machines with several tapes

- ▶ A  $k$ -tape TM has  $k$  tapes on which the heads can move independently.
- ▶  $\Delta \subseteq Q \times \Gamma^k \times \Gamma^k \times \{r, l, n\}^k \times Q$
- ▶ It is possible to simulate a  $k$ -tape TM with a (1-tape) TM:
  - ▶ use alphabet  $\Gamma^k \times \{X, \#\}^k$
  - ▶ the first  $k$  language elements encode the tape content, the remaining ones the positions of the heads.

## Reminder

- ▶ just like FAs and PDAs, TMs can be deterministic or non-deterministic, depending on the transition relation.
- ▶ for non-deterministic TMs, the machine accepts  $w$  if there **exists** a sequence of transitions leading to an accepting stop configuration.

## Simulating non-deterministic TMs

Theorem (equivalence of deterministic and non-deterministic TMs)

*Deterministic TMs can simulate computations of non-deterministic TMs; i.e. they describe the same class of languages.*



# Simulating non-deterministic TMs

## Theorem (equivalence of deterministic and non-deterministic TMs)

*Deterministic TMs can simulate computations of non-deterministic TMs; i.e. they describe the same class of languages.*

## Proof.

Use a 3-tape TM:

- ▶ tape 1 stores the input  $w$
- ▶ tape 2 enumerates all possible sequences of non-deterministic choices (for all non-deterministic transitions)
- ▶ tape 3 encodes the computation on  $w$  with choices stored on tape 2.



# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

Formal Grammars and Context-Free Languages

**Turing Machines and Languages of Type 1 and 0**

Turing Machines

**Unrestricted Grammars**

Linear Bounded Automata

Properties of Type-0-languages

## Theorem (equivalence of TMs and unrestricted grammars)

*The class of languages that can be accepted by a Turing machine is exactly the class of languages that can be generated by unrestricted Chomsky grammars.*

# Turing machines and unrestricted grammars

## Theorem (equivalence of TMs and unrestricted grammars)

*The class of languages that can be accepted by a Turing machine is exactly the class of languages that can be generated by unrestricted Chomsky grammars.*

## Proof.

- 1 simulate grammar derivations with a TM
- 2 simulate a TM computation with a grammar



# Simulating a Type-0-grammar $G$ with a TM

Use a non-deterministic 2-tape TM:

- ▶ tape 1 stores input word  $w$
- ▶ tape 2 simulates the derivations of  $G$ , starting with  $S$ 
  - ▶ (non-deterministically) choose a position
  - ▶ if the word starting at the position, matches  $\alpha$  of a rule  $\alpha \rightarrow \beta$ , apply the rule
    - ▶ move tape content if necessary
    - ▶ replace  $\alpha$  with  $\beta$
  - ▶ compare content of tape 2 with tape 1
    - ▶ if they are equal, accept
    - ▶ otherwise continue

# Simulating a TM with a Type-0-grammar

Goal: transform TM  $\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, q_0, F)$  into grammar  $G$

Technical difficulty:

- ▶  $\mathcal{A}$  receives word as input **at the start**, possibly modifies it, then possibly accepts.
- ▶  $G$  starts with  $S$ , applies rules, possibly generating  $w$  **at the end**.

# Simulating a TM with a Type-0-grammar

Goal: transform TM  $\mathcal{A} = (Q, \Sigma, \Gamma, \Delta, q_0, F)$  into grammar  $G$

Technical difficulty:

- ▶  $\mathcal{A}$  receives word as input **at the start**, possibly modifies it, then possibly accepts.
  - ▶  $G$  starts with  $S$ , applies rules, possibly generating  $w$  **at the end**.
- 1 generate initial configuration  $q_0w \in \Sigma^*$  with blanks left and right
  - 2 simulate the computation of  $\mathcal{A}$  on  $w$

$$(p, a, b, r, q) \rightsquigarrow pa \rightarrow bq$$

$$(p, a, b, l, q) \rightsquigarrow cpa \rightarrow qcb \text{ (for all } c \in \Gamma)$$

$$(p, a, b, n, q) \rightsquigarrow pa \rightarrow qb$$

- 3 if an accepting stop configuration is reached, recreate  $w$ 
  - ▶ requires a “backup” tape or a more complex alphabet

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

Formal Grammars and Context-Free Languages

**Turing Machines and Languages of Type 1 and 0**

Turing Machines

Unrestricted Grammars

**Linear Bounded Automata**

Properties of Type-0-languages




# Linear bounded automata

- ▶ context-sensitive grammars do not allow for contracting rules
- ▶ a **linear bounded automaton (LBA)** is a TM that only uses the space originally occupied by the input  $w$ .
- ▶ limits of  $w$  are indicated by markers that cannot be passed by the read/write head

# Linear bounded automata

- ▶ context-sensitive grammars do not allow for contracting rules
- ▶ a **linear bounded automaton (LBA)** is a TM that only uses the space originally occupied by the input  $w$ .
- ▶ limits of  $w$  are indicated by markers that cannot be passed by the read/write head



# Equivalence of cs. grammars and LBAs

Transformation of cs. grammar  $G$  into LBA:

- ▶ as for Type-0-grammar: use 2-tape-TM
  - ▶ input on tape 1
  - ▶ simulate operations of  $G$  on tape 2
- ▶ since the productions of  $G$  are non-contracting, words longer than  $w$  need not be considered

# Equivalence of cs. grammars and LBAs

Transformation of cs. grammar  $G$  into LBA:

- ▶ as for Type-0-grammar: use 2-tape-TM
  - ▶ input on tape 1
  - ▶ simulate operations of  $G$  on tape 2
- ▶ since the productions of  $G$  are non-contracting, words longer than  $w$  need not be considered

Transformation of LBA  $\mathcal{A}$  into cs. grammar:

- ▶ similar to construction for TM:
  - ▶ generate  $w$  **without blanks**
  - ▶ simulate operation of  $\mathcal{A}$  on  $w$ 
    - ▶ rules are non-contracting ✓

# Closure properties: regular operations

## Theorem (closure under $\cup, \cdot, *$ )

*The class of languages described by context-sensitive grammars is closed under  $\cup, \cdot, *$ .*

# Closure properties: regular operations

## Theorem (closure under $\cup, \cdot, *$ )

*The class of languages described by context-sensitive grammars is closed under  $\cup, \cdot, *$ .*

## Proof.

Concatenation and Kleene-star are more complex than for cf. grammars because the context can influence rule applicability.

- ▶ rename NTSs (as for cf. grammars)
- ▶ only allow NTSs as context
- ▶ only allow productions of the kind
  - ▶  $N_1N_2 \dots N_k \rightarrow M_1M_2 \dots M_j$
  - ▶  $N \rightarrow a$



## Closure properties: intersection and complement

### Theorem (closure under $\cap$ )

*The class of context-sensitive languages is closed under intersection.*

# Closure properties: intersection and complement

## Theorem (closure under $\cap$ )

*The class of context-sensitive languages is closed under intersection.*

## Proof.

- ▶ use a 2-tape-LBA
- ▶ simulate computation of  $\mathcal{A}_1$  on tape 1,  $\mathcal{A}_2$  on tape 2
- ▶ accept if both  $\mathcal{A}_1$  and  $\mathcal{A}_2$  accept





# Closure properties: intersection and complement

## Theorem (closure under $\cap$ )

*The class of context-sensitive languages is closed under intersection.*

## Proof.

- ▶ use a 2-tape-LBA
- ▶ simulate computation of  $\mathcal{A}_1$  on tape 1,  $\mathcal{A}_2$  on tape 2
- ▶ accept if both  $\mathcal{A}_1$  and  $\mathcal{A}_2$  accept



## Theorem (closure under $\overline{\phantom{x}}$ )

*The class of context-sensitive languages is closed under complement.*

# Closure properties: intersection and complement

## Theorem (closure under $\cap$ )

*The class of context-sensitive languages is closed under intersection.*

## Proof.

- ▶ use a 2-tape-LBA
- ▶ simulate computation of  $\mathcal{A}_1$  on tape 1,  $\mathcal{A}_2$  on tape 2
- ▶ accept if both  $\mathcal{A}_1$  and  $\mathcal{A}_2$  accept □

## Theorem (closure under $\overline{\phantom{x}}$ )

*The class of context-sensitive languages is closed under complement.*

- ▶ shown in 1988

## Theorem (Word problem for cs. languages)

*The **word** problem for cs. languages is **decidable**.*

## Theorem (Word problem for cs. languages)

The *word* problem for cs. languages is *decidable*.

## Proof.

- ▶  $N$ ,  $\Sigma$  and  $P$  are finite
- ▶ rules are non-contracting
- ▶ for a word of length  $n$  only a finite number of derivations up to length  $n$  has to be considered.



## Context-sensitive grammars: decision problems (cont')

### Theorem (Emptiness problem for cs. languages)

*The **emptiness** problem for cs. languages is **undecidable**.*

### Proof.

Also follows from undecidability of Post's correspondence problem. □

## Context-sensitive grammars: decision problems (cont')

### Theorem (Emptiness problem for cs. languages)

The *emptiness* problem for cs. languages is *undecidable*.

### Proof.

Also follows from undecidability of Post's correspondence problem. □

### Theorem (Equivalence problem for cs. languages)

The *equivalence* problem for cs. languages is *undecidable*.

### Proof.

If this problem was decidable for cs. languages, it would also be decidable for cf. languages (since every cf. language is also cs.). □

# Outline

Introduction

Regular Languages and Finite Automata

Scanners and Flex

Formal Grammars and Context-Free Languages

**Turing Machines and Languages of Type 1 and 0**

Turing Machines

Unrestricted Grammars

Linear Bounded Automata

**Properties of Type-0-languages**

# The universal Turing machine $\mathcal{U}$

- ▶  $\mathcal{U}$  is a TM that simulates other Turing machines
- ▶ since TMs have finite alphabets and state sets, they can be encoded by a (binary) alphabet by an encoding function  $c()$
- ▶ Input:
  - ▶ encoding  $c(\mathcal{A})$  of a TM  $\mathcal{A}$  on tape 1
  - ▶ encoding  $c(w)$  of an input word  $w$  for  $\mathcal{A}$  on tape 2
- ▶ with input  $c(\mathcal{A})$  and  $c(w)$ ,  $\mathcal{U}$  behaves exactly like  $\mathcal{A}$  on  $w$ :
  - ▶  $\mathcal{U}$  accepts iff  $\mathcal{A}$  accepts
  - ▶  $\mathcal{U}$  halts iff  $\mathcal{A}$  halts
  - ▶  $\mathcal{U}$  runs forever if  $\mathcal{A}$  runs forever



# The universal Turing machine $\mathcal{U}$

- ▶  $\mathcal{U}$  is a TM that simulates other Turing machines
- ▶ since TMs have finite alphabets and state sets, they can be encoded by a (binary) alphabet by an encoding function  $c()$
- ▶ Input:
  - ▶ encoding  $c(\mathcal{A})$  of a TM  $\mathcal{A}$  on tape 1
  - ▶ encoding  $c(w)$  of an input word  $w$  for  $\mathcal{A}$  on tape 2
- ▶ with input  $c(\mathcal{A})$  and  $c(w)$ ,  $\mathcal{U}$  behaves exactly like  $\mathcal{A}$  on  $w$ :
  - ▶  $\mathcal{U}$  accepts iff  $\mathcal{A}$  accepts
  - ▶  $\mathcal{U}$  halts iff  $\mathcal{A}$  halts
  - ▶  $\mathcal{U}$  runs forever if  $\mathcal{A}$  runs forever

**Every solvable problem can be solved in software.**

# Operation of $\mathcal{U}$

- 1 encode initial configuration
  - ▶ tape on lhs of head
  - ▶ state
  - ▶ tape on rhs of head
- 2 use  $c(\mathcal{A})$  to find a transition from the current configuration
- 3 modify the current configuration accordingly
- 4 accept if  $\mathcal{A}$  accepts
- 5 stop if  $\mathcal{A}$  stops
- 6 otherwise, continue with step 2

# The Halting problem

## Definition (halting problem)

For a TM  $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, \Delta, F)$  and a word  $w \in \Sigma^*$ , does  $\mathcal{A}$  halt (i.e. reach a stop configuration) with input  $w$ ?

# The Halting problem

## Definition (halting problem)

For a TM  $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, \Delta, F)$  and a word  $w \in \Sigma^*$ , does  $\mathcal{A}$  halt (i.e. reach a stop configuration) with input  $w$ ?

Wanted: TMs  $\mathcal{H}1$  and  $\mathcal{H}2$ , such that with input  $c(\mathcal{A})$  and  $c(w)$

# The Halting problem

## Definition (halting problem)

For a TM  $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, \Delta, F)$  and a word  $w \in \Sigma^*$ , does  $\mathcal{A}$  halt (i.e. reach a stop configuration) with input  $w$ ?

Wanted: TMs  $\mathcal{H}1$  and  $\mathcal{H}2$ , such that with input  $c(\mathcal{A})$  and  $c(w)$

- 1  $\mathcal{H}1$  accepts iff  $\mathcal{A}$  halts on  $w$  and

# The Halting problem

## Definition (halting problem)

For a TM  $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, \Delta, F)$  and a word  $w \in \Sigma^*$ , does  $\mathcal{A}$  halt (i.e. reach a stop configuration) with input  $w$ ?

Wanted: TMs  $\mathcal{H}1$  and  $\mathcal{H}2$ , such that with input  $c(\mathcal{A})$  and  $c(w)$

- 1  $\mathcal{H}1$  accepts iff  $\mathcal{A}$  halts on  $w$  and
- 2  $\mathcal{H}2$  accepts iff  $\mathcal{A}$  does **not** halt on  $w$ .

# The Halting problem

## Definition (halting problem)

For a TM  $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, \Delta, F)$  and a word  $w \in \Sigma^*$ , does  $\mathcal{A}$  halt (i.e. reach a stop configuration) with input  $w$ ?

Wanted: TMs  $\mathcal{H}1$  and  $\mathcal{H}2$ , such that with input  $c(\mathcal{A})$  and  $c(w)$

- 1  $\mathcal{H}1$  accepts iff  $\mathcal{A}$  halts on  $w$  and
- 2  $\mathcal{H}2$  accepts iff  $\mathcal{A}$  does **not** halt on  $w$ .

decision procedure for HP: let  $\mathcal{H}1$  and  $\mathcal{H}2$  run in parallel

# The Halting problem

## Definition (halting problem)

For a TM  $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, \Delta, F)$  and a word  $w \in \Sigma^*$ , does  $\mathcal{A}$  halt (i.e. reach a stop configuration) with input  $w$ ?

Wanted: TMs  $\mathcal{H}1$  and  $\mathcal{H}2$ , such that with input  $c(\mathcal{A})$  and  $c(w)$

- 1  $\mathcal{H}1$  accepts iff  $\mathcal{A}$  halts on  $w$  and
- 2  $\mathcal{H}2$  accepts iff  $\mathcal{A}$  does **not** halt on  $w$ .

decision procedure for HP: let  $\mathcal{H}1$  and  $\mathcal{H}2$  run in parallel

- 1  $\mathcal{U}$  (almost) does what  $\mathcal{H}1$  needs to do.



# The Halting problem

## Definition (halting problem)

For a TM  $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, \Delta, F)$  and a word  $w \in \Sigma^*$ , does  $\mathcal{A}$  halt (i.e. reach a stop configuration) with input  $w$ ?

Wanted: TMs  $\mathcal{H}1$  and  $\mathcal{H}2$ , such that with input  $c(\mathcal{A})$  and  $c(w)$

- 1  $\mathcal{H}1$  accepts iff  $\mathcal{A}$  halts on  $w$  and
- 2  $\mathcal{H}2$  accepts iff  $\mathcal{A}$  does **not** halt on  $w$ .

decision procedure for HP: let  $\mathcal{H}1$  and  $\mathcal{H}2$  run in parallel

- 1  $\mathcal{U}$  (almost) does what  $\mathcal{H}1$  needs to do.
- 2 Difficult:  $\mathcal{H}2$  needs to detect that that  $\mathcal{A}$  does not terminate.
  - ▶ infinite tape  $\rightsquigarrow$  infinite number possible configurations
  - ▶ recognising repeated configurations not sufficient.

# Undecidability of the halting problem

Assumption: there is a TM  $\mathcal{H}2$  which, given  $c(\mathcal{A})$  and  $c(w)$  as input

- 1 accepts if  $\mathcal{A}$  does **not** halt with input  $w$  and
- 2 runs forever if  $\mathcal{A}$  halts with input  $w$ .

# Undecidability of the halting problem

Assumption: there is a TM  $\mathcal{H}_2$  which, given  $c(\mathcal{A})$  and  $c(w)$  as input

- 1 accepts if  $\mathcal{A}$  does **not** halt with input  $w$  and
- 2 runs forever if  $\mathcal{A}$  halts with input  $w$ .

If  $\mathcal{H}_2$  exists, then there is also a TM  $\mathcal{S}$  accepting exactly those encodings of TMs that do **not** accept their own encoding

# Undecidability of the halting problem

Assumption: there is a TM  $\mathcal{H}_2$  which, given  $c(\mathcal{A})$  and  $c(w)$  as input

- 1 accepts if  $\mathcal{A}$  does **not** halt with input  $w$  and
- 2 runs forever if  $\mathcal{A}$  halts with input  $w$ .

If  $\mathcal{H}_2$  exists, then there is also a TM  $\mathcal{S}$  accepting exactly those encodings of TMs that do **not** accept their own encoding

- 1 input: TM encoding  $c(\mathcal{A})$  on tape 1

# Undecidability of the halting problem

Assumption: there is a TM  $\mathcal{H}_2$  which, given  $c(\mathcal{A})$  and  $c(w)$  as input

- 1 accepts if  $\mathcal{A}$  does **not** halt with input  $w$  and
- 2 runs forever if  $\mathcal{A}$  halts with input  $w$ .

If  $\mathcal{H}_2$  exists, then there is also a TM  $\mathcal{S}$  accepting exactly those encodings of TMs that do **not** accept their own encoding

- 1 input: TM encoding  $c(\mathcal{A})$  on tape 1
- 2  $\mathcal{S}$  copies  $c(\mathcal{A})$  to tape 2

# Undecidability of the halting problem

Assumption: there is a TM  $\mathcal{H}_2$  which, given  $c(\mathcal{A})$  and  $c(w)$  as input

- 1 accepts if  $\mathcal{A}$  does **not** halt with input  $w$  and
- 2 runs forever if  $\mathcal{A}$  halts with input  $w$ .

If  $\mathcal{H}_2$  exists, then there is also a TM  $\mathcal{S}$  accepting exactly those encodings of TMs that do **not** accept their own encoding

- 1 input: TM encoding  $c(\mathcal{A})$  on tape 1
- 2  $\mathcal{S}$  copies  $c(\mathcal{A})$  to tape 2
- 3 afterwards  $\mathcal{S}$  operates like  $\mathcal{H}_2$

## Computation of $\mathcal{S}$ with input $c(\mathcal{S})$

Reminder:  $\mathcal{S}$  accepts  $c(\mathcal{A})$  iff  $\mathcal{A}$  does **not** accept  $c(\mathcal{A})$ .

## Computation of $\mathcal{S}$ with input $c(\mathcal{S})$

Reminder:  $\mathcal{S}$  accepts  $c(\mathcal{A})$  iff  $\mathcal{A}$  does **not** accept  $c(\mathcal{A})$ .

**Case 1**  $\mathcal{S}$  accepts  $c(\mathcal{S})$ . This implies that  $\mathcal{S}$  does not halt on the input  $c(\mathcal{S})$ . Therefore  $\mathcal{S}$  does not accept  $c(\mathcal{S})$ . ⚡



## Computation of $\mathcal{S}$ with input $c(\mathcal{S})$

Reminder:  $\mathcal{S}$  accepts  $c(\mathcal{A})$  iff  $\mathcal{A}$  does **not** accept  $c(\mathcal{A})$ .

**Case 1**  $\mathcal{S}$  accepts  $c(\mathcal{S})$ . This implies that  $\mathcal{S}$  does not halt on the input  $c(\mathcal{S})$ . Therefore  $\mathcal{S}$  does not accept  $c(\mathcal{S})$ . ⚡

**Case 2**  $\mathcal{S}$  rejects  $c(\mathcal{S})$ . Since  $\mathcal{S}$  accepts exactly the encodings of those TMs that reject their own encoding, this implies that  $\mathcal{S}$  accepts the input  $c(\mathcal{S})$ . ⚡

## Computation of $\mathcal{S}$ with input $c(\mathcal{S})$

Reminder:  $\mathcal{S}$  accepts  $c(\mathcal{A})$  iff  $\mathcal{A}$  does **not** accept  $c(\mathcal{A})$ .

**Case 1**  $\mathcal{S}$  accepts  $c(\mathcal{S})$ . This implies that  $\mathcal{S}$  does not halt on the input  $c(\mathcal{S})$ . Therefore  $\mathcal{S}$  does not accept  $c(\mathcal{S})$ . ⚡

**Case 2**  $\mathcal{S}$  rejects  $c(\mathcal{S})$ . Since  $\mathcal{S}$  accepts exactly the encodings of those TMs that reject their own encoding, this implies that  $\mathcal{S}$  accepts the input  $c(\mathcal{S})$ . ⚡

This implies:

- 1 There is no such TM  $\mathcal{S}$ .

## Computation of $\mathcal{S}$ with input $c(\mathcal{S})$

Reminder:  $\mathcal{S}$  accepts  $c(\mathcal{A})$  iff  $\mathcal{A}$  does **not** accept  $c(\mathcal{A})$ .

**Case 1**  $\mathcal{S}$  accepts  $c(\mathcal{S})$ . This implies that  $\mathcal{S}$  does not halt on the input  $c(\mathcal{S})$ . Therefore  $\mathcal{S}$  does not accept  $c(\mathcal{S})$ . ⚡

**Case 2**  $\mathcal{S}$  rejects  $c(\mathcal{S})$ . Since  $\mathcal{S}$  accepts exactly the encodings of those TMs that reject their own encoding, this implies that  $\mathcal{S}$  accepts the input  $c(\mathcal{S})$ . ⚡

This implies:

- 1 There is no such TM  $\mathcal{S}$ .
- 2 There is no TM  $\mathcal{H}_2$ .

## Computation of $\mathcal{S}$ with input $c(\mathcal{S})$

Reminder:  $\mathcal{S}$  accepts  $c(\mathcal{A})$  iff  $\mathcal{A}$  does **not** accept  $c(\mathcal{A})$ .

**Case 1**  $\mathcal{S}$  accepts  $c(\mathcal{S})$ . This implies that  $\mathcal{S}$  does not halt on the input  $c(\mathcal{S})$ . Therefore  $\mathcal{S}$  does not accept  $c(\mathcal{S})$ . ⚡

**Case 2**  $\mathcal{S}$  rejects  $c(\mathcal{S})$ . Since  $\mathcal{S}$  accepts exactly the encodings of those TMs that reject their own encoding, this implies that  $\mathcal{S}$  accepts the input  $c(\mathcal{S})$ . ⚡

This implies:

- 1 There is no such TM  $\mathcal{S}$ .
- 2 There is no TM  $\mathcal{H}_2$ .

## Theorem (Turing 1936)

*The halting problem is undecidable.*

## Theorem (Decision problems for Turing machines)

*The word problem, the emptiness problem, and the equivalence problem are undecidable.*

## Theorem (Decision problems for Turing machines)

*The word problem, the emptiness problem, and the equivalence problem are undecidable.*

## Proof.

If any of these problems were decidable, one could easily derive a decision procedure for the halting problem. □

# Closure properties

## Theorem (closure under $\bar{\phantom{x}}$ )

*The class of languages accepted by Turing machines is **not closed** under complement.*

# Closure properties

## Theorem (closure under $\bar{\phantom{x}}$ )

*The class of languages accepted by Turing machines is **not closed** under complement.*

## Proof.

If it were closed under complement,  $\mathcal{H}_2$  would exist. □



# Closure properties

## Theorem (closure under $\bar{\phantom{x}}$ )

*The class of languages accepted by Turing machines is **not closed** under complement.*

## Proof.

If it were closed under complement,  $\mathcal{H}_2$  would exist. □

## Theorem (closure under $\cup, \cdot, *, \cap$ )

*The class of languages accepted by TMs is **closed** under  $\cup, \cdot, *, \cap$ .*

# Closure properties

## Theorem (closure under $\bar{\phantom{x}}$ )

*The class of languages accepted by Turing machines is **not closed** under complement.*

## Proof.

If it were closed under complement,  $\mathcal{H}_2$  would exist.

## Theorem (closure under $\cup, \cdot, *, \cap$ )

*The class of languages accepted by TMs is **closed** under  $\cup, \cdot, *, \cap$ .*

## Proof.

Analogous to Type-1-grammars / LBAs.

# Diagonalisation

Challenge of the proof:  
show for all possible (infinitely many) TMs that none of them can  
decide the halting problem.

# Diagonalisation

Challenge of the proof:

show for all possible (infinitely many) TMs that none of them can decide the halting problem.

TM	input	$c(A)$	$c(B)$	$c(C)$	$c(D)$	$c(E)$	$\dots$
$A$		$\times$					
$B$			$\times$				
$C$				$\times$			
$D$					$\times$		
$E$						$\times$	
$\dots$							$\dots$

## Further diagonalisation arguments

Theorem (Cantor diagonalisation, 1891)

*The set of real numbers is uncountable.*

Theorem (Epimenides paradox, 6th century BC)

*Epimenides [the Cretan] says: “[All] Cretans are always liars.”*

Theorem (Russell's paradox, 1903)

$R := \{T \mid T \notin T\}$  Does  $R \in R$  hold?

Theorem (Gödel's incompleteness theorem, 1931)

*Construction of a sentence in 2nd order predicate logic which states that itself cannot be proved.*

## Is this important?

- ▶ What is so bad about not being able to decide if a TM halts?
- ▶ Isn't this a purely academic problem?

# Is this important?

- ▶ What is so bad about not being able to decide if a TM halts?
- ▶ Isn't this a purely academic problem?

Ludwig Wittgenstein:

*It is very queer that this should have puzzled anyone. [...] If a man says "I am lying" we say that it follows that he is not lying, from which it follows that he is lying and so on. Well, so what? You can go on like that until you are black in the face. Why not? It doesn't matter.*

(Lectures on the Foundations of Mathematics, Cambridge 1939)

# Is this important?

- ▶ What is so bad about not being able to decide if a TM halts?
- ▶ Isn't this a purely academic problem?

Ludwig Wittgenstein:

*It is very queer that this should have puzzled anyone. [...] If a man says "I am lying" we say that it follows that he is not lying, from which it follows that he is lying and so on. Well, so what? You can go on like that until you are black in the face. Why not? It doesn't matter.*

(Lectures on the Foundations of Mathematics, Cambridge 1939)

**Does it matter in practice?**



## It does not only affect halting

Halting is a fundamental property.

If halting cannot be decided, what can be?

## It does not only affect halting

Halting is a fundamental property.

If halting cannot be decided, what can be?

**Theorem (Rice, 1953)**

*Every non-trivial semantic property of TMs is undecidable.*

# It does not only affect halting

Halting is a fundamental property.

If halting cannot be decided, what can be?

## Theorem (Rice, 1953)

*Every non-trivial semantic property of TMs is undecidable.*

**non-trivial** satisfied by some TMs, not satisfied by others

**semantic** referring to the accepted language

# Undecidability of semantic properties

Example (Property  $E$ : TM accepts the set of prime numbers  $P$ )

If  $E$  is decidable, then so is the halting problem for  $\mathcal{A}$  and an input  $w_{\mathcal{A}}$ .

Approach: Turing machine  $\mathcal{E}$ , input  $w_{\mathcal{E}}$

## Example (Property $E$ : TM accepts the set of prime numbers $P$ )

If  $E$  is decidable, then so is the halting problem for  $\mathcal{A}$  and an input  $w_{\mathcal{A}}$ .

Approach: Turing machine  $\mathcal{E}$ , input  $w_{\mathcal{E}}$

- 1 simulate computation of  $\mathcal{A}$  auf  $w_{\mathcal{A}}$
- 2 decide if  $w_{\mathcal{E}} \in P$

## Example (Property $E$ : TM accepts the set of prime numbers $P$ )

If  $E$  is decidable, then so is the halting problem for  $\mathcal{A}$  and an input  $w_{\mathcal{A}}$ .

Approach: Turing machine  $\mathcal{E}$ , input  $w_{\mathcal{E}}$

- 1 simulate computation of  $\mathcal{A}$  auf  $w_{\mathcal{A}}$
- 2 decide if  $w_{\mathcal{E}} \in P$

Check if  $\mathcal{E}$  accepts the set of prime numbers:

yes  $\leadsto \mathcal{A}$  halts with input  $w_{\mathcal{A}}$     no  $\leadsto \mathcal{A}$  does not halt on input  $w_{\mathcal{A}}$

It does not only affect Turing machines

## Church-Turing-thesis

*Every effectively calculable function is a computable function.*

# It does not only affect Turing machines

## Church-Turing-thesis

*Every effectively calculable function is a computable function.*

**computable** means calculable by a (Turing) machine

**effectively calculable** refers to the intuitive idea without reference to a particular computing model



# It does not only affect Turing machines

## Church-Turing-thesis

*Every effectively calculable function is a computable function.*

**computable** means calculable by a (Turing) machine

**effectively calculable** refers to the intuitive idea without reference to a particular computing model

What holds for Turing machines also holds for

- ▶ unrestricted grammars,
- ▶ *while* programs,
- ▶ von Neumann architecture,

# It does not only affect Turing machines

## Church-Turing-thesis

*Every effectively calculable function is a computable function.*

**computable** means calculable by a (Turing) machine

**effectively calculable** refers to the intuitive idea without reference to a particular computing model

What holds for Turing machines also holds for

- ▶ unrestricted grammars,
- ▶ *while* programs,
- ▶ von Neumann architecture,
- ▶ Java/C++/Lisp/Prolog programs,

# It does not only affect Turing machines

## Church-Turing-thesis

*Every effectively calculable function is a computable function.*

**computable** means calculable by a (Turing) machine

**effectively calculable** refers to the intuitive idea without reference to a particular computing model

What holds for Turing machines also holds for

- ▶ unrestricted grammars,
- ▶ *while* programs,
- ▶ von Neumann architecture,
- ▶ Java/C++/Lisp/Prolog programs,
- ▶ future machines and languages

# It does not only affect Turing machines

## Church-Turing-thesis

*Every effectively calculable function is a computable function.*

**computable** means calculable by a (Turing) machine

**effectively calculable** refers to the intuitive idea without reference to a particular computing model

What holds for Turing machines also holds for

- ▶ unrestricted grammars,
- ▶ *while* programs,
- ▶ von Neumann architecture,
- ▶ Java/C++/Lisp/Prolog programs,
- ▶ future machines and languages

**No interesting property is decidable  
for any powerful programming language!**

# Undecidable problems in practice

- software development** Does the program match the specification?
- debugging** Does the program have a memory leak?
- malware** Does the program harm the system?
- education** Does the student's TM compute the same function as the teacher's TM?
- formal languages** Do two cf. grammars generate the same language?
- mathematics** Hilbert's tenth problem: find integer solutions for a polynomial with several variables
- logic** Satisfiability of formulas in first-order predicate logic

# Undecidable problems in practice

- software development** Does the program match the specification?
- debugging** Does the program have a memory leak?
- malware** Does the program harm the system?
- education** Does the student's TM compute the same function as the teacher's TM?
- formal languages** Do two cf. grammars generate the same language?
- mathematics** Hilbert's tenth problem: find integer solutions for a polynomial with several variables
- logic** Satisfiability of formulas in first-order predicate logic

***Yes, it does matter!***

## Some things that are still possible

It is possible

to translate a program  $P$  from  
a language into an equivalent  
one in another language

## Some things that are still possible

It is possible

because

to translate a program  $P$  from  
a language into an equivalent  
one in another language

one **specific** program is created for  
 $P$ .



## Some things that are still possible

It is possible

because

to translate a program  $P$  from a language into an equivalent one in another language

one **specific** program is created for  $P$ .

to detect if a program contains a instruction to write to the hard disk

## Some things that are still possible

It is possible

because

to translate a program  $P$  from a language into an equivalent one in another language

one **specific** program is created for  $P$ .

to detect if a program contains a instruction to write to the hard disk

this is a syntactic property. Deciding if this instruction is eventually executed is impossible in general.

## Some things that are still possible

It is possible

because

to translate a program  $P$  from a language into an equivalent one in another language

one **specific** program is created for  $P$ .

to detect if a program contains a instruction to write to the hard disk

this is a syntactic property. Deciding if this instruction is eventually executed is impossible in general.

to check at runtime if a program accesses the hard disk

## Some things that are still possible

It is possible

because

to translate a program  $P$  from a language into an equivalent one in another language

one **specific** program is created for  $P$ .

to detect if a program contains a instruction to write to the hard disk

this is a syntactic property. Deciding if this instruction is eventually executed is impossible in general.

to check at runtime if a program accesses the hard disk

this corresponds to the simulation by  $\mathcal{U}$ . It is undecidable if the code is never executed.

## Some things that are still possible

It is possible

because

to translate a program  $P$  from a language into an equivalent one in another language

one **specific** program is created for  $P$ .

to detect if a program contains a instruction to write to the hard disk

this is a syntactic property. Deciding if this instruction is eventually executed is impossible in general.

to check at runtime if a program accesses the hard disk

this corresponds to the simulation by  $\mathcal{U}$ . It is undecidable if the code is never executed.

to write a program that gives the correct answer in many “interesting” cases

## Some things that are still possible

It is possible

because

to translate a program  $P$  from a language into an equivalent one in another language

one **specific** program is created for  $P$ .

to detect if a program contains a instruction to write to the hard disk

this is a syntactic property. Deciding if this instruction is eventually executed is impossible in general.

to check at runtime if a program accesses the hard disk

this corresponds to the simulation by  $\mathcal{U}$ . It is undecidable if the code is never executed.

to write a program that gives the correct answer in many “interesting” cases

there will always be cases in which an incorrect answer or none at all is given.

# What can be done?

Can the Turing machine be “fixed”?

# What can be done?

Can the Turing machine be “fixed”?

- ▶ undecidability proof does not use any specific TM properties



# What can be done?

Can the Turing machine be “fixed”?

- ▶ undecidability proof does not use any specific TM properties
- ▶ only requirement: existence of universal machine  $\mathcal{U}$

# What can be done?

Can the Turing machine be “fixed”?

- ▶ undecidability proof does not use any specific TM properties
- ▶ only requirement: existence of universal machine  $\mathcal{U}$
- ▶ TM is not too weak, but **too powerful**

# What can be done?

Can the Turing machine be “fixed”?

- ▶ undecidability proof does not use any specific TM properties
- ▶ only requirement: existence of universal machine  $\mathcal{U}$
- ▶ TM is not too weak, but **too powerful**
- ▶ different machine models have the same problem (or are weaker)

# What can be done?

Can the Turing machine be “fixed”?

- ▶ undecidability proof does not use any specific TM properties
- ▶ only requirement: existence of universal machine  $\mathcal{U}$
- ▶ TM is not too weak, but **too powerful**
- ▶ different machine models have the same problem (or are weaker)

Alternatives:

- ▶ If possible: use weaker formalisms (modal logic, dynamic logic)

# What can be done?

Can the Turing machine be “fixed”?

- ▶ undecidability proof does not use any specific TM properties
- ▶ only requirement: existence of universal machine  $\mathcal{U}$
- ▶ TM is not too weak, but **too powerful**
- ▶ different machine models have the same problem (or are weaker)

Alternatives:

- ▶ If possible: use weaker formalisms (modal logic, dynamic logic)
- ▶ use heuristics that work well in many cases, solve remaining ones manually

# What can be done?

Can the Turing machine be “fixed”?

- ▶ undecidability proof does not use any specific TM properties
- ▶ only requirement: existence of universal machine  $\mathcal{U}$
- ▶ TM is not too weak, but **too powerful**
- ▶ different machine models have the same problem (or are weaker)

Alternatives:

- ▶ If possible: use weaker formalisms (modal logic, dynamic logic)
- ▶ use heuristics that work well in many cases, solve remaining ones manually
- ▶ interactive programs

# Turing machines: summary

- ▶ Halting problem: does TM  $\mathcal{A}$  halt on input  $w$ ?
- ▶ Turing: no TM can decide the halting problem.
- ▶ Rice: no TM can decide any non-trivial semantic property of TMs.
- ▶ Church-Turing: this holds for every powerful machine model.
- ▶ No interesting problem of programs in any powerful programming language is decidable.

# Turing machines: summary

- ▶ Halting problem: does TM  $\mathcal{A}$  halt on input  $w$ ?
- ▶ Turing: no TM can decide the halting problem.
- ▶ Rice: no TM can decide any non-trivial semantic property of TMs.
- ▶ Church-Turing: this holds for every powerful machine model.
- ▶ No interesting problem of programs in any powerful programming language is decidable.

Consequences:

- ☹ Computers cannot take all work away from computer scientists.
- 😊 Computers will never make computer scientists redundant.



# Property overview

property	regular (Type 3)	context-free (Type 2)	context-sens. (Type 1)	unrestricted (Type 0)
closure				
$\cup, \cdot, *$	✓	✓	✓	✓
$\cap$	✓	✗	✓	✓
$\_$	✓	✗	✓	✗
decidability				
word	✓	✓	✓	✗
emptiness	✓	✓	✗	✗
equiv.	✓	✗	✗	✗
deterministic equivalent to non-det.	✓	✗	?	✓

**This is the End...**

## **Lecture-specific material**

# Goals for Lecture 1

- ▶ (Getting acquainted)
- ▶ Clarifying practical issues
- ▶ Course outline and motivation
  - ▶ Formal languages
  - ▶ Language classes
  - ▶ Grammars
  - ▶ Automata
  - ▶ Questions
  - ▶ Applications
- ▶ Formal basics of formal languages

# Practical Issues

- ▶ One lecture per week (on average)
  - ▶ Usually Wednesday, 10:00-13:15
  - ▶ Sometimes Tuesdays, 10:00-13:15 (see schedule for details)
  - ▶ 10 minute break around 11:30
  - ▶ I'll try to keep it entertaining...
- ▶ Important exception: 23.9.2015
  - ▶ Start at 9:30 with 45 minutes of tryout lecture by potential new faculty member
  - ▶ Please be there in time!
- ▶ Written exam
  - ▶ Calender week 48 (23.11.–27.11.)

# Summary

- ▶ Clarifying practical issues
  - ▶ You need running `flex`, `bison`, C compiler, editor!
- ▶ Course outline and motivation
  - ▶ Formal languages
  - ▶ Language classes
  - ▶ Grammars
  - ▶ Automata
  - ▶ Questions
  - ▶ Applications
- ▶ Formal basics of formal languages

- ▶ What was the best part of todays lecture?
- ▶ What part of todays lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

## Goals for Lecture 2

- ▶ Review of last lecture
- ▶ Formal languages and operations on them
- ▶ Understanding and applying regular expressions
  - ▶ Syntax - what is a valid RE?
  - ▶ Semantics - what language does it describe?
  - ▶ Application - find REs for languages and vice versa



- ▶ Introduction
  - ▶ Language classes
  - ▶ Grammars
  - ▶ Automata
  - ▶ Applications
- ▶ Formal languages
  - ▶ Finite **alphabet**  $\Sigma$  of symbols/letters
  - ▶ **Words** are finite sequences of letters from  $\Sigma$
  - ▶ **Languages** are (finite or infinite) sets of words
- ▶ Words - properties and operations
  - ▶  $|w|, |w|_a, w[k]$
  - ▶  $w_1 \cdot w_2, w^n$
- ▶ Interesting languages
  - ▶ Binary representations of natural numbers
  - ▶ Binary representations of prime numbers
  - ▶ C functions (over strings)
  - ▶ C functions with input/output pairs

- ▶ Review of last lecture
- ▶ Formal languages and operations on them
- ▶ Understanding and applying regular expressions
  - ▶ Syntax - what is a valid RE?
  - ▶ Semantics - what language does it describe?
  - ▶ Application - find REs for languages and vice versa

- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

## Goals for Lecture 3

- ▶ Review of last lecture
- ▶ Regular expression algebra
  - ▶ Equivalences on regular expressions
  - ▶ Simplifying REs
- ▶ Introduction to Finite Automata

# Review (1)

## ▶ Operations on Languages

- ▶ Product  $L_1 \cdot L_2$ : Concatenation of one word from each language
- ▶ Power  $L^n$ : Concatenation of  $n$  words from  $L$
- ▶ Kleene Star:  $L^*$ : Concat any number of words from  $L$

## ▶ Regular expressions $R_\Sigma$

### ▶ Base cases:

- ▶  $L(\emptyset) = \{\}$
- ▶  $L(\epsilon) = \{\epsilon\}$
- ▶  $L(a) = \{a\}$  for each  $a \in \Sigma$

### ▶ Complex cases:

- ▶  $L(r_1 + r_2) = L(r_1) \cup L(r_2)$
- ▶  $L(r_1 \cdot r_2) = L(r_1 r_2) = L(r_1) \cdot L(r_2)$
- ▶  $L(r^*) = L(r)^*$
- ▶  $L((r)) = L(r)$  (brackets are used to group expressions)

## Review (2)

- ▶ Equivalency:  $r_1 \doteq r_2$  iff  $L(r_1) = L(r_2)$
- ▶ Precedence of RE operators:
  - ▶  $(\dots)$
  - ▶  $*$
  - ▶  $\cdot$
  - ▶  $+$

# Warmup Exercise

- ▶ Assume  $\Sigma = \{a, b\}$ 
  - ▶ Find a regular expression for the language  $L_1$  of all words over  $\Sigma$  with at least 3 characters and where the third character is a  $a$ .
  - ▶ Describe  $L_1$  formally (i.e. as a set)
  - ▶ Find a regular expression for the language  $L_2$  of all words over  $\Sigma$  with at least 3 characters and where the third character is the same as the third-last character
  - ▶ Describe  $L_2$  formally.

# Warmup Exercise

- ▶ Assume  $\Sigma = \{a, b\}$ 
  - ▶ Find a regular expression for the language  $L_1$  of all words over  $\Sigma$  with at least 3 characters and where the third character is a  $a$ .
  - ▶ Describe  $L_1$  formally (i.e. as a set)
  - ▶ Find a regular expression for the language  $L_2$  of all words over  $\Sigma$  with at least 3 characters and where the third character is the same as the third-last character
  - ▶ Describe  $L_2$  formally.



- ▶ Regular expression algebra
  - ▶ Equivalences on regular expressions
  - ▶ Simplifying REs
- ▶ Introduction to Finite Automata
  - ▶ Graphical representation
  - ▶ Formal definition
  - ▶ Language recognized by an automata
  - ▶ Tabular representation
  - ▶ Exercises

- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

# Goals for Lecture 4

- ▶ Review of last lecture
- ▶ Finite Automata
  - ▶ Graphical representation
  - ▶ Formal definition
  - ▶ Language recognized by an automata
  - ▶ Tabular representation
  - ▶ Exercises

- ▶ (Pumping lemma and its application)
- ▶ Review of regular expressions
- ▶ Regular expression algebra
  - ▶ Commutativity of  $+$
  - ▶ Distributivity
  - ▶  $\varepsilon \notin L(s)$  and  $r \doteq rs + t \longrightarrow r \doteq ts^*$  (Aarto)
  - ▶ ... for a total of 15 unconditional and 2 conditional equivalences
- ▶ Exercise: Simplifying REs

# Last Weeks Exercise

- 1 Prove the equivalence using only algebraic operations

$$r^* \doteq \varepsilon + r^*.$$

- 2 Simplify the following regular expression:

$$r = 0(\varepsilon + 0 + 1)^* + (\varepsilon + 1)(1 + 0)^* + \varepsilon.$$

- 3 Prove the equivalence using only algebraic operations

$$10(10)^* \doteq 1(01)^*0.$$

# Solution

**1** Claim:  $r^* \doteq \varepsilon + r^*$

$$\varepsilon + r^* \doteq \varepsilon + \varepsilon + r^*r \quad (13)$$

Proof:  $\doteq \varepsilon + r^*r \quad (9)$

$$\doteq r^* \quad (13)$$

# Solution

**1** Claim:  $r^* \doteq \varepsilon + r^*$

$$\varepsilon + r^* \doteq \varepsilon + \varepsilon + r^*r \quad (13)$$

Proof:  $\doteq \varepsilon + r^*r \quad (9)$

$$\doteq r^* \quad (13)$$

**2** Simplify  $r = 0(\varepsilon + 0 + 1)^* + (\varepsilon + 1)(1 + 0)^* + \varepsilon$

► Exercise & Blackboard

# Solution

**1** Claim:  $r^* \doteq \varepsilon + r^*$

$$\varepsilon + r^* \doteq \varepsilon + \varepsilon + r^*r \quad (13)$$

Proof:  $\doteq \varepsilon + r^*r \quad (9)$

$$\doteq r^* \quad (13)$$

**2** Simplify  $r = 0(\varepsilon + 0 + 1)^* + (\varepsilon + 1)(1 + 0)^* + \varepsilon$

▶ Exercise & Blackboard

**3** Show  $10(10)^* \doteq 1(01)^*0$

▶ Exercise & Blackboard



# Solution

**1** Claim:  $r^* \doteq \varepsilon + r^*$

$$\varepsilon + r^* \doteq \varepsilon + \varepsilon + r^*r \quad (13)$$

Proof:  $\doteq \varepsilon + r^*r \quad (9)$

$$\doteq r^* \quad (13)$$

**2** Simplify  $r = 0(\varepsilon + 0 + 1)^* + (\varepsilon + 1)(1 + 0)^* + \varepsilon$

▶ Exercise & Blackboard

**3** Show  $10(10)^* \doteq 1(01)^*0$

▶ Exercise & Blackboard

- ▶ Finite Automata
  - ▶ Graphical representation
  - ▶ Formal definition
  - ▶ Language recognized by an automata
  - ▶ Tabular representation
  - ▶ Exercises

- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

# Goals for Lecture 5

- ▶ Review of last lecture
  - ▶ Comment on Aarto
  - ▶ Comment on  $\delta'$
- ▶ Introduction to Nondeterministic Finite Automata
  - ▶ Definitions
  - ▶ Exercises
  - ▶ Equivalency of deterministic and nondeterministic finite automata
    - ▶ Converting NFAs to DFAs
    - ▶ Exercises
  - ▶ Equivalency of regular expressions and NFAs
    - ▶ Construction of an NFA from a regular expression

- ▶ Solutions to algebraic exercises
- ▶ Finite Automata
  - ▶ Graphical representation
  - ▶ Formal definition
  - ▶ Language recognized by an automata
  - ▶ Tabular representation
  - ▶ Exercises

# A note on Aarto/Arden

- ▶ Aarto:  $\varepsilon \notin L(s)$  and  $r \doteq rs + t \longrightarrow r \doteq ts^*$
- ▶ Why do we need  $\varepsilon \notin L(s)$ ?
  - ▶ This guarantees that *only* words of the form  $ts^*$  are in  $L(r)$
  - ▶ Example:  $r \doteq rs + t$  mit  $s = b^*$ ,  $t = a$ .
    - ▶ If we could apply Aarto, the result would be  $r \doteq a(b^*)^* \doteq ab^*$
    - ▶ But  $L = \{ab^*\} \cup \{b^*\}$  also fulfills the equation, i.e. there is no single unique solution in this case
  - ▶ Intuitively:  $\varepsilon \in L(s)$  is a second escape from the recursion that bypasses  $t$
- ▶ The case for Arden's lemma ( $\varepsilon \notin L(s)$  and  $r \doteq sr + t \longrightarrow r \doteq s^*t$ ) is analogous


## Note: Generalised Transition Function $\delta'$ (1)

- ▶ We have defined the extended transition function for DFA's  $\delta'$  to start the recursion at the front of the word:

- ▶  $\delta'(q, \varepsilon) = q$

- ▶ 
$$\delta'(q, w) = \begin{cases} \delta'(\delta(q, c), v) & \text{if } \delta(q, c) \neq \Omega \\ \Omega & \text{otherwise} \end{cases}$$

with  $w = cv; c \in \Sigma; v \in \Sigma^*$  for  $|w| > 0$



- ▶ Thus:
$$\begin{aligned} \delta'(0, abaa) &= \delta'(\delta(0, a), baa) \\ &= \delta'(\delta(\delta(0, a), b)aa) \\ &= \delta'(\delta(\delta(\delta(0, a), b), a), a) \\ &= \delta'(\delta(\delta(\delta(\delta(0, a), b), a), a), \varepsilon) \\ &= \delta'(\delta(\delta(\delta(0, b), a), a), \varepsilon) \\ &= \delta'(\delta(\delta(1, a), a), \varepsilon) \\ &= \delta'(\delta(1, a), \varepsilon) \\ &= \delta'(1, \varepsilon) \\ &= 1 \end{aligned}$$

## Note: Generalised Transition Function $\delta'$ (2)

- ▶ Alternative definition (disassemble the word from the end):


- ▶  $\delta' : Q \times \Sigma^* \rightarrow Q \cup \{\Omega\}$

- ▶  $\delta'(q, \varepsilon) = q$

- ▶ 
$$\delta'(q, wc) = \begin{cases} \delta(\delta'(q, w), c) & \text{if } \delta(q, c) \neq \Omega \\ \Omega & \text{otherwise} \end{cases}$$

with  $c \in \Sigma; w \in \Sigma^*$

- ▶ Thus:
  - $\delta'(0, abaa) = \delta(\delta'(0, a), baa)$
  - $= \delta(\delta'(0, aba), a)$
  - $= \delta(\delta(\delta'(0, ab), a), a)$
  - $= \delta(\delta(\delta(\delta'(0, a), b), a), a)$
  - $= \delta(\delta(\delta(\delta(\delta'(0, \varepsilon), a), b), a), a), a)$
  - $= \delta(\delta(\delta(\delta(0, a), b), a), a)$
  - $= \delta(\delta(\delta(0, b), a), a)$
  - $= \delta(\delta(1, a), a)$
  - $= \delta(1, a)$
  - $= 1$





## Note: Generalised Transition Function $\delta'$ (3)

### Definition (Generalised transition function $\delta'$ )

Assume a DFA  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$ . The extended transition function  $\delta' : Q \times \Sigma^* \rightarrow Q \cup \{\Omega\}$  is defined as follows:

- ▶  $\delta'(q, \varepsilon) = q$
- ▶  $\delta'(q, wc) = \begin{cases} \delta(\delta'(q, w), c) & \text{if } \delta(q, c) \neq \Omega \\ \Omega & \text{otherwise} \end{cases}$

with  $c \in \Sigma; w \in \Sigma^*$

## Note: Generalised Transition Function $\delta'$ (3)

### Definition (Generalised transition function $\delta'$ )

Assume a DFA  $\mathcal{A} = (Q, \Sigma, \delta, q_0, F)$ . The extended transition function  $\delta' : Q \times \Sigma^* \rightarrow Q \cup \{\Omega\}$  is defined as follows:

- ▶  $\delta'(q, \varepsilon) = q$
- ▶  $\delta'(q, wc) = \begin{cases} \delta(\delta'(q, w), c) & \text{if } \delta(q, c) \neq \Omega \\ \Omega & \text{otherwise} \end{cases}$

with  $c \in \Sigma; w \in \Sigma^*$

**This is the definition we will use from now on!**

## Exercise (from last lecture)

- ▶ Assume  $\Sigma = \{a, b\}$
- ▶ Find a DFA for  $L((a + b)^*b(a + b)(a + b))$
- ▶ The language contains all words from  $\Sigma^*$  which at least three characters and where the third-last character is  $b$

## Exercise (from last lecture)

- ▶ Assume  $\Sigma = \{a, b\}$
- ▶ Find a DFA for  $L((a + b)^*b(a + b)(a + b))$
- ▶ The language contains all words from  $\Sigma^*$  which at least three characters and where the third-last character is  $b$

- ▶ Review of last lecture
- ▶ Introduction to Nondeterministic Finite Automata
  - ▶ Definitions
  - ▶ Exercises
  - ▶ Equivalency of deterministic and nondeterministic finite automata
    - ▶ Converting NFAs to DFAs
    - ▶ Exercises
  - ▶ Equivalency of regular expressions and NFAs
    - ▶ Construction of an NFA from a regular expression

# Feedback round

- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

# Goals for Lecture 6

- ▶ Review of last lecture
- ▶ Warmup exercise
- ▶ Completing the circle: REs from DFAs
- ▶ Minimizing DFAs
  - ▶ ... and a first application

# Review: NFAs

- ▶ NFA  $\mathcal{A} = (Q, \Sigma, \Delta, q_0, F)$ 
  1.  $Q$  is the finite set of states.
  2.  $\Sigma$  is the input alphabet.
  3.  $\Delta$  is a **relation** on  $Q \times (\Sigma \cup \{\varepsilon\}) \times Q$
  4.  $q_0 \in Q$  is the initial state.
  5.  $F \subseteq Q$  is the set of final states.
- ▶ Significant differences to DFAs:
  - ▶  $\Delta$  is a relation - the automaton can change to multiple successor states
  - ▶  $\Delta$  allows for  $\varepsilon$ -transition - it can change states spontaneously
- ▶ DFAs are (in essence) already NFAs
- ▶ NFAs can be simulated by DFAs
  - ▶ States of  $det(A)$  are sets of states of  $A$
  - ▶  $\hat{\delta}$  goes from sets of  $A$ -states to sets of  $A$ 
    - ▶ ...by combining the transition of the individual states
    - ▶ ...and taking the  $\varepsilon$ -closure




## Review (REs and NFAs)

- ▶ Every language described by a regular expression can be accepted by an NFA!
- ▶ Proof: Construction of NFAs from REs



# Review (REs and NFAs)

- ▶ Every language described by a regular expression can be accepted by an NFA!
- ▶ Proof: Construction of NFAs from REs
  - ▶ Simple NFAs for base cases




# Review (REs and NFAs)

- ▶ Every language described by a regular expression can be accepted by an NFA!
- ▶ Proof: Construction of NFAs from REs
  - ▶ Simple NFAs for base cases
  - ▶ Glue NFAs together with  $\epsilon$ -transition for complex REs




# Warmup: NFA to DFA transformation

Convert the following NFA (over  $\Sigma = \{a, b\}$ ) into an equivalent DFA:



# Warmup: NFA to DFA transformation

Convert the following NFA (over  $\Sigma = \{a, b\}$ ) into an equivalent DFA:



Solution

Lecture 6

# Homework assignment

- ▶ Install an operational UNIX/Linux environment on your computer
  - ▶ You can install VirtualBox (<https://www.virtualbox.org>) and then install e.g. Ubuntu (<http://www.ubuntu.com/>) on a virtual machine
  - ▶ For Windows, you can install the **complete** UNIX emulation package Cygwin from <http://cygwin.com>
  - ▶ For MacOS, you can install `fink` (<http://fink.sourceforge.net/>) or MacPorts (<https://www.macports.org/>) and the necessary tools
- ▶ You will need at least `flex`, `bison`, `gcc`, `grep`, `sed`, `AWK`, `make`, and a good text editor of your choice

# Summary

- ▶ Review of last lecture
- ▶ Warmup exercise
- ▶ Completing the circle: REs from DFAs
  - ▶ Find system of equations (easy)
  - ▶ Solve system of equations (harder)
    - ▶ Use substitution to get rid of variables
    - ▶ Use simplification to make expressions smaller and bring them into the right form ( $sL + t$ )
    - ▶ Use Arden's lemma to eliminate loops ( $s^*t$ )
- ▶ Minimizing DFAs
  - ▶ Identify and merge equivalent states
  - ▶ Result is unique (up to names of states)
  - ▶ Equivalency of REs can be decided by comparison of corresponding minimal DFAs
- ▶ Homework: Get ready for `flexing...`

- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?



# Goals for Lecture 7

- ▶ Review of last lecture
- ▶ Discussion of exercise/homework [Exercise: Equivalence of regular expressions](#)
- ▶ Beyond regular languages: The Pumping Lemma
  - ▶ Motivation/Lemma
  - ▶ Application of the lemma
  - ▶ Implications
- ▶ Properties of regular languages
  - ▶ Closure properties (union, intersection, ...)

- ▶ Finding an RE for a given DFAs
  - ▶ Find system of equations (easy)
  - ▶ Solve system of equations (harder)
    - ▶ Use substitution to get rid of variables
    - ▶ Use simplification to make expressions smaller and bring them into the right form ( $sL + t$ )
    - ▶ Use Arden's lemma to eliminate loops ( $s^*t$ )
- ▶ Minimizing DFAs
  - ▶ Identify and merge equivalent states
  - ▶ Result is unique (up to names of states)
  - ▶ Equivalency of REs can be decided by comparison of corresponding minimal DFAs
  - ▶ Open exercise/homework!

## Exercise: Equivalence of REs

Reusing an exercise from an earlier section, prove the following equivalence (by conversion to minimal DFAs):

$$10(10)^* \doteq 1(01)^*0$$

## Exercise: Equivalence of REs

Reusing an exercise from an earlier section, prove the following equivalence (by conversion to minimal DFAs):

$$10(10)^* \doteq 1(01)^*0$$

- 1 Construct NFAs from the REs
- 2 Convert NFAs to DFAs
- 3 Minimize DFAs
- 4 Compare minimized DFAs (modulo state names)

Solution

Lecture 7

## Reminder: Homework assignment

- ▶ Install an operational UNIX/Linux environment on your computer
  - ▶ You can install VirtualBox (<https://www.virtualbox.org>) and then install e.g. Ubuntu (<http://www.ubuntu.com/>) on a virtual machine
  - ▶ For Windows, you can install the **complete** UNIX emulation package Cygwin from <http://cygwin.com>
  - ▶ For MacOS, you can install `fink` (<http://fink.sourceforge.net/>) or MacPorts (<https://www.macports.org/>) and the necessary tools
- ▶ You will need at least `flex`, `bison`, `gcc`, `grep`, `sed`, `AWK`, `make`, and a good text editor of your choice

# Summary

- ▶ Review of last lecture
- ▶ Discussion of exercise/homework [Exercise: Equivalence of regular expressions](#)
- ▶ Beyond regular languages: The Pumping Lemma
  - ▶ Motivation/Lemma
  - ▶ Application of the lemma ( $a^n b^n, a^n b^m, n < m$ )
  - ▶ Implications (Nested structures are not regular)
- ▶ Properties of regular languages
  - ▶ Closure properties (union, intersection, ...)

# Feedback round

- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

# Goals for Lecture 8

- ▶ Review of last lecture
- ▶ Completing the theory of regular languages
  - ▶ Emptiness, finiteness, ...
  - ▶ Decision problems (word problem, equivalence, ...)
  - ▶ Wrap-up
- ▶ Scanning in practice
  - ▶ Scanners in context
  - ▶ Practical regular expressions
  - ▶ Flex



- ▶ The Pumping Lemma
  - ▶ Motivation/Lemma
    - ▶ For every regular language  $L$  there exists a  $k$  such that any word  $s$  with  $|s| \geq k$  can be split into  $s = uvw$  with  $|uv| \leq k$  and  $v \neq \epsilon$  and  $uv^h w \in L$  for all  $h \in \mathbb{N}$
    - ▶ Use in proofs by contradiction: Assume a language is regular, then derive contradiction
  - ▶ Application of the lemma ( $a^n b^n, a^n b^m, n < m$ )
  - ▶ Implications (Nested structures are not regular)
- ▶ Properties of regular languages
  - ▶ The union of two regular languages is regular
  - ▶ The intersection of two regular languages is regular (Product automaton!)
  - ▶ The concatenation of two regular languages is regular
  - ▶ The Kleene star of a regular language is regular
  - ▶ The complement of a regular language is regular

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}_L} = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton  
accepting  $\overline{L}$ :

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}}_L = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton accepting  $\overline{L}$ :

- ▶ if  $w \in L(\mathcal{A})$  then  $\delta'(q_0, w) \in F$ , i.e.  
 $\delta'(q_0, w) \notin Q \setminus F$ , which implies  $w \notin L(\overline{\mathcal{A}}_L)$ .
- ▶ if  $w \notin L(\mathcal{A})$  then  $\delta'(q_0, w) \notin F$ , i.e.  
 $\delta'(q_0, w) \in Q \setminus F$ , which implies  $w \in L(\overline{\mathcal{A}}_L)$ .

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}_L} = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton accepting  $\bar{L}$ :

- ▶ if  $w \in L(\mathcal{A})$  then  $\delta'(q_0, w) \in F$ , i.e.  
 $\delta'(q_0, w) \notin Q \setminus F$ , which implies  $w \notin L(\overline{\mathcal{A}_L})$ .
- ▶ if  $w \notin L(\mathcal{A})$  then  $\delta'(q_0, w) \notin F$ , i.e.  
 $\delta'(q_0, w) \in Q \setminus F$ , which implies  $w \in L(\overline{\mathcal{A}_L})$ .

## Reminder:

$$\delta' : Q \times \Sigma^* \rightarrow Q$$

$\delta'(q_0, w)$  is the final state of the automaton after processing  $w$

# Closure under complement

Let  $\mathcal{A}_L$  be a complete DFA for the language  $L$ .  
(If there are  $\Omega$  transitions, add a junk state.)

Then  $\overline{\mathcal{A}_L} = (Q, \Sigma, q_0, \delta, Q \setminus F)$  is an automaton accepting  $\bar{L}$ :

- ▶ if  $w \in L(\mathcal{A})$  then  $\delta'(q_0, w) \in F$ , i.e.  
 $\delta'(q_0, w) \notin Q \setminus F$ , which implies  $w \notin L(\overline{\mathcal{A}_L})$ .
- ▶ if  $w \notin L(\mathcal{A})$  then  $\delta'(q_0, w) \notin F$ , i.e.  
 $\delta'(q_0, w) \in Q \setminus F$ , which implies  $w \in L(\overline{\mathcal{A}_L})$ .

## Reminder:

$$\delta' : Q \times \Sigma^* \rightarrow Q$$

$\delta'(q_0, w)$  is the final state of the automaton after processing  $w$

**All we have to do is exchange final and non-final states.**

## Closure properties: exercise

Show that  $L = \{w \in \{a, b\}^* \mid |w|_a = |w|_b\}$  is not regular.

Hint: Use the following:

- ▶  $a^n b^n$  is not regular. (Pumping lemma)
- ▶  $a^* b^*$  is regular. (Regular expression)
- ▶ (one of) the closure properties shown before.

# Closure properties: exercise

Show that  $L = \{w \in \{a, b\}^* \mid |w|_a = |w|_b\}$  is not regular.

Hint: Use the following:

- ▶  $a^n b^n$  is not regular. (Pumping lemma)
- ▶  $a^* b^*$  is regular. (Regular expression)
- ▶ (one of) the closure properties shown before.

- ▶ Completing the theory of regular languages
  - ▶ Emptiness, finiteness, ...
  - ▶ Decision problems (word problem, equivalence, ...)
  - ▶ Wrap-up
- ▶ Scanning in practice
  - ▶ Scanners in context
  - ▶ Practical regular expressions
  - ▶ Flex
    - ▶ Definition section
    - ▶ Rule section
    - ▶ User code section/`yylex()`



- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

# Goals for Lecture 9

- ▶ Review of last lecture
  - ▶ Short review of the homework exercise
- ▶ Formal grammars
  - ▶ Formal grammars and their languages
  - ▶ The Chomsky-Hierarchy
  - ▶ Regular grammars/Right-linear grammars and automata

- ▶ Wrap-up of regular languages
  - ▶ Properties (closures under complement, finiteness)
  - ▶ Decision problems (emptiness, word, equivalence, finiteness)
- ▶ Practical scanning
  - ▶ Scanning in context
  - ▶ Scanning with `flex`
    - ▶ 3 sections (definitions, rules, user code)
    - ▶ Workflow (`flexx`, `gcc`, `gcc`)
    - ▶ Regular expressions in practice
    - ▶ Flexercise (<http://www.lehre.dhbw-stuttgart.de/~sschulz/TEACHING/FLA2015/scammer.1>)

- ▶ Wrap-up of regular languages
  - ▶ Properties (closures under complement, finiteness)
  - ▶ Decision problems (emptiness, word, equivalence, finiteness)
- ▶ Practical scanning
  - ▶ Scanning in context
  - ▶ Scanning with `flex`
    - ▶ 3 sections (definitions, rules, user code)
    - ▶ Workflow (`flexx`, `gcc`, `gcc`)
    - ▶ Regular expressions in practice
    - ▶ Flexercise (<http://www.lehre.dhbw-stuttgart.de/~sschulz/TEACHING/FLA2015/scammer.1>)

- ▶ Formal grammars
  - ▶ Formal grammars and their languages
  - ▶ The Chomsky-Hierarchy
  - ▶ Regular grammars/Right-linear grammars and automata

# Feedback round

- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

# Goals for Lecture 10

- ▶ Review of last lecture
- ▶ Context-Free grammars
  - ▶ Examples
  - ▶ Chomsky Normal Form
  - ▶ Parsing with Cocke-Younger-Kasami

- ▶ Formal grammars
  - ▶ Formal grammars and their languages
  - ▶ The Chomsky-Hierarchy
    - ▶ Unrestricted
    - ▶ Context-sensitive ( $\alpha_1 A \alpha_2 \rightarrow \alpha_1 \beta \alpha_2$ , non-contracting)
    - ▶ Context-free ( $A \rightarrow \beta$ )
    - ▶ Regular/right-linear ( $A \rightarrow aB$  (where  $a, B$  can be  $\epsilon$ ))
  - ▶ Regular grammars/Right-linear grammars and automata



- ▶ Formal grammars
  - ▶ Formal grammars and their languages
  - ▶ The Chomsky-Hierarchy
    - ▶ Unrestricted
    - ▶ Context-sensitive ( $\alpha_1 A \alpha_2 \rightarrow \alpha_1 \beta \alpha_2$ , non-contracting)
    - ▶ Context-free ( $A \rightarrow \beta$ )
    - ▶ Regular/right-linear ( $A \rightarrow aB$  (where  $a, B$  can be  $\epsilon$ ))
  - ▶ Regular grammars/Right-linear grammars and automata

- ▶ Context-Free grammars
  - ▶ Examples
  - ▶ Chomsky Normal Form
  - ▶ Parsing with Cocke-Younger-Kasami

# Feedback round


- ▶ What was the best part of today's lecture?
- ▶ What part of today's lecture has the most potential for improvement?
  - ▶ Optional: how would you improve it?

# Goals for Lecture 11

- ▶ Review of last lecture
- ▶ Test exam
- ▶ Solutions


- ▶ Context-Free grammars
  - ▶ Reduced grammar
    - ▶ Remove non-terminating symbols
    - ▶ Remove non-reachable symbols
  - ▶ Chomsky Normal Form
    - ▶ Remove  $\epsilon$ -rules
    - ▶ Remove chain rules
    - ▶ Reduce grammar
    - ▶ Introduce new non-terminals to remove terminals from complex RHS
    - ▶ Introduce new non-terminals to break up long RHS
  - ▶ Parsing with Cocke-Younger-Kasami
    - ▶ Dynamic programming

# Interlude: Chomsky-Hierarchy for Grammars (again)




- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy

# Interlude: Chomsky-Hierarchy for Grammars (again)



- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy
- ▶ Not quite true for grammars:


# Interlude: Chomsky-Hierarchy for Grammars (again)



- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy
- ▶ Not quite true for grammars:
  - ▶  $A \rightarrow \epsilon$  allowed in context-free/regular grammars, not in context-free languages



# Interlude: Chomsky-Hierarchy for Grammars (again)



- ▶ For languages, Type-0, Type-1, Type-2, Type-3 form a real inclusion hierarchy
- ▶ Not quite true for grammars:
  - ▶  $A \rightarrow \varepsilon$  allowed in context-free/regular grammars, not in context-free languages
- ▶ Eliminating  $\varepsilon$ -productions removes this discrepancy!

## Test Exam

# Summary

- ▶ Review of last lecture
- ▶ Test exam
- ▶ Solutions

# Final feedback round

- ▶ What was the best part of the **course**?
- ▶ What part of the course that has the most potential for improvement?
  - ▶ Optional: how would you improve it?

## **Selected Solutions**

# Equivalence of regular expressions

## Solution to Exercise: Algebra on regular expressions (1)

► Claim:  $r^* \doteq \varepsilon + r^*$

$$\varepsilon + r^* \doteq \varepsilon + \varepsilon + r^*r \quad (13)$$

Proof:  $\doteq \varepsilon + r^*r \quad (9)$

$$\doteq r^* \quad (13)$$

# Simplification of regular expressions

## Solution to Exercise: Algebra on regular expressions (2)

$$\begin{aligned}r &= 0(\varepsilon + 0 + 1)^* + (\varepsilon + 1)(1 + 0)^* + \varepsilon \\ &\stackrel{14,1}{\doteq} 0(0 + 1)^* + (\varepsilon + 1)(0 + 1)^* + \varepsilon \\ &\stackrel{7}{\doteq} 0(0 + 1)^* + \varepsilon(0 + 1)^* + 1(0 + 1)^* + \varepsilon \\ &\stackrel{5}{\doteq} 0(0 + 1)^* + (0 + 1)^* + 1(0 + 1)^* + \varepsilon \\ &\stackrel{1,7}{\doteq} \varepsilon + (0 + 1)(0 + 1)^* + (0 + 1)^* \\ &\stackrel{16}{\doteq} \varepsilon + (0 + 1)^*(0 + 1) + (0 + 1)^* \\ &\stackrel{13}{\doteq} (0 + 1)^* + (0 + 1)^* \\ &\stackrel{9}{\doteq} (0 + 1)^*.\end{aligned}$$

# Application of Aarto's lemma

## Solution to Exercise: Algebra on regular expressions (3)

▶ Show that  $u = 10(10)^* \doteq 1(01)^*0$

▶ Idea:  $u$  is of the form  $ts^*$  with:

▶  $t = 10$

▶  $s = 10$

▶ This suggest Aarto's Lemma. To apply the lemma, we must show that  $r = 1(01)^*0 \doteq rs + t$

$$\begin{aligned}rs + t &= 1(01)^*010 + 10 \\ &\doteq 1((01)^*010 + 0) \quad \text{(factor out 1)}\end{aligned}$$

▶ So:  $\doteq 1((01)^*01 + \varepsilon)0 \quad \text{(factor out 0)}$

$$\doteq 1(01)^*0 \quad (14)$$

$$= r$$

▶ Since  $L(s) = \{10\}$  (and hence  $\varepsilon \notin L(s)$ ), we can apply Aarto and rewrite  $r \doteq ts^* \doteq 10(10)^*$ .



# Transformation into DFA (1)


- ▶ Incremental computation of  $\hat{Q}$  and  $\hat{\delta}$ :
  - ▶ Initial state  $S_0 = ec(q_0) = \{q_0, q_1, q_2\}$
  - ▶  $\hat{\delta}(S_0, a) = \delta^*(q_0, a) \cup \delta^*(q_1, a) \cup \delta^*(q_2, a) = \{\} \cup \{\} \cup \{q_4\} = \{q_4\} = S_1$
  - ▶  $\hat{\delta}(S_0, b) = \{q_3\} = S_2$
  - ▶  $\hat{\delta}(S_1, a) = \{\} = S_3$
  - ▶  $\hat{\delta}(S_1, b) = ec(q_6) = \{q_6, q_7, q_0, q_1, q_2\} = S_4$
  - ▶  $\hat{\delta}(S_2, a) = \{q_5, q_7, q_0, q_1, q_2\} = S_5$
  - ▶  $\hat{\delta}(S_2, b) = \{\} = S_3$
  - ▶  $\hat{\delta}(S_3, a) = \{\} = S_3$
  - ▶  $\hat{\delta}(S_3, b) = \{\} = S_3$
  - ▶  $\hat{\delta}(S_4, a) = \{q_4\} = S_1$
  - ▶  $\hat{\delta}(S_4, b) = \{q_3\} = S_2$
  - ▶  $\hat{\delta}(S_5, a) = \{q_4\} = S_1$
  - ▶  $\hat{\delta}(S_5, b) = \{q_3\} = S_2$
- ▶  $\hat{F} = \{S_4, S_5\}$  (since  $q_7 \in S_4, q_7 \in S_5$ )

## Transformation into DFA (2)

- ▶  $det(\mathcal{A}) = (\hat{Q}, \Sigma, \hat{\delta}, S_0, \hat{F})$ 
  - ▶  $\hat{Q} = \{S_0, S_1, S_2, S_3, S_4, S_5\}$
  - ▶  $\hat{F} = \{S_4, S_5\}$
  - ▶  $\hat{\delta}$  given by the table below

$\hat{\delta}$	$a$	$b$
$\rightarrow S_0$	$S_1$	$S_2$
$S_1$	$S_3$	$S_4$
$S_2$	$S_5$	$S_3$
$S_3$	$S_3$	$S_3$
$*S_4$	$S_1$	$S_2$
$*S_5$	$S_1$	$S_2$

- ▶ Regexp:  
 $L(\mathcal{A}) = L((ab + ba)(ab + ba)^*)$




## Transformation into DFA (2)

- ▶  $det(\mathcal{A}) = (\hat{Q}, \Sigma, \hat{\delta}, S_0, \hat{F})$ 
  - ▶  $\hat{Q} = \{S_0, S_1, S_2, S_3, S_4, S_5\}$
  - ▶  $\hat{F} = \{S_4, S_5\}$
  - ▶  $\hat{\delta}$  given by the table below

$\hat{\delta}$	$a$	$b$
$\rightarrow S_0$	$S_1$	$S_2$
$S_1$	$S_3$	$S_4$
$S_2$	$S_5$	$S_3$
$S_3$	$S_3$	$S_3$
$*S_4$	$S_1$	$S_2$
$*S_5$	$S_1$	$S_2$

- ▶ Regexp:  
 $L(\mathcal{A}) = L((ab + ba)(ab + ba)^*)$




[Back to exercise](#)


# Transformation of RE into NFA

Systematically construct an NFA accepting the same language as the regular expression  $(a + b)a^*b$ .

Solution:




Corresponding DFA:



[Back to exercise](#)

# Solution: NFA to DFA “aba”




[Back to exercise](#)

# Show $10(10)^* \doteq 1(01)^*0$ via minimal DFAs (1)


- Step 1: NFA for  $10(10)^*$ :

	epsilon	0	1
-> q0	{}	{}	{q1}
q1	{q2}	{}	{}
q2	{}	{q3}	{}
q3	{q4}	{}	{}
q4	{q5, q6}	{}	{}
* q5	{}	{}	{}
q6	{}	{}	{q7}
q7	{q8}	{}	{}
q8	{}	{q9}	{}
q9	{q5, q6}	{}	{}



# Show $10(10)^* \doteq 1(01)^*0$ via minimal DFAs (2)


- Step 2: DFA  $\mathcal{A}$  for  $10(10)^*$ :



- Step 3: Minimizing of  $\mathcal{A}$

	$S_0$	$S_1$	$S_2$	$S_3$	$S_4$	$S_5$
$S_0$	0	X	X	X	X	X
$S_1$	X	0	X	X	0	X
$S_2$	X	X	0	X	X	X
$S_3$	X	X	X	0	X	0
$S_4$	X	0	X	X	0	X
$S_5$	X	X	X	0	X	0


Result:  $(S_1, S_4)$  and  $(S_3, S_5)$  can be merged



# Show $10(10)^* \doteq 1(01)^*0$ via minimal DFAs (3)

► Step 4: NFA zu  $1(01)^*0$ :


	epsilon	0	1
-> q0	{}	{}	{q1}
q1	{q2}	{}	{}
q2	{q3, q4}	{}	{}
q3	{q8}	{}	{}
q4	{}	{q5}	{}
q5	{q6}	{}	{}
q6	{}	{}	{q7}
q7	{q4, q3}	{}	{}
q8	{}	{}	{q9}
* q9	{}	{}	{}





# Show $10(10)^* \doteq 1(01)^*0$ via minimal DFAs (4)


- Step 5: DFA  $\mathcal{B}$  for  $1(01)^*0$



- Step 6: Minimization of  $\mathcal{B}$

	$S_0$	$S_1$	$S_2$	$S_3$	$S_4$
$S_0$	0	X	X	X	X
$S_1$	X	0	X	X	0
$S_2$	X	X	0	X	X
$S_3$	X	X	X	0	X
$S_4$	X	0	X	X	0


Result:  $(S_1, S_4)$  can be merged




# Show $10(10)^* \doteq 1(01)^*0$ via minimal DFAs (5)

- ▶ Step 7: Comparison of  $\mathcal{A}^-$  and  $\mathcal{B}^-$

$\mathcal{A}^-$



$\mathcal{B}^-$



- ▶ Result: The two automata are identical, hence the two original regular expressions describe the same languages.

[Back to exercise](#)

[Back to review](#)

# Pumping lemma

Solution to  $a^n b^m$  with  $n < m$

- ▶ Proposition:  $L = \{a^n b^m \mid n < m\}$  is not regular.
- ▶ Proof by contradiction. We assume  $L$  is regular
- ▶ Then:  $\exists k \in \mathbb{N}$  with:
  - ▶  $\forall s \in L$  with  $|s| \geq k : \exists u, v, w \in \Sigma^*$  such that
    - ▶  $s = uvw$
    - ▶  $|uv| \leq k$
    - ▶  $v \neq \varepsilon$
    - ▶  $uv^h w \in L$  for all  $h \in \mathbb{N}$
- ▶ We consider the word  $s = a^k b^{k+1} \in L$ 
  - ▶ Since  $|uv| \leq k$ :  $u = a^i, v = a^j, w = a^l b^{k+1}$  and  $j > 0, i + j + l = k$
  - ▶ Now consider  $s' = uv^2 w$ . According to the pumping lemma,  $s' \in L$ . But  $s' = a^i a^j a^j a^l b^{k+1} = a^{i+j+l+j} b^{k+1} = a^{k+j} b^{k+1}$ . Since  $j \in \mathbb{N}, j > 0$ :  $k + j \not< k + 1$ . Hence  $s' \notin L$ . This is a contradiction. Hence the assumption is wrong, and the original proposition is true. q.e.d.

## Solution: Pumping lemma (Prime numbers)

- ▶ Proposition:  $L = \{a^p \mid p \in \mathbb{P}\}$  is not regular (where  $\mathbb{P}$  is the set of all prime numbers)
- ▶ Proof: By contradiction, using the pumping lemma.
  - ▶ Assumption:  $L$  is regular. Then there exist a  $k$  such that all words in  $L$  with at least length  $k$  can be pumped.
- ▶ Consider the word  $s = a^p$ , where  $p \in \mathbb{P}, p \geq k$ 
  - ▶ Then there are  $u, v, w \in \Sigma^*$  with  $uvw = s, |uv| \leq k, v \neq \varepsilon$ , and  $uv^h w \in L$  for all  $h \in \mathbb{N}$ .
  - ▶ We can write  $u = a^i, v = a^j, w = a^l$  with  $i + j + l = p$
  - ▶ So  $s = a^i a^j a^l$  and  $a^i a^{j \cdot h} a^l \in L$  for all  $h \in \mathbb{N}$ .
  - ▶ Consider  $h = p + 1$ . Then  $a^i a^{j \cdot (p+1)} a^l \in L$
  - ▶  $a^i a^{j \cdot (p+1)} a^l = a^i a^{jp+j} a^l = a^i a^{jp} a^j a^l = a^i a^j a^l a^{jp} = a^p a^{jp} = a^{(j+1)p}$
  - ▶ But  $(j+1)p \notin \mathbb{P}$ , since  $j+1 > 1$  and  $p > 1$ , and  $(j+1)p$  thus has (at least) two non-trivial divisors.
  - ▶ Thus  $a^{(j+1)p} \notin L$ . This violates the pumping lemma and hence contradicts the assumption. Thus the assumption is wrong and the proposition holds. *q.e.d.*

# Solution: Transformation to Chomsky Normal Form (1)

Compute the Chomsky normal form of the following grammar:

$$G = (N, \Sigma, P, S)$$

▶  $N = \{S, A, B, C, D, E\}$

▶  $\Sigma = \{a, b\}$

$$S \rightarrow AB|SB|BDE$$

$$C \rightarrow SB$$

▶  $P :$   $A \rightarrow Aa$

$$D \rightarrow E$$

$$B \rightarrow bB|BaB|ab$$

$$E \rightarrow \varepsilon$$

Step 1:  $\varepsilon$ -Elimination

▶ Nullable NTS:  $N = \{E, D\}$

$$S \rightarrow BD \quad (\text{from } S \rightarrow BDE, \beta_1 = BD, \beta_2 = \varepsilon)$$

▶ New rules:  $S \rightarrow BE \quad (\text{from } S \rightarrow BDE, \beta_1 = B, \beta_2 = E)$

$$S \rightarrow B \quad (\text{from } S \rightarrow BD \text{ or } S \rightarrow BE, \beta_1 = B, \beta_2 = \varepsilon)$$

$$D \rightarrow \varepsilon \quad (\text{from } D \rightarrow E, \beta_1 = \varepsilon, \beta_2 = \varepsilon)$$

▶ Remove  $E \rightarrow \varepsilon, D \rightarrow \varepsilon$

## Solution: Transformation to Chomsky Normal Form (2)

### Step 2: Elimination of Chain Rules.

- ▶ Current chain rules:  $S \rightarrow B, D \rightarrow E$
- ▶ Eliminate  $S \rightarrow B$ :
  - ▶  $N(S) = \{B\}$
  - ▶ New rules:  $S \rightarrow bB, S \rightarrow BaB, S \rightarrow ab$
- ▶ Eliminate  $D \rightarrow E$ 
  - ▶  $N(D) = \{E\}$
  - ▶  $E$  has no rule, therefore no new rules!
- ▶ Current state of  $P$ :

$S \rightarrow AB|SB|BDE|BD|BE|bB|BaB|ab$   
 $A \rightarrow Aa$

$C \rightarrow SB$   
 $B \rightarrow bB|BaB|ab$

# Solution: Transformation to Chomsky Normal Form (3)

## Step 3: Reducing the grammar

- ▶ Terminating symbols:  $T = \{S, B, C\}$  ( $A, D, E$  do not terminate)

- ▶ Remove all rules that contain  $A, E, D$ . Remaining:

$$S \rightarrow SB|bB|BaB|ab \quad C \rightarrow SB$$

$$B \rightarrow bB|BaB|ab$$

- ▶ Reachable symbols:  $R = \{S, B\}$  ( $C$  is not reachable)

- ▶ Remove all rules containing  $C$ . Remaining:

$$S \rightarrow SB|bB|BaB|ab$$

$$B \rightarrow bB|BaB|ab$$

## Solution: Transformation to Chomsky Normal Form (4)

Step 4: Introduce new non-terminals for terminals

- ▶ New rules:  $X_a \rightarrow a, X_b \rightarrow b$ . Result:

$$\begin{array}{ll} S & \rightarrow SB|X_bB|BX_aB|X_aX_b & X_a & \rightarrow a \\ B & \rightarrow X_bB|BX_aB|X_aX_b & X_b & \rightarrow b \end{array}$$

Step 5: Introduce new non-terminals to break up long right hand sides:

- ▶ Problematic RHS:  $BX_aB$  (in two rules)
- ▶ New rule:  $C_1 \rightarrow X_aB$ . Result:

$$\begin{array}{ll} S & \rightarrow SB|X_bB|BC_1|X_aX_b & X_a & \rightarrow a \\ B & \rightarrow X_bB|BC_1|X_aX_b & X_b & \rightarrow b \\ C_1 & \rightarrow X_aB & & \end{array}$$



# Solution: Transformation to Chomsky Normal Form (5)

Final grammar:  $G' = (N', \Sigma, P', S)$  with

▶  $N' = \{S, B, C_1, X_a, X_b\}$

▶  $\Sigma = \{a, b\}$

▶  $P' :$

$S$	$\rightarrow$	$SB X_bB BC_1 X_aX_b$	$X_a$	$\rightarrow$	$a$
$B$	$\rightarrow$	$X_bB BC_1 X_aX_b$	$X_b$	$\rightarrow$	$b$
$C_1$	$\rightarrow$	$X_aB$			

[Back to exercise](#)